



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

Escambia County Bureau of Public Safety would like to thank the various agencies and individuals that have helped, supplied, written, etc. information included in these protocols.

We have tried to list as many as possible.

Any omissions are totally by accident.

The bulk of work (original) was done by several organizations in South Florida. A copy of their acknowledgments is listed below.

Escambia County Bureau of Public Safety

Dr. Charles Neal – Medical Director
Mike Weaver – Escambia County Public Safety Bureau Chief
Daniel Spillman – Fire Chief
Pat Kostic – EMS Operations Manager
Larry Kent – Paramedic / EMSTARS
Michelle Stanhope – Paramedic / QA

West Virginia Department of Health

Volusia County EMS

Washington State Department of Health

New York State Department of Health

American Heart Association



Approved: 10/01/2011
Version: 3.1

Page 1 of 6

Approved by:


Charles Neal, D.O. Medical Director



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

Wake County Emergency Medical Services

TranSafe Ramps

Florida Common Protocols

South Florida Contributors:

Contributing Editors

Michael J. Hohl, REMT-P

Principal Author / Chair – Editing Committee
Battalion Captain – Pembroke Pines Fire
Rescue

Vicki J. Bennett-Shipman, RN, MSN, CEN, CCRN

Trauma Program Manager – Memorial Regional Hospital

Lamar Davis, REMT-P

Battalion Chief (EMS Chief) – Hollywood Fire Rescue

Antonio Gandia, MD

Medical Director – Lighthouse Point / North Lauderdale Fire Rescue

Wayne Lee, MD, FACEP

Medical Director – Coral Springs / Fort Lauderdale / Margate / Plantation /
Sunrise Fire Rescue

Joe Nelson, DO

Medical Director – A.M.R., Davie Fire Rescue

Richard Paley, MD

Medical Director – Deerfield Beach Fire Rescue

James Terry, REMT-P

Division Chief (EMS Chief) – Tamarac Fire Rescue



Approved: 10/01/2011
Version: 3.1

Page 2 of 6

Approved by:


Charles Neal, D.O. Medical Director



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

Gerry Vandervelde, REMT-P

Paramedic Instructor – Broward Community College

G. Patricia Cantwell, MD

Pediatric Intensive Care - Jackson Memorial Hospital

James Cresanta, MD

Disease Prevention – Broward County Health Department

Thomas Dibernardo, REMT-P

Rescue Supervisor – Sunrise Fire Rescue

David Downey, NREMT-P

Captain (Special Operations) – Miami-Dade Fire Rescue

Julie Downey, REMT-P

Lieutenant - Sunrise Fire Rescue

Jeanne Eckes, RN

Trauma Nurse Coordinator – Broward General Medical Center

Steve Eggnatz, REMT-P

Division Chief (EMS) – Oakland Park Fire Rescue

William Huff, REMT-P

Division Captain (EMS) – Miramar Fire Rescue

Randy Ovcen, REMT-P

Lieutenant / Flight Paramedic - Broward County Air Rescue

Thomas Sheridan, MPA, NREMT-P

EMS Coordinator - Office of the Medical Director - Physician Associates

Mark Steele, REMT-P

Training Officer – Hollywood Fire Rescue

Andi Thomas

Executive Director – Hep-C ALERT, Inc.



Approved: 10/01/2011
Version: 3.1

Page 3 of 6

Approved by:


Charles Neal, D.O. Medical Director



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

Richard Weisman, Pharm.D. ABAT

Director – Florida Poison Information Center/Miami University of
Miami School of Medicine

Medical Reviewers

Jeffrey Bernstein, MD FACEP, ACMT

Medical Director – Florida Poison Information Center/Miami University of
Miami School of Medicine

Joseph Cascone, MD

Trauma Director - North Broward Medical Center

Harry Heinitsh, MD

Medical Director – Miami Beach Fire Rescue

Lawrence Lottenberg, MD

Trauma Director - Memorial Regional Hospital

Deborah Mulligan-Smith, MD

Pediatric Intensive Care - Broward General Medical Center

Joshua Perper, MD

Broward County Medical Examiner

Ivan Puente, MD

Trauma Director - Broward General Medical Center

Lou Romig, MD

Emergency Department - Miami Children's Hospital

Scott Ulin, MD

Medical Director – Dania Beach, Lauderhill, and Tamarac Fire Rescue

PEER Reviewers

AMR

Broward Broward County Fire Rescue

Cooper City Fire Rescue



Approved: 10/01/2011
Version: 3.1

Page 4 of 6

Approved by:


Charles Neal, D.O. Medical Director



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

Coral Gables Fire Rescue
Coral Springs Fire Rescue
Dania Beach Fire Rescue
Davie Fire Department
Deerfield Beach Fire Rescue
Fort Lauderdale Fire Rescue
Hallandale Fire Rescue
Hollywood Fire Rescue
Lauderdale Lakes Fire Rescue
Lighthouse Point Fire Rescue
Margate Fire Rescue
Miramar Fire Rescue
North Lauderdale Fire Rescue
Oakland Park Fire Rescue
Pembroke Park Fire Rescue
Pembroke Pines Fire Rescue
Plantation Fire Department
EMS Pompano Beach Fire Rescue
Sunrise Fire Rescue
Tamarac Fire Rescue

Selected References

The following texts were used as references and selected contents were used in part or in whole from these texts for the Hazardous Materials Exposure Protocols:

U.S. Army Medical Research Institute of Chemical Defense: Medical Management of Chemical Casualties, 2nd Edition, Aberdeen Proving Ground, MD, 1995. U.S. Army Medical Research Institute of Infectious Diseases: Medical Management of Biological Casualties, 2nd Edition, Frederick, MD, 1996. U.S. Department of Health & Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry: Managing Hazardous Materials Incidents Volume III

– Medical Management Guidelines for Acute Chemical Exposures, San Rafael, CA.

Miami-Dade Emergency Management: South Florida Regional Metropolitan Medical Strike Team, Miami, FL, 1998.



Approved: 10/01/2011
Version: 3.1

Page 5 of 6

Approved by:


Charles Neal, D.O. Medical Director



ACKNOWLEDGEMENTS



Escambia County, Florida - ALS/BLS Medical Protocol

In addition, the following protocols were used as references and selected contents were used in part or in whole from these protocols:

Metropolitan Dade County Fire Rescue Department: Medical Operations Manual, 1999.



Approved: 10/01/2011
Version: 3.1

Page 6 of 6

Approved by:


Charles Neal, D.O. Medical Director