

**BOARD OF COUNTY COMMISSIONERS  
ESCAMBIA COUNTY, FLORIDA  
OFFICE OF PURCHASING**

213 PALAFOX PLACE, 2<sup>nd</sup> Floor  
P.O. BOX 1591  
PENSACOLA, FL 32591-1591  
TELEPHONE (850)595-4980  
(SUNCOM) 695-4980  
TELEFAX (850)595-4805  
<http://www.myescambia.com>



CLAUDIA SIMMONS  
*Purchasing Manager*

April 28, 2016

To: All Known Prospective Bidders

**ADDENDUM NUMBER 1:**

**Re: Purchase and Installation of Arena Sound System, Partial Replacement Project, PD 15-16.047**

We recently sent you an Invitation to Bid on the above-mentioned specification.

**This Addendum #1 provides for the following changes:**

Addendum one (1) provides for Solicitation Corrections in the "Scope of Work", and the posted "Schematic", showing Location Install points for Speakers. Please disregard the original "Schematic", and insert the New Schematic, and this additional "Addendum to the Scope of Work" listed below:

**Purchase and Installation of Arena Sound System Partial Replacement**

April 27, 2016

Addendum to the scope of work:

- 1- To supply and install replacement speakers (total of 4 Bose - LT4402)
  - General Locations (A - YELLOW) noted on attached map
  - Installation to include all necessary hardware to install units in current existing locations
  - Existing wire, amps, and processors to be used
  - Old Speaker units are to be taken down and remain property of Escambia County, FL/Pensacola Bay Center
  
- 2- To supply and install a subwoofer array (total of 8 Danley - TH1181-B)
  - General Locations (B - GREEN) noted on attached map
  - Installation to include all necessary hardware to install units in a location nearest to the center point of the arena and not to interfere with center hung scoreboard operations
  - NEW 10 gauge wiring will be needed
  - NEW QSC Amp (PLX2502) will be needed to connect the Danley (TH11081-B) Units to the existing sound system
  - Existing Subwoofer Units are to remain in place
  
- 3- Calibration & Re-Tuning of system

- Calibration, Re-Tuning and Testing of the system must be completed by a certified BSS technician upon completion of installation

is Addendum Number "1" is furnished to all known prospective bidders. Please sign and return one copy of this Addendum, with original signature, with your bid as an acknowledgement of your having received same. You may photo copy for your record.

Sincerely,



**LESTER L. BOYD**  
**Purchasing Specialist**

llb

Cc: **Scott Cornwell, Director of Operations**

**Company Vendors Acknowledgement:**

SIGNED: \_\_\_\_\_

COMPANY: \_\_\_\_\_

