O:\ORL\21d2\20 CADD\ Active\000000-0-00-00\roadway\KEYSHD01.dgn
5/11/2022 11:27:03 AM Default
awelfle

# BOARD OF COUNTY COMMISSIONERS
# ESCAMBIA COUNTY, FLORIDA
## ENGINEERING DEPARTMENT
## CONSTRUCTION MANAGEMENT DIVISION

## CONTRACT PLAN COMPONENTS

ROADWAY PLANS
SIGNING AND PAVEMENT MARKING PLANS
SIGNALIZATION AND LIGHTING PLANS
LANDSCAPE PLANS

## INDEX OF PLANS

SHEET NO. & DESCRIPTION


| | |
|---|---|
| 1 | KEY SHEET |
| 2 | SIGNATURE SHEET |
| 3 - 9 | DRAINAGE MAP |
| 10 - 15 | TYPICAL SECTIONS |
| 16 | PROJECT LAYOUT |
| 17 | GENERAL NOTES |
| 18 - 40 | ROADWAY PLAN-PROFILE |
| 41 - 90 | DRAINAGE STRUCTURES |
| 91 | STORMWATER POND |
| 92 | POND TYPICAL SECTION |
| 93 | POND DRAINAGE DETAILS |
| 94 - 206 | CROSS SECTIONS |
| 207 - 209 | STORMWATER POLLUTION PREVENTION PLAN |
| 210 - 221 | UTILITY ADJUSTMENTS |


*PLANS PREPARED BY:*


moffatt & nichol

*MOFFATT & NICHOL*
*100 N. SPRING STREET, SUITE 2*
*PENSACOLA, FL 32502*
*CERTIFICATE OF AUTHORIZATION NO.: 4877*


GOVERNING STANDARD PLANS:

FLORIDA DEPARTMENT OF TRANSPORTATION, FY2022-23 STANDARD PLANS FOR ROAD AND BRIDGE CONSTRUCTION AND APPLICABLE INTERIM REVISIONS (IRs).

STANDARD PLANS FOR ROAD CONSTRUCTION AND ASSOCIATED IRs ARE AVAILABLE AT THE FOLLOWING WEBSITE: http://www.fdot.gov/design/standardplans


THESE PLANS HAVE BEEN PREPARED IN ACCORDANCE WITH THE LATEST ESCAMBIA COUNTY TECHNICAL SPECIFICATIONS.

ANY REFERENCE TO FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, LATEST EDITION, DIVISION 1, GENERAL REQUIREMENTS AND COVENANTS, SHALL BE EXCLUDED AND NOT APPLICAPABLE TO ANY SPECIFICATION REFERED HEREIN OR OTHERWISE LISTED IN THESE PLANS OR RELATED DOCUMENTS OR THE ESCAMBIA COUNTY TECHNICAL SPECIFICATIONS.

## PLANS PROPOSED FOR

# OLIVE ROAD STREET IMPROVEMENT PROJECT

(PALAFOX STREET TO DAVIS HIGHWAY)




VICINITY MAP N.T.S.




BEGIN PROJECT
STA. 130+16.45
OLIVE ROAD

END CONSTRUCTION
STA. 140+78.46
CSX RAILROAD CROSSING

BEGIN CONSTRUCTION
STA. 141+11.57
CSX RAILROAD CROSSING

END PROJECT
STA. 256+70.91
OLIVE ROAD

60% PLANS
MAY 2022

**COMMISSIONERS**

| | |
|---|---|
| DISTRICT ONE | JEFF BERGOSH, CHAIRMAN |
| DISTRICT TWO | DOUG UNDERHILL, VICE CHAIMAN |
| DISTRICT THREE | LUMON MAY |
| DISTRICT FOUR | ROBERT BENDER |
| DISTRICT FIVE | STEVEN BARRY |

| | |
|---|---|
| | SHEET S-1 |
| PROJECT MANAGER: DENISE C. BREWER | PHONE NUMBER 850-595-0793 |
| SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | DISTRICT: 3 & 4 |
| PROJECT ENGINEER: ALEXANDER J. WELFLE | REG FLA ENG NO: 86552 |
| SIGNATURE: | DATE: |

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:28:08 AM

THIS ITEM HAS BEEN DIGITALLY
SIGNED AND SEALED BY:

ALEXANDER J. WELFLE
LICENSE
No 86552
STATE OF
FLORIDA
PROFESSIONAL ENGINEER

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE
NOT CONSIDERED SIGNED AND SEALED
AND THE SIGNATURE MUST BE VERIFIED
ON ANY ELECTRONIC COPIES.

MOFFATT & NICHOL
100 N. SPRING ST., STE 2
PENSACOLA, FL 32502
ALEXANDER J. WELFLE, P.E. NO. 86552

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE
FOLLOWING SHEETS IN ACCORDANCE WITH RULE 61G15-23.004, F.A.C.

| SHEET NO. | SHEET DESCRIPTION |
|---|---|
| 1 | KEY SHEET |
| 2 | SIGNATURE SHEET |
| 10 - 15 | TYPICAL SECTIONS |
| 16 | PROJECT LAYOUT |
| 17 | GENERAL NOTES |
| 18 - 40 | ROADWAY PLAN-PROFILE |
| 94 - 206 | CROSS SECTIONS |
| 207 - 209 | STORMWATER POLLUTION PREVENTION PLAN |
| 210 - 221 | UTILITY ADJUSTMENTS |

THIS ITEM HAS BEEN DIGITALLY
SIGNED AND SEALED BY:

JASON T. RIPLEY
LICENSE
No 68328
STATE OF
FLORIDA
PROFESSIONAL ENGINEER

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE
NOT CONSIDERED SIGNED AND SEALED
AND THE SIGNATURE MUST BE VERIFIED
ON ANY ELECTRONIC COPIES.

MOFFATT & NICHOL
100 N. SPRING ST., STE 2
PENSACOLA, FL 32502
ALEXANDER J. WELFLE, P.E. NO. 86552

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE
FOLLOWING SHEETS IN ACCORDANCE WITH RULE 61G15-23.004, F.A.C.

| SHEET NO. | SHEET DESCRIPTION |
|---|---|
| 2 | SIGNATURE SHEET |
| 3 - 9 | DRAINAGE MAP |
| 41 - 90 | DRAINAGE STRUCTURES |
| 91 | STORMWATER POND |
| 92 | POND TYPICAL SECTION |
| 93 | POND DRAINAGE DETAILS |
| 207 - 209 | STORMWATER POLLUTION PREVENTION PLAN |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

SIGNATURE SHEET

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 2

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\SIGNRD01.dgn

2:18:29 PM




DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES. THIS SHEET IS IN THE PLANS FOR DOCUMENTATION AND TO ASSIST CONSTRUCTION PERSONNEL WITH DRAINAGE CONCERNS.

| OFFSITE BASIN AREAS TO PROPOSED STRUCTURES | |
|---|---|
| STR. | AREA (AC) |
| S-200 | 0.32 |
| S-208 | 0.28 |
| S-211 | 1.18 |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE MAP

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 3

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRMPRD11.dgn

2:19:07 PM

| OFFSITE BASIN AREAS TO PROPOSED STRUCTURES | |
|---|---|
| STR. | AREA (AC) |
| S-220 | 3.58 |
| S-224 | 0.30 |
| S-226 | 0.55 |
| S-234 | 3.79 |
| S-239 | 3.67 |
| S-243 | 0.78 |
| S-246 | 1.19 |
| S-247 | 0.26 |
| S-251 | 1.34 |
| S-253 | 0.09 |

1" = 200'

MAGNOLIA PL
CRYSTAL WELLS PL
SHORT DR
DEBORAH DR
CORONET DR
ACKERMAN DR
OAKFOREST DR
℄ CONST. OLIVE RD.
EXISTING R/W LINE

ONSITE BASIN - 200 SERIES CONTINUED

| OFFSITE BASIN AREAS TO PROPOSED STRUCTURES | |
|---|---|
| STR. | AREA (AC) |
| S-228 | 1.53 |
| S-230 | 0.95 |
| S-233 | 2.84 |
| S-236 | 3.28 |
| S-240 | 2.29 |
| S-244 | 2.18 |
| S-245 | 0.82 |
| S-250 | 0.38 |

*DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES. THIS SHEET IS IN THE PLANS FOR DOCUMENTATION AND TO ASSIST CONSTRUCTION PERSONNEL WITH DRAINAGE CONCERNS.*

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE MAP

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | JASON T. RIPLEY |

| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 68328 | (850) 815-3040 |

FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 4

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.*

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRMPRD12.dgn

2:19:37 PM

| OFFSITE BASIN AREAS TO PROPOSED STRUCTURES | |
|---|---|
| STR. | AREA (AC) |
| S-259 | 0.02 |
| EX-39 | 0.14 |
| EX-40 | 0.26 |
| S-304 | 2.85 |
| S-314 | 1.30 |
| S-317 | 1.20 |
| S-319 | 1.31 |
| S-323 | 0.56 |

T15, R30W, S21

T15, R30W, S20

CARPENTER CREEK

MAZUREK BLVD

OLD NURSERY WAY

MEYER WAY

CODY LN

ONSITE BASIN - 300 SERIES
6.80 AC

1" = 200'

S-317 S-314 S-313 S-315 S-303 S-301 S-263 S-259 S-256 S-304 S-305 S-309 S-311 S-319 S-323 S-318 S-322

54 53 47 46 51 52 55 57 56 42 39 36 35 33 32 40 37 30

185 190 195 200 205 210

STONEBROOK DR

HEIRLOOM DR

WINODEE RD

S-302 S-300 S-266 S-260 S-258 S-257 S-255 S-265 S-262 S-306 S-307 S-381 S-380 S-382 S-383 S-312 S-316 S-310 S-308 S-320 S-321

43 41 38 34 44 48 45 50 49

℄ CONST. OLIVE RD.

EXISTING R/W LINE

ONSITE BASIN - 200 SERIES
CONTINUED

| OFFSITE BASIN AREAS TO STRUCTURES IN R/W | |
|---|---|
| STR. | AREA (AC) |
| S-257 | 11.18 |
| S-258 | 0.51 |
| S-260 | 0.17 |
| S-265 | 1.17 |
| S-266 | 0.70 |

*DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES. THIS SHEET IS IN THE PLANS FOR DOCUMENTATION AND TO ASSIST CONSTRUCTION PERSONNEL WITH DRAINAGE CONCERNS.*

awelfle
Q:\ORL\211412\30 CADD_Active\000000-0-00-00\drainage\DRMPRD13.dgn

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE MAP

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|
| AW | JH | JASON T. RIPLEY | |
| DRAWN BY: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: |
| PD | DENISE C. BREWER | 3 & 4 | 68328 |
| DATE: | SECTION / TOWNSHIP / RANGE: | | PHONE NUMBER: |
| 5/11/2022 | 18, 20, & 21 / 1S / 30W | | (850) 815-3040 |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 5

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.*

2:20:09 PM




| OFFSITE BASIN AREAS TO STRUCTURES IN R/W | | | |
|---|---|---|---|
| STR. | AREA (AC) | STR. | AREA (AC) |
| S-326 | 0.64 | S-348 | 0.41 |
| S-330 | 0.22 | S-349 | 0.16 |
| S-331 | 0.22 | S-354 | 1.47 |
| S-333 | 0.30 | S-358 | 2.42 |
| S-336 | 1.07 | S-365 | 10.07 |
| S-337 | 1.90 | S-367 | 2.09 |
| S-340 | 1.98 | S-370 | 0.40 |
| S-341 | 3.29 | S-371 | 0.17 |
| S-344 | 0.96 | EX-121 | 1.31 |
| S-347 | 1.28 | | |

DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES. THIS SHEET IS IN THE PLANS FOR DOCUMENTATION AND TO ASSIST CONSTRUCTION PERSONNEL WITH DRAINAGE CONCERNS.

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE MAP

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 18, 20, & 21 - 1S - 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 6

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\30 CADD_Active\000000-0-00-00\drainage\DRMPRD14.dgn

2:20:40 PM




| OFFSITE BASIN AREAS TO STRUCTURES IN R/W | |
|---|---|
| STR. | AREA (AC) |
| S-403 | 0.02 |
| S-406 | 0.67 |
| S-411 | 0.10 |
| S-417 | 0.02 |

DO NOT USE THE INFORMATION ON THIS SHEET FOR CONSTRUCTION PURPOSES. THIS SHEET IS IN THE PLANS FOR DOCUMENTATION AND TO ASSIST CONSTRUCTION PERSONNEL WITH DRAINAGE CONCERNS.

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE MAP

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY | |
| DRAWN BY: PD | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| DATE: 5/11/2022 | FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 7

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRMPRD15.dgn

(1) MANHOLE
16" R.C.P.
E. FL XX.XX

(2) MANHOLE
UNKNOWN
E. FL XX.XX

(3) DBI
16" R.C.P.
W. FL 126.58

(4) MES, SIDE DRAIN
18" R.C.P.
W. FL 127.09
E. FL 127.45

(5) MES, SIDE DRAIN
18" R.C.P.
W. FL 128.65
E. FL 129.10

(6) MES, SIDE DRAIN
18" R.C.P.
W. FL 130.04
E. FL 131.04

(7) OVERFLOW PIPE
10" P.V.C.
N. FL 131.13
S. FL 131.04

(8) MES, SIDE DRAIN
18" R.C.P.
W. FL 133.08
E. FL 133.18

(9) MES
18" R.C.P.
W. FL 132.78

(10) DBI
18" R.C.P.
W. FL 131.58
E. FL 131.58

(11) MES
18" R.C.P.
E. FL 129.54

(12) MES, SIDE DRAIN
18" R.C.P.
W. FL 128.91
E. FL 128.67

(13) MES
18" R.C.P.
W. FL 125.86

(14) DBI
18" R.C.P.
W. FL 122.36
E. FL 122.36

(15) MES
18" R.C.P.
E. FL 122.61

(16) MES, SIDE DRAIN
18" R.C.P.
W. FL 123.29
E. FL 122.86

(17) MES, SIDE DRAIN
18" R.C.P.
W. FL 122.17
E. FL 121.50

(18) MES
18" R.C.P.
W. FL 119.23

(19) INLET
18" R.C.P.
W. FL UNKNOWN
E. FL UNKNOWN

(20) INLET
18" R.C.P.
W. FL UNKNOWN
E. FL UNKNOWN

(21) MES
18" R.C.P.
E. FL 118.01

(22) MES, SIDE DRAIN
18" R.C.P.
W. FL 119.57
E. FL 119.15

(23) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.85
E. FL 118.52

(24) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.50
E. FL 118.40

(25) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.22
E. FL 117.72

(26) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.02
E. FL 116.06

(27) SPILLWAY
24" R.C.P.
E. FL 115.07

(28) MES
24" R.C.P.
E. FL 111.34

(29) MES, SIDE DRAIN
18" R.C.P.
W. FL 114.12
E. FL 113.12

(30) MES, SIDE DRAIN
18" R.C.P.
W. FL 111.71
E. FL 111.04

(31) MES, SIDE DRAIN
19" X 30" E.R.C.P.
W. FL 111.09
E. FL 110.26

(32) MES
18" R.C.P.
W. FL 109.16

(33) DBI
18" R.C.P.
W. FL 107.55
E. FL 107.55

(34) MES, SIDE DRAIN
24" X 36" R.C.P.
W. FL 106.96
E. FL 106.39

(35) DBI
18" R.C.P.
W. FL 105.19
E. FL 105.19

(36) MES
18" R.C.P.
E. FL 107.42

(37) PIPE, SIDE DRAIN
18" R.C.P.
W. FL 102.88
E. FL 102.52

(38) MES, SIDE DRAIN
DBL 24" R.C.P.
W. FL 100.65 / 100.64
E. FL 100.03 / 99.99

(39) MES, SIDE DRAIN
18" R.C.P.
W. FL 100.51
E. FL 99.24

(40) MES, SIDE DRAIN
24" R.C.P.
W. FL 97.93
E. FL 97.42

(41) MES, SIDE DRAIN
DBL 24" C.M.P.
W. FL 97.23 / 97.16
E. FL 94.77 / 94.77

(42) HEADWALL, CULVERT
DBL 30" R.C.P.
N. FL 91.61 / 91.48
S. FL 91.21 / 91.26

(43) MES, SIDE DRAIN
18" R.C.P.
W. FL 101.49
E. FL 102.05

(44) HEADWALL
36" R.C.P.
S. FL 97.53

(45) UNKNOWN
24" R.C.P.
E. FL UNKNOWN
36" R.C.P.
N. FL UNKNOWN
S. FL UNKNOWN

(46) UNKNOWN
30" R.C.P.
E. FL UNKNOWN
36" R.C.P.
N. FL UNKNOWN
S. FL UNKNOWN

(47) DBI
36" R.C.P.
N. FL 99.91
S. FL 99.91

(48) MES
24" R.C.P.
W. FL 104.08

(49) MES
18" R.C.P.
E. FL 104.23

(50) MES
18" R.C.P.
W. FL 105.01

(51) DBI
30" R.C.P.
W. FL 102.13
E. FL 102.13

(52) DBI
30" R.C.P.
W. FL 102.13
24" R.C.P.
E. FL 102.13

(53) DBI
24" R.C.P.
W. FL 107.28
E. FL 107.28

(54) DBI
24" R.C.P.
W. FL 109.48
E. FL 109.48

(55) DBI
24" R.C.P.
W. FL 111.20
18" R.C.P.
E. FL 111.56

(56) MANHOLE
OFFSITE SYSTEM

(57) MES
18" R.C.P.
E. FL 113.98

(58) MES
18" R.C.P.
W. FL 115.94

(59) STORM DRAIN PIPE
18" R.C.P.
S. FL 116.01

(60) DBI
18" R.C.P.
N. FL 116.08
W. FL 116.08
E. FL 116.08

(61) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.71
E. FL 117.86

(62) DBI
18" R.C.P.
W. FL 117.97
E. FL 117.97

(63) DBI
18" R.C.P.
W. FL 117.98
E. FL 117.98

(64) DBI
18" R.C.P.
W. FL 118.08
E. FL 118.08

(65) DBI
18" R.C.P.
W. FL 118.73
E. FL 118.73

(66) MES
18" R.C.P.
E. FL 118.98

(67) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.63
E. FL 118.53

(68) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.16
E. FL 118.63

(69) MES, SIDE DRAIN
18" R.C.P.
W. FL 119.02
E. FL 119.37

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE MAP
## EXISTING STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/11/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W
FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 8

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:54 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRMPRD02.dgn

(70) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.30
E. FL 118.20

(71) MES, SIDE DRAIN
18" R.C.P.
W. FL 119.31
E. FL 119.57

(72) MES, SIDE DRAIN
18" R.C.P.
W. FL 119.00
E. FL 118.64

(73) MES
18" R.C.P.
W. FL 118.86

(74) DBI
18" R.C.P.
W. FL 117.96
E. FL 117.96

(75) MES
18" R.C.P.
E. FL 117.74

(76) MES
18" R.C.P.
W. FL 118.75

(77) DBI
18" R.C.P.
W. FL 117.66
E. FL 117.66

(78) DBI
18" R.C.P.
W. FL 117.11
E. FL 117.11

(79) MES
18" R.C.P.
E. FL 117.00

(80) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.76
E. FL 117.44

(81) MES, SIDE DRAIN
18" R.C.P.
W. FL 118.10
E. FL 117.76

(82) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.83
E. FL 117.55

(83) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.37
E. FL 116.80

(84) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.40
E. FL 117.53

(85) MES
20" X 30" R.C.P.
W. FL 116.87

(86) MES, SIDE DRAIN
18" R.C.P.
W. FL 116.55
E. FL 116.51

(87) MES
18" R.C.P.
N. FL 117.04

(88) MES
18" R.C.P.
N. FL 116.60

(89) MES
20" X 30" R.C.P.
E. FL 116.23

(90) MES, SIDE DRAIN
18" R.C.P.
W. FL 116.41
E. FL 116.08

(91) MES, CROSS DRAIN
14" X 23" R.C.P.
N. FL 116.36
S. FL 116.31

(92) MES, SIDE DRAIN
19" X 30" R.C.P.
W. FL 116.11
E. FL 116.05

(93) MES, SIDE DRAIN
19" X 30" R.C.P.
W. FL 116.02
E. FL 115.82

(94) OVERFLOW WEIR
FL UNKNOWN

(95) MES, SIDE DRAIN
18" R.C.P.
W. FL 116.20
E. FL 116.23

(96) MES, SIDE DRAIN
18" R.C.P.
W. FL 116.42
E. FL 116.19

(97) MES, CROSS DRAIN
DBL 14" X 23" R.C.P.
N. FL 116.26 / 116.27
S. FL 116.15 / 116.15

(98) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.10
E. FL 116.65

(99) MES, SIDE DRAIN
18" R.C.P.
W. FL 117.23
E. FL 115.76

(100) MES, SIDE DRAIN
18" R.C.P.
W. FL 116.46
E. FL 116.28

(101) MES
18" R.C.P.
W. FL 115.80

(102) DBI
18" R.C.P.
N. FL 113.14
W. FL 115.58
E. FL 114.49
S. FL 114.53 / 113.14

(103) MANHOLE
18" R.C.P.
N. FL UNKNOWN
S. FL UNKNOWN

(104) DBI
24" R.C.P.
W. FL 112.88
S. FL UNKNOWN

(105) MANHOLE
18" R.C.P.

(106) INLET, CROSS DRAIN
18" R.C.P.
N. FL UNKNOWN
S. FL 112.14
W. FL UNKNOWN

(107) DBI, CROSS DRAIN
18" R.C.P.
S. FL 112.18 / 112.14
N. FL UNKNOWN

(108) INLET, CROSS DRAIN
DBL 18" R.C.P.
N. FL 112.84 / 112.87

(109) DBI
18" R.C.P.
E. FL 112.03

(110) INLET
18" R.C.P.
N. FL 111.91

(111) MANHOLE
18" R.C.P.
S. FL UNKNOWN
W. FL UNKNOWN
E. FL UNKNOWN

(112) INLET
18" R.C.P.
N. FL 111.91
S. FL 111.91

(113) MANHOLE
18" R.C.P.
S. FL UNKNOWN
W. FL UNKNOWN
E. FL UNKNOWN

(114) INLET
18" R.C.P.
E. FL 111.18

(115) MANHOLE
18" R.C.P.
N. FL UNKNOWN
W. FL UNKNOWN
S. FL UNKNOWN

(116) INLET
18" R.C.P.
N. FL 109.89
E. FL 109.89

(117) INLET
18" R.C.P.
S. FL 109.48
W. FL 109.48
E. FL 109.48

(118) INLET
18" R.C.P.
W. FL 109.48

(119) INLET
18" R.C.P.
S. FL 108.75
W. FL 108.75
E. FL 108.75

(120) MES, SIDE DRAIN
24" C.M.P.
W. FL 120.11
E. FL 119.82

(121) DBI W/ FLUME
18" R.C.P.
N. FL UNKNOWN
S. FL UNKNOWN
E. FL UNKNOWN

(122) PIPE, NO MES
18" R.C.P.
W. FL UNKNOWN

(123) HEADWALL
18" C.M.P.
S. FL UNKNOWN

OLIVE ROAD STREET
IMPROVEMENT PROJECT

DRAINAGE MAP
EXISTING STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040


NUMBER | REVISIONS | DATE | APPROVED BY

SHEET 9


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:54 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRMPRD02.dgn





EXISTING CONDITIONS




GRAVITY WALL DETAIL SCHEME II

(N.T.S.)

STA. 130+55.00 TO STA. 131+21.67 (LT)




NOTE: REFER TO FDOT FY 2022-23 STANDARD PLANS.

1) GRAVITY WALL SCHEME II INDEX 400-011

2) PIPE GUIDERAIL INDEX 515-070.

## TRAFFIC DATA

CURRENT YEAR = 2021 AADT = 11,800

ESTIMATED DESIGN YEAR = 2045 AADT = 11,800

K = 9.0% D = 55.2% T = 5% (24 HOUR)

DESIGN SPEED = 35 MPH

DESIGN SPEED = 18 MPH (SHARED USE PATH)

## TYPICAL SECTION 1

OLIVE ROAD

STA. 130+16.45 TO STA. 140+78.46

STA. 141+11.57 TO STA. 188+42.06

STA. 191+10.75 TO STA. 199+31.08

## MILLING & RESURFACING

MILL 2" PAVEMENT TO MATCH SLOPE

TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC C) (1")

FRICTION COURSE FC 9.5 (1")(PG76-22)

## SHARED USE PATH

GRADED AGGREGATE BASE (4 ½")

TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC B) (1½")

*6' WIDE SIDEWALK WHEN WITHIN 2' FROM BACK OF CURB

## SUPER-ELEVATION TABLE

| CURVE C102 | | | | |
|---|---|---|---|---|
| SIDE | BEGIN STATION | END STATION | CROSS SLOPE (START) | CROSS SLOPE (END) |
| LT | 157+61.97 | 160+79.65 | -3.00% | 4.60% |
| RT | 160+12.77 | 160+79.65 | -3.00% | -4.60% |

| CURVE C103 | | | | |
|---|---|---|---|---|
| SIDE | BEGIN STATION | END STATION | CROSS SLOPE (START) | CROSS SLOPE (END) |
| LT | 165+20.42 | 166+66.72 | 4.60% | -3.00% |
| RT | 165+20.42 | 165+51.22 | -4.60% | -3.00% |

| CURVE C105 | | | | |
|---|---|---|---|---|
| SIDE | BEGIN STATION | END STATION | CROSS SLOPE (START) | CROSS SLOPE (END) |
| LT | 180+00.00 | 182+00.00 | -3.00% | 3.00% |
| LT | 184+95.00 | 186+95.00 | 3.00% | -3.00% |

OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/31/2022

DISTRICT: 3 & 4

FIELD BOOK / PAGES:

SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY

DATE

REVISIONS

NUMBER


SHEET 10


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:55 AM

awelfle

O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn




NOTE: REFER TO FDOT FY 2022-23 STANDARD PLANS.

1) GUARDRAIL INDEX 536-001

2) PIPE GUIDERAIL INDEX 515-070.

## TRAFFIC DATA

CURRENT YEAR = 2021 AADT = 11,800
ESTIMATED DESIGN YEAR = 2045 AADT = 11,800
K = 9.0% D = 55.2% T = 5% (24 HOUR)
DESIGN SPEED = 35 MPH
DESIGN SPEED = 18 MPH (SHARED USE PATH)

## TYPICAL SECTION 2
## OLIVE ROAD
## STA. 188+42.06 TO STA. 191+10.75

## MILLING & RESURFACING

MILL 2" PAVEMENT TO MATCH SLOPE
TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC C) (1")
FRICTION COURSE FC 9.5 (1")(PG76-22)

## GUARDRAIL LIMITS

LEFT: STA. 188+42.00 TO STA. 191+10.75
RIGHT: STA. 188+49.75 TO STA 190+99.75

## BOARDWALK LIMITS

STA. 189+00.00 TO STA 190+90.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE
DRAWN BY: PD | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 | PHONE NUMBER: (850) 815-3040
DATE: 5/11/2022 | FIELD BOOK / PAGES: | SECTION TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 11


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:55 AM

awelfle
Q:\ORL\21141\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn




EXISTING CONDITIONS




NOTE: NEW CONCRETE SIDEWALK ENDS AT STA. 245+62.03

## TYPICAL SECTION 3
## OLIVE ROAD
## STA. 199+31.08 TO STA. 246+39.03

### MILLING & RESURFACING

MILL 2" PAVEMENT TO MATCH SLOPE
TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC C) (1")
FRICTION COURSE FC 9.5 (1") (PG76-22)

### WIDENING CONSTRUCTION

GRADED AGGREGATE BASE (12")
TYPE SP-12.5 STRUCTURAL COURSE (TRAFFIC C) (2")
AND FRICTION COURSE FC-9.5 (TRAFFIC C) (1")

### SHARED USE PATH

GRADED AGGREGATE BASE (4 ½")
TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC B) (1½")

### TRAFFIC DATA

CURRENT YEAR = 2021 AADT = 21,800
ESTIMATED DESIGN YEAR = 2045 AADT = 23,400
K = 9.0% D = 55.2% T = 4.9% (24 HOUR)
DESIGN SPEED = 35 MPH
DESIGN SPEED = 18 MPH (SHARED USE PATH)

*6' WIDE SIDEWALK WHEN WITHIN 2' FROM BACK OF CURB

OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 5 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS


| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 12

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:55 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn




## TYPICAL SECTION 4
## OLIVE ROAD
## STA. 246+39.03 TO STA. 256+70.65

### MILLING & RESURFACING

MILL 2" PAVEMENT TO MATCH SLOPE
TYPE SP-9.5 STRUCTURAL COURSE (TRAFFIC C) (1")
FRICTION COURSE FC 9.5 (1") (PG76-22)

### WIDENING CONSTRUCTION

GRADED AGGREGATE BASE (12")
TYPE SP-12.5 STRUCTURAL COURSE (TRAFFIC C) (2")
AND FRICTION COURSE FC-9.5 (TRAFFIC C) (1")

### TRAFFIC DATA

CURRENT YEAR = 2021 AADT = 21,800
ESTIMATED DESIGN YEAR = 2045 AADT = 23,400
K = 9.0% D = 55.2% T = 4.9% (24 HOUR)
DESIGN SPEED = 35 MPH

OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTIONS

ESCAMBIA COUNTY, FLORIDA
MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040
DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION - TOWNSHIP - RANGE: 18,20, & 21 1S 30W
FIELD BOOK / PAGES:


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|

SHEET 13

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:56 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn




## CURB DETAIL TABLE

| STATION | ℄ ELEV. (FT) | OFFSET (FT) | SIDE | CURB ELEV. (FT) | COMMENTS |
|---|---|---|---|---|---|
| 130+66.36 | 129.60 | 22 | LT | 128.94 | PALAFOX ST. / RIGHT TURN LANE |
| 130+79.18 | 129.65 | 11 | RT | 129.32 | PALAFOX ST. |
| 131+59.13 | 129.93 | 11 | RT | 129.60 | |
| 131+59.13 | 129.93 | 22 | LT | 129.27 | |
| 132+58.31 | 130.52 | 11 | RT | 130.19 | |
| 132+58.31 | 130.52 | 22 | LT | 129.86 | |
| 132+98.10 | 130.80 | 22 | LT | 130.14 | END RIGHT TURN LANE |
| 133+57.42 | 131.22 | 11 | RT | 130.89 | |
| 133+57.42 | 131.22 | 19.16 | LT | 130.65 | |
| 134+55.86 | 131.70 | 11 | RT | 131.37 | |
| 134+55.86 | 131.70 | 14.38 | LT | 131.27 | |
| 135+48.10 | 132.19 | 11 | LT | 131.86 | END RIGHT TURN LANE TRANSITION |
| 135+53.88 | 132.22 | 11 | LT/RT | 131.89 | |
| 135+77.31 | 132.33 | 11 | RT | 132.00 | FIRST CITY GYMNASTICS |
| 136+45.00 | 132.66 | 11 | LT | 132.33 | BEGIN LEFT TURN LANE TRANSITION |
| 136+54.59 | 132.71 | 11.41 | LT | 132.37 | |
| 136+80.51 | 132.76 | 12.31 | RT | 132.39 | FIRST CITY GYMNASTICS |
| 137+24.76 | 132.84 | 13.93 | RT | 132.42 | OLD DOMINION FRIEGHT |
| 137+53.23 | 132.89 | 14.92 | LT | 132.44 | |
| 137+95.00 | 133.20 | 16.5 | LT | 132.71 | LEFT TURN LANE |
| 138+55.06 | 133.65 | 16.5 | LT | 133.15 | |
| 139+06.58 | 134.05 | 16.5 | RT | 133.56 | OLD DOMINION FRIEGHT |
| 139+55.01 | 134.43 | 16.5 | LT/RT | 133.94 | |
| 139+90.00 | 134.70 | 16.5 | LT/RT | 134.20 | LEFT TURN LANE |
| 140+54.83 | 135.19 | 14.25 | LT/RT | 135.02 | |
| 140+78.46 | 135.15 | 13.24 | LT/RT | 135.15 | CSX CROSSING |
| 141+11.57 | 135.10 | 12.03 | LT/RT | 135.10 | CSX CROSSING |
| 141+40.00 | 135.06 | 11 | LT/RT | 134.90 | END LEFT TURN LANE TRANSITION |
| 141+55.86 | 135.04 | 11 | LT/RT | 134.79 | |
| 142+10.79 | 134.82 | 11 | LT | 134.49 | SRM CONCRETE |
| 142+54.42 | 134.64 | 11 | RT | 134.31 | |
| 143+31.51 | 134.88 | 11 | LT | 134.55 | SRM CONCRETE |
| 143+56.57 | 134.95 | 11 | LT/RT | 134.62 | |
| 144+57.39 | 135.29 | 11 | LT/RT | 134.96 | |
| 145+42.96 | 135.73 | 11 | LT | 135.40 | CEMEX PENSACOLA |
| 145+58.62 | 135.82 | 11 | RT | 135.49 | |
| 145+72.04 | 135.86 | 11 | RT | 135.53 | SEARS BLVD. |
| 146+68.98 | 136.11 | 11 | LT | 135.78 | CEMEX PENSACOLA |
| 147+59.75 | 136.13 | 11 | LT | 135.80 | |
| 148+03.10 | 136.12 | 11 | RT | 135.79 | SEARS BLVD. |
| 148+03.27 | 136.12 | 11 | LT | 135.79 | BRIESE LN. |
| 148+40.02 | 136.12 | 11 | RT | 135.79 | TESLA |
| 149+25.03 | 136.13 | 11 | LT | 135.80 | BRIESE LN. |
| 149+33.85 | 136.13 | 11 | RT | 135.80 | TESLA |
| 149+41.00 | 136.13 | 11 | LT | 135.80 | XPRESS MART |
| 149+58.41 | 136.13 | 11 | RT | 135.80 | |
| 150+39.77 | 136.03 | 11 | LT | 135.70 | XPRESS MART |
| 150+58.48 | 136.00 | 11 | LT/RT | 135.67 | |
| 151+57.85 | 136.10 | 11 | LT/RT | 135.77 | |
| 152+59.49 | 136.17 | 11 | LT/RT | 135.84 | |
| 153+59.89 | 136.17 | 11 | LT/RT | 135.84 | |
| 154+59.48 | 136.13 | 11 | LT/RT | 135.80 | |
| 155+59.71 | 136.19 | 11 | LT/RT | 135.86 | |
| 156+33.03 | 136.04 | 11 | RT | 135.71 | OAK FOREST DR. |

## CURB DETAIL TABLE

| STATION | ℄ ELEV. (FT) | OFFSET (FT) | SIDE | CURB ELEV. (FT) | COMMENTS |
|---|---|---|---|---|---|
| 156+58.68 | 135.99 | 11 | LT | 135.66 | |
| 157+37.57 | 135.97 | 11 | LT | 135.64 | MAGNOLIA PL. |
| 157+73.31 | 135.97 | 11 | RT | 135.64 | OAK FOREST DR. |
| 158+24.28 | 135.99 | 22 | LT | 135.65 | MAGNOLIA PL./RT TURN LANE/SUPER |
| 158+56.89 | 136.00 | 22 | LT | 135.84 | SUPERELEVATED |
| 158+56.89 | 136.00 | 11 | RT | 135.67 | |
| 158+81.01 | 135.87 | 22 | LT | 135.84 | RIGHT TURN LANE / SUPERELEVATED |
| 159+30.99 | 135.61 | 11 | LT | 135.72 | RIGHT TURN LANE / SUPERELEVATED |
| 159+57.61 | 135.47 | 11 | LT | 135.65 | SUPERELEVATED |
| 159+57.61 | 135.47 | 11 | RT | 135.14 | |
| 160+57.39 | 134.50 | 11 | LT | 134.94 | SUPERELEVATED |
| 160+57.39 | 134.50 | 11 | RT | 134.05 | SUPERELEVATED |
| 161+24.38 | 133.81 | 11 | LT | 134.32 | CRYSTAL WELLS PL. / SUPERELEVATED |
| 161+57.21 | 133.48 | 11 | RT | 132.97 | SUPERELEVATED |
| 162+58.22 | 132.53 | 11 | RT | 132.02 | SUPERELEVATED |
| 162+64.60 | 132.47 | 11 | LT | 132.97 | CRYSTAL WELLS PL. / SUPERELEVATED |
| 163+58.72 | 131.60 | 11 | LT | 132.10 | SUPERELEVATED |
| 163+58.72 | 131.60 | 11 | RT | 131.09 | SUPERELEVATED |
| 164+58.98 | 130.57 | 11 | LT | 131.08 | SUPERELEVATED |
| 164+58.98 | 130.57 | 11 | RT | 130.07 | SUPERELEVATED |
| 165+14.52 | 130.04 | 11 | LT | 130.54 | SHORT DR. / SUPERELEVATED |
| 165+59.49 | 129.61 | 11 | RT | 129.28 | |
| 165+81.86 | 129.39 | 11 | LT | 129.55 | SHORT DR. / SUPERELEVATED |
| 166+61.08 | 128.63 | 11 | LT | 128.34 | SUPERELEVATED |
| 166+61.08 | 128.63 | 11 | RT | 128.30 | |
| 167+59.53 | 127.75 | 11 | LT/RT | 127.42 | |
| 168+57.96 | 126.81 | 11 | LT/RT | 126.48 | |
| 168+88.46 | 126.51 | 11 | RT | 126.18 | DEBORAH DR. |
| 169+59.65 | 125.83 | 11 | LT | 125.50 | |
| 170+01.18 | 125.46 | 11 | RT | 125.13 | DEBORAH DR. |
| 170+59.18 | 124.95 | 11 | LT/RT | 124.62 | |
| 171+59.28 | 124.14 | 11 | LT/RT | 123.81 | |
| 172+58.41 | 123.38 | 11 | LT/RT | 123.05 | |
| 173+59.64 | 122.69 | 11 | LT/RT | 122.36 | |
| 174+58.48 | 122.04 | 11 | LT/RT | 121.71 | |
| 174+60.66 | 122.03 | 11 | RT | 121.70 | CORONET DR |
| 175+58.43 | 121.41 | 11 | LT | 121.08 | |
| 176+02.56 | 121.12 | 11 | RT | 120.79 | CORONET DR |
| 176+58.07 | 120.75 | 11 | LT/RT | 120.42 | |
| 177+57.79 | 119.89 | 11 | LT/RT | 119.56 | |
| 178+56.28 | 118.90 | 11 | LT/RT | 118.57 | |
| 179+56.38 | 117.70 | 11 | LT/RT | 117.37 | |
| 180+10.33 | 116.98 | 11 | RT | 116.65 | DRIVEWAY |
| 180+35.34 | 116.65 | 11 | LT | 116.44 | ACKERMAN DR |
| 181+24.74 | 115.26 | 11 | LT | 115.34 | ACKERMAN DR |
| 181+29.54 | 115.18 | 11 | RT | 114.85 | DRIVEWAY |
| 181+54.59 | 114.77 | 11 | LT | 114.95 | |
| 181+54.59 | 114.77 | 11 | RT | 114.44 | |
| 182+56.46 | 112.69 | 11 | LT | 113.02 | |
| 182+56.46 | 112.69 | 11 | RT | 112.36 | |
| 183+56.01 | 110.77 | 11 | LT | 111.10 | |
| 183+56.01 | 110.77 | 11 | RT | 110.44 | |
| 183+56.17 | 110.77 | 11 | RT | 110.44 | WINODEE RD. |
| 184+38.63 | 108.75 | 11 | RT | 108.42 | WINODEE RD. |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTION DETAILS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION - TOWNSHIP / RANGE: 18, 26, & 21 / 1S, 30W

REVISIONS | DATE | APPROVED BY | NUMBER


SHEET 14

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:56 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn




## CURB DETAIL TABLE

| STATION | ℄ ELEV. (FT) | OFFSET (FT) | SIDE | CURB ELEV. (FT) | COMMENTS |
|---|---|---|---|---|---|
| 184+54.63 | 108.35 | 11 | LT | 108.68 | |
| 184+54.63 | 108.35 | 11 | RT | 108.02 | |
| 185+56.35 | 105.55 | 11 | LT | 105.67 | |
| 185+56.35 | 105.55 | 11 | RT | 105.22 | |
| 186+55.83 | 103.48 | 11 | LT | 103.28 | |
| 186+55.83 | 103.48 | 11 | RT | 103.15 | |
| 187+55.84 | 101.85 | 11 | LT/RT | 101.52 | |
| 188+56.63 | 100.69 | 11 | LT/RT | 100.36 | |
| 189+57.04 | 100.10 | 11 | LT/RT | 99.77 | |
| 190+55.85 | 100.54 | 11 | LT/RT | 100.21 | |
| 191+56.75 | 101.38 | 11 | LT/RT | 101.05 | |
| 192+54.60 | 102.39 | 11 | LT/RT | 102.06 | |
| 193+55.32 | 103.42 | 11 | LT/RT | 103.09 | |
| 195+54.61 | 105.11 | 11 | LT/RT | 104.78 | |
| 196+56.17 | 106.06 | 11 | LT/RT | 105.73 | |
| 196+90.89 | 106.30 | 11 | LT | 105.97 | THREE LANE TRANSITION |
| 196+91.26 | 106.30 | 11 | RT | 105.97 | THREE LANE TRANSITION |
| 197+56.33 | 106.75 | 12.5 | LT/RT | 106.38 | |
| 198+55.16 | 107.63 | 14.76 | LT/RT | 107.18 | |
| 199+31.08 | 108.33 | 16.5 | LT/RT | 107.84 | THREE LANE TRANSITION |
| 199+56.02 | 108.57 | 16.5 | LT/RT | 108.07 | |
| 200+56.58 | 109.29 | 16.5 | LT/RT | 108.80 | |
| 201+54.29 | 110.12 | 16.5 | LT/RT | 109.62 | |
| 201+77.20 | 110.33 | 16.5 | LT | 109.83 | CODY LN. |
| 201+99.58 | 110.53 | 16.5 | RT | 110.04 | CODY LN. |
| 202+80.66 | 111.27 | 16.5 | RT | 110.78 | CODY LN. |
| 203+22.97 | 111.66 | 27.5 | LT | 110.83 | CODY LN. / RIGHT TURN LANE |
| 203+51.83 | 111.92 | 27.5 | LT | 111.09 | |
| 203+51.83 | 111.92 | 16.5 | RT | 111.42 | |
| 204+59.05 | 112.93 | 27.5 | LT | 112.11 | |
| 204+59.05 | 112.93 | 16.5 | RT | 112.44 | |
| 205+25.00 | 113.50 | 27.5 | LT | 112.68 | RIGHT TURN LANE |
| 205+42.77 | 113.65 | 16.5 | RT | 113.16 | STONEBROOK DR. |
| 205+54.82 | 113.76 | 20.95 | LT | 113.13 | |
| 205+54.82 | 113.76 | 16.5 | RT | 113.26 | |
| 205+71.80 | 113.92 | 17.2 | LT | 113.41 | STONEBROOK DR. / RIGHT TURN LANE |
| 206+72.94 | 114.91 | 16.5 | RT | 114.42 | STONEBROOK DR. |
| 206+92.51 | 115.10 | 16.5 | LT | 114.61 | STONEBROOK DR. |
| 207+54.39 | 115.70 | 16.5 | LT/RT | 115.21 | |
| 208+40.88 | 116.42 | 16.5 | RT | 115.93 | HEIRLOOM DR. |
| 208+52.95 | 116.52 | 16.5 | LT | 116.03 | |
| 208+53.37 | 116.52 | 16.5 | LT | 116.03 | HEIRLOOM DR. |
| 209+60.58 | 117.31 | 16.5 | RT | 116.81 | HEIRLOOM DR. |
| 209+98.72 | 117.51 | 16.5 | LT | 117.01 | HEIRLOOM DR. |
| 210+51.93 | 117.79 | 16.5 | LT/RT | 117.29 | |
| 211+53.28 | 118.33 | 16.5 | LT/RT | 117.84 | |
| 212+09.07 | 118.67 | 16.5 | LT | 118.17 | BRIARWOOD CONDO. |
| 212+49.81 | 118.91 | 16.5 | RT | 118.42 | |
| 213+17.05 | 119.36 | 27.5 | LT | 118.53 | BRIARWOOD CONDO. / RIGHT TURN LANE |
| 213+52.41 | 119.59 | 16.5 | RT | 119.10 | |
| 213+52.41 | 119.59 | 27.5 | LT | 118.77 | |
| 214+10.78 | 119.88 | 27.5 | LT | 119.06 | RIGHT TURN LANE |
| 214+26.88 | 119.96 | 16.5 | RT | 119.47 | EL ESTRECHO DR. |
| 214+52.57 | 120.09 | 16.5 | RT | 119.60 | |

## CURB DETAIL TABLE

| STATION | ℄ ELEV. (FT) | OFFSET (FT) | SIDE | CURB ELEV. (FT) | COMMENTS |
|---|---|---|---|---|---|
| 214+52.57 | 120.09 | 17.96 | LT | 119.55 | |
| 214+60.78 | 120.12 | 16.5 | LT | 119.63 | RIGHT TURN LANE |
| 215+00.87 | 120.29 | 16.5 | RT | 119.80 | EL ESTRECHO DR. |
| 215+53.76 | 120.51 | 16.5 | LT/RT | 120.02 | |
| 215+93.60 | 120.63 | 16.5 | LT | 120.14 | VALERO |
| 216+52.97 | 120.81 | 16.5 | RT | 120.32 | |
| 217+11.44 | 120.88 | 16.5 | LT | 120.39 | VALERO |
| 217+52.51 | 120.93 | 16.5 | LT/RT | 120.44 | |
| 218+54.75 | 121.35 | 16.5 | LT/RT | 120.85 | |
| 219+51.91 | 121.58 | 16.5 | LT/RT | 121.09 | |
| 220+53.63 | 121.67 | 16.5 | LT/RT | 121.17 | |
| 221+48.83 | 121.65 | 16.5 | RT | 121.15 | IRA DR. |
| 221+52.51 | 121.65 | 16.5 | LT | 121.15 | |
| 221+98.50 | 121.68 | 16.5 | RT | 121.18 | IRA DR. |
| 222+52.88 | 121.72 | 16.5 | LT/RT | 121.22 | |
| 223+53.73 | 121.66 | 16.5 | LT/RT | 121.17 | |
| 224+52.49 | 121.63 | 16.5 | LT/RT | 121.14 | |
| 225+40.39 | 121.40 | 16.5 | RT | 120.91 | HILLBURN RD. |
| 225+53.07 | 121.37 | 16.5 | LT | 120.88 | |
| 225+99.84 | 121.26 | 16.5 | RT | 120.77 | HILLBURN RD. |
| 226+53.57 | 121.14 | 16.5 | LT/RT | 120.65 | |
| 227+53.95 | 120.63 | 16.5 | LT/RT | 120.14 | |
| 228+52.89 | 120.28 | 16.5 | LT/RT | 119.78 | |
| 229+53.21 | 119.92 | 16.5 | LT/RT | 119.43 | |
| 230+53.28 | 119.79 | 16.5 | LT/RT | 119.30 | |
| 231+52.75 | 119.81 | 16.5 | LT/RT | 119.31 | |
| 232+52.56 | 119.89 | 16.5 | LT/RT | 119.39 | |
| 233+51.76 | 119.93 | 16.5 | LT/RT | 119.43 | |
| 233+59.84 | 119.92 | 16.5 | LT | 119.43 | ERNESTINE RD. |
| 234+52.54 | 119.90 | 16.5 | RT | 119.41 | |
| 234+60.99 | 119.90 | 16.5 | LT | 119.40 | ERNESTINE RD. |
| 235+52.10 | 119.86 | 16.5 | LT/RT | 119.36 | |
| 236+53.27 | 119.85 | 16.5 | LT/RT | 119.35 | |
| 236+72.74 | 119.85 | 16.5 | RT | 119.35 | WHITMIRE DR. |
| 236+82.49 | 119.85 | 16.5 | LT | 119.35 | WHITMIRE DR. |
| 237+92.07 | 119.82 | 16.5 | RT | 119.33 | WHITMIRE DR. |
| 238+30.88 | 119.80 | 16.5 | LT | 119.30 | WHITMIRE DR. |
| 238+51.85 | 119.79 | 16.5 | LT/RT | 119.29 | |
| 239+50.16 | 119.73 | 16.5 | LT/RT | 119.23 | |
| 240+53.49 | 119.56 | 16.5 | LT/RT | 119.07 | |
| 241+52.47 | 119.47 | 16.5 | LT/RT | 118.97 | |
| 241+93.67 | 119.37 | 16.5 | RT | 118.87 | GOODWILL |
| 242+54.75 | 119.22 | 16.5 | LT | 118.73 | |
| 243+04.54 | 119.20 | 16.5 | RT | 118.71 | GOODWILL |
| 243+55.74 | 119.18 | 16.5 | LT/RT | 118.69 | |
| 243+97.13 | 118.96 | 16.5 | RT | 118.47 | GOODWILL |
| 244+51.32 | 118.67 | 16.5 | LT | 118.18 | |
| 245+12.03 | 118.09 | 16.5 | LT | 117.76 | FIVE LANE TRANSITION |
| 245+16.76 | 118.05 | 16.5 | RT | 117.72 | GOODWILL |
| 245+52.75 | 117.71 | 29.52 | LT | 117.12 | |
| 245+52.75 | 117.71 | 16.5 | RT | 117.38 | |
| 245+62.03 | 117.67 | MATCH | LT | MATCH EX. | FIVE LANE TRANSITION |
| 245+89.04 | 117.57 | 16.5 | RT | 117.24 | FIVE LANE TRANSITION |
| 246+39.04 | 117.39 | MATCH | RT | MATCH EX. | FIVE LANE TRANSITION |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

TYPICAL SECTION DETAILS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
SECTION - TOWNSHIP/ RANGE: 35, 25, & 31 1S 30W
FIELD BOOK / PAGES:

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 15

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:30:56 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\TYPSRD01.dgn

11:30:57 AM

1" = 500'

CURVE DATA C101
PI STA. = 141+51.21
Δ = 0° 19' 26" (RT)
D = 0° 02' 15"
T = 432.04
L = 864.07
R = 152,807.12
PC STA. = 137+19.17
PT STA. = 145+83.25

CURVE DATA C102
PI STA. = 159+45.98
Δ = 1° 10' 42" (RT)
D = 0° 26' 27"
T = 133.68
L = 267.34
R = 13,000.00
PC STA. = 158+12.31
PT STA. = 160+79.65

CURVE DATA C103
PI STA. = 163+15.97
Δ = 14° 42' 59" (RT)
D = 3° 07' 51"
T = 236.32
L = 470.04
R = 1,830.00
PC STA. = 160+79.65
PT STA. = 165+49.68

CURVE DATA C104
PI STA. = 166+88.30
Δ = 2° 16' 08" (RT)
D = 0° 49' 07"
T = 138.61
L = 277.19
R = 7,000.00
PC STA. = 165+49.68
PT STA. = 168+26.87

CURVE DATA C105
PI STA. = 183+35.51
Δ = 8° 09' 10" (RT)
D = 1° 26' 06"
T = 284.56
L = 568.16
R = 3,992.86
PC STA. = 180+50.96
PT STA. = 186+19.11

CURVE DATA C106
PI STA. = 199+83.12
Δ = 1° 46' 20" (LT)
D = 0° 28' 39"
T = 185.60
L = 371.17
R = 12,000.00
PC STA. = 197+97.51
PT STA. = 201+68.69

END CONSTRUCTION
STA. 140+78.46 ℄ CONST.
CSX RAILWAY CROSSING

BEGIN CONSTRUCTION
STA. 141+11.57 ℄ CONST.
CSX RAILWAY CROSSING

BEGIN PROJECT
STA. 130+16.45
℄ CONST OLIVE RD.

PALAFOX ST.
CSX RAILROAD
BRIESE LN
MAGNOLIA PL
CRYSTAL WELLS PL
SHORT DR
ACKERMAN DR
OAKFOREST DR
DEBORAH DR
CORONET DR
WINODEE RD
SEARS BLVD
N 67° 57' 26" E
N 68° 16' 53" E
N 86° 26' 41" E
S 85° 24' 09" E
PC STA. 137+19.17
PT STA. 145+83.25
PC STA. 158+12.31
PC STA. 160+79.65
PC STA. 165+49.68
PT STA. 168+26.87
PC STA. 180+50.96
PT STA. 186+19.11
PC STA. 197+97.51
PT STA. 201+68.69

| OLIVE ROAD CENTERLINE OF CONSTRUCTION | | | | | |
|---|---|---|---|---|---|
| NUMBER | RADIUS (FT) | LINE/CHORD LENGTH | LINE/CHORD DIRECTION | SEGMENT START NORTHING & EASTING | SEGMENT END NORTHING & EASTING |
| L101 | --- | 719.17 | N 67°57'26" E | N: 558604.6436<br>E: 1099340.0435 | N: 558874.5475<br>E: 1100006.6494 |
| C101 | 152807.12 | 864.07 | N 68°07'10" E | N: 558874.5475<br>E: 1100006.6494 | N: 559196.5656<br>E: 1100808.4759 |
| L102 | --- | 1229.06 | N 68°16'53" E | N: 559196.5656<br>E: 1100808.4759 | N: 559651.3780<br>E: 1101950.2854 |
| C102 | 13000.00 | 267.34 | N 68°52'14" E | N: 559651.3780<br>E: 1101950.2854 | N: 559747.7469<br>E: 1102199.6484 |
| C103 | 1830.00 | 470.04 | N 76°49'04" E | N: 559747.7469<br>E: 1102199.6484 | N: 559854.6434<br>E: 1102656.0426 |

| OLIVE ROAD CENTERLINE OF CONSTRUCTION | | | | | |
|---|---|---|---|---|---|
| NUMBER | RADIUS (FT) | LINE/CHORD LENGTH | LINE/CHORD DIRECTION | SEGMENT START NORTHING & EASTING | SEGMENT END NORTHING & EASTING |
| C104 | 7000.00 | 277.19 | N 85°18'38" E | N: 559854.6434<br>E: 1102656.0426 | N: 559877.3038<br>E: 1102932.2832 |
| L103 | --- | 1224.09 | N 86°26'41" E | N: 559877.3038<br>E: 1102932.2832 | N: 559953.2083<br>E: 1104154.0124 |
| C105 | 3992.86 | 568.16 | S 89°28'44" E | N: 559953.2083<br>E: 1104154.0124 | N: 559948.0440<br>E: 1104721.6648 |
| L104 | --- | 1178.4 | S 85°24'09" E | N: 559948.0440<br>E: 1104721.6648 | N: 559853.5858<br>E: 1105896.2769 |
| C106 | 12000.00 | 371.17 | S 86°17'19" E | N: 559853.5858<br>E: 1105896.2769 | N: 559829.5596<br>E: 1106266.6562 |

CURVE DATA C108
PI STA. = 258+99.37
Δ = 12° 37' 06" (LT)
D = 2° 30' 00"
T = 253.39
L = 504.73
R = 2,291.83
PC STA. = 256+45.98
PT STA. = 261+50.72

CURVE DATA C107
PI STA. = 254+05.66
Δ = 12° 03' 38" (RT)
D = 2° 30' 00"
T = 242.11
L = 482.43
R = 2,291.83
PC STA. = 251+63.56
PT STA. = 256+45.98

END PROJECT
STA. 256+70.91
℄ CONST OLIVE RD.

CODY LN
STONEBROOK DR
HEIRLOOM DR
EL ESTRECHO DR
IRA DR
HILLBURN RD
WHITMIRE DR
ERNESTINE RD
DAVIS HWY (S.R. 291)
S 87° 10' 28" E
S 87° 19' 22" E
S 87° 10' 17" E
S 87° 12' 43" E
S 87° 09' 05" E
S 87° 42' 33" E
PT STA. 201+68.69
PI STA. 206+46.77
PI STA. 215+45.82
PI STA. 229+87.71
PI STA. 249+42.16
PT STA. 261+50.72
PC STA. 251+63.56
PC STA. 256+45.98

| OLIVE ROAD CENTERLINE OF CONSTRUCTION | | | | | |
|---|---|---|---|---|---|
| NUMBER | RADIUS (FT) | LINE/CHORD LENGTH | LINE/CHORD DIRECTION | SEGMENT START NORTHING & EASTING | SEGMENT END NORTHING & EASTING |
| L105 | --- | 478.08 | S 87°10'28" E | N: 559829.5596<br>E: 1106266.6562 | N: 559805.9934<br>E: 1106744.1596 |
| L106 | --- | 899.05 | S 87°19'22" E | N: 559805.9934<br>E: 1106744.1596 | N: 559763.9974<br>E: 1107642.2263 |
| L107 | --- | 1441.89 | S 87°10'17" E | N: 559763.9974<br>E: 1107642.2263 | N: 559692.8442<br>E: 1109082.3578 |
| L108 | --- | 1954.45 | S 87°12'43" E | N: 559692.8442<br>E: 1109082.3578 | N: 559597.7760<br>E: 1111034.4928 |

| OLIVE ROAD CENTERLINE OF CONSTRUCTION | | | | | |
|---|---|---|---|---|---|
| NUMBER | RADIUS (FT) | LINE/CHORD LENGTH | LINE/CHORD DIRECTION | SEGMENT START NORTHING & EASTING | SEGMENT END NORTHING & EASTING |
| L109 | --- | 221.4 | S 87°09'05" E | N: 559597.7760<br>E: 1111034.4928 | N: 559586.7734<br>E: 1111255.6190 |
| C107 | 2291.83 | 482.43 | S 81°07'16" E | N: 559586.7734<br>E: 1111255.6190 | N: 559512.4501<br>E: 1111731.3851 |
| C108 | 2291.83 | 504.73 | S 81°24'00" E | N: 559512.4501<br>E: 1111731.3851 | N: 559437.1268<br>E: 1112229.4357 |
| L110 | --- | 963.15 | S 87°42'33" E | N: 559437.1268<br>E: 1112229.4357 | N: 559398.6274<br>E: 1113191.8131 |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

PROJECT LAYOUT

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 16

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\21141\20 CADD_Active\000000-0-00-00\roadway\PLAYRD051.dgn

11:30:58 AM

## GENERAL NOTES

1. THE CONTRACTORS SHALL NOTIFY THE COUNTY DESIGN ENGINEER OR DESIGNEE 48 HOURS PRIOR TO CONSTRUCTION.
2. ALL CONDITIONS AND STIPULATIONS OF THE CONSTRUCTION PERMITS AND THE APPROVALS ISSUED BY THE ESCAMBIA COUNTY ENGINEER SHALL BE COMPLIED WITH IN EVERY DETAIL.
3. ALL ROADS DAMAGED BY CONSTRUCTION OPERATIONS ARE TO BE PATCHED OR RECONSTRUCTED AS DIRECTED BY THE COUNTY ENGINEER OR DESIGNEE.
4. THE CONTRACTOR SHALL TAKE STEPS NECESSARY TO PREVENT EROSION AND ANY OFF SITE SEDIMENT TRANSPORT RESULTING FROM INCREASED RUNOFF DURING CONSTRUCTION BY PROVIDING SILT FENCE AND/OR STAKED HAY BALES AS REQUIRED BY THE FLORIDA STORMWATER EROSION AND SEDIMENT CONTROL INSPECTOR'S MANUAL, 2018 EDITION, OR AS INDICATED ON THE PLANS. ALL EROSION CONTROL MEASURES SHALL REMAIN IN PLACE UNTIL ASSOCIATED DISTURBED AREAS ARE STABILIZED AS TO REDUCE SEDIMENT RUNOFF, UNLESS OTHERWISE DIRECTED BY THE ENGINEER OR DESIGNEE.
5. ANY NECESSARY PERMITS WILL BE THE RESPONSIBILITY OF THE CONTRACTOR. ESCAMBIA COUNTY WILL ASSIST CONTRACTOR WITH REQUIRED PERMITS.
6. THE CONTRACTOR IS CAUTIONED TO VISIT THE SITE AND FAMILIARIZE HIMSELF WITH THE PROJECT PRIOR TO BIDDING AND/OR CONSTRUCTION.
7. IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO PRESERVE OR RELOCATE ALL BENCHMARKS (VERTICAL CONTROL) AS NEEDED DURING CONSTRUCTION. ALL PUBLIC OR PRIVATE CORNER MONUMENTATION SHALL BE PROTECTED. IF A PUBLIC OR PRIVATE CORNER MONUMENTATION IS IN DANGER OF BEING DESTROYED AND HAS NOT BEEN PROPERLY REFERENCED, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OR DESIGNEE IMMEDIATELY. ANY ESCAMBIA COUNTY HARN/GPS NETWORK MONUMENTS OR BUREAU OF SURVEY AND MAPPING GPS NETWORK MONUMENTS WITHIN THE LIMITS OF CONSTRUCTION SHALL BE PROTECTED. IF A HARN/GPS NETWORK MONUMENTS OR BUREAU OF SURVEY AND MAPPING GPS NETWORK MONUMENTS ARE DISTURBED OR DESTROYED THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACEMENT OF THE MONUMENTS AND HAVE THE MONUMENTS POSITION DETERMINED BY A FLORIDA LICENSED PROFESSIONAL SURVEYOR AND MAPPER USING GUIDELINES AS ESTABLISHED BY NATIONAL GEODETIC SURVEY FOR BLUE BOOKING AND APPROVAL.
8. THE CONTRACTOR SHALL MATCH EXISTING CONDITIONS AT THE BEGINNING AND END OF CONSTRUCTION AS DIRECTED BY THE COUNTY ENGINEER OR DESIGNEE.
9. EXISTING STREETS AND DRIVES SHALL BE MAINTAINED TO LOCAL TRAFFIC AND PROPERTY OWNERS.
10. ALL ROADWAY CONSTRUCTION SHALL COMPLY WITH THE ESCAMBIA COUNTY TECHNICAL SPECIFICATIONS, LATEST EDITION.
11. ALL MATERIALS, TESTING AND CONSTRUCTION METHODS SHALL CONFORM TO THE ESCAMBIA COUNTY TECHNICAL SPECIFICATIONS, LATEST EDITION.
12. ANY REFERENCE TO FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, LATEST EDITION, DIVISION 1, GENERAL REQUIREMENTS AND COVENANTS, SHALL BE EXCLUDED AND NOT APPLICABLE TO ANY SPECIFICATION REFERRED HEREIN OR OTHERWISE LISTED IN THESE PLANS OR RELATED DOCUMENTS OR THE ESCAMBIA COUNTY TECHNICAL SPECIFICATIONS.
13. EXISTING STREET AND ROAD NAME SIGNS ON THE PROJECT SHALL BE KEPT VISIBLE AT ALL TIMES FOR THE FACILITATION OF ACCESS BY EMERGENCY VEHICLES. ALL OTHER EXISTING SIGNS THAT CONFLICT WITH CONSTRUCTION OPERATIONS SHALL BE TAKEN DOWN AND STOCKPILED WITHIN THE R/W LIMITS BY THE CONTRACTOR AS DIRECTED BY THE COUNTY ENGINEER OR DESIGNEE. ANY EXISTING SIGNS THAT ARE TO BE RELOCATED AND ARE DAMAGED BEYOND USE BY THE CONTRACTOR SHALL BE REPLACED BY THE CONTRACTOR AT HIS EXPENSE.
14. CONTRACTOR SHALL COMPLY WITH ALL F.D.E.P. AND ARMY CORP. OF ENGINEERS REQUIREMENTS.
15. ONLY ACCESS TO THE ROAD R/W AS SHOWN IS GUARANTEED BY THE COUNTY. PRIVATE R/W REQUIRED BY THE CONTRACTOR TO FACILITATE CONSTRUCTION SHALL BE ACQUIRED BY THE CONTRACTOR WITH NO ADDITIONAL COMPENSATION OR ASSISTANCE FROM THE COUNTY.
16. BENCHMARK ELEVATIONS SHOWN ON THE PLANS ARE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88)
17. ALL SURVEY INFORMATION WAS OBTAINED FROM A LICENSED FLORIDA PROFESSIONAL SURVEYOR AND MAPPER AND UTILIZED AS SUPPORTING DATA IN THE PRODUCTION OF DESIGN PLANS AND FOR CONSTRUCTION ON SUBJECT PROJECT. THE PROFESSIONAL SURVEYOR AND MAPPER OF RECORD IS:

    JOSEPH BARRETT, P.S.M.
    P.S.M. NO. 6260
    ESCAMBIA COUNTY SURVEYOR
    3363 WEST PARK PLACE
    PENSACOLA, FLORIDA 32505 PH (850) 595-3427

    PLEASE CONTACT IN THE EVENT THAT SURVEY MONUMENTATION OR REFERENCE POINTS ARE MISSING OR HAVE BEEN DESTROYED

18. VEGETATION ON R/W AND EASEMENTS SHALL BE RESTORED TO ORIGINAL CONDITION UNLESS OTHERWISE NOTED ON THE PLAN SHEETS. COST OF SAID RESTORATION SHALL BE CONSIDERED INCIDENTAL TO OTHER PAY ITEMS.
19. EQUIPMENT, MATERIALS AND DEBRIS WILL NOT BE PLACED IN AREAS OF EXISTING VEGETATION OR UNDER THE CANOPY OF EXISTING TREES IN THE RIGHT OF WAY.
20. NO TREES WITHIN LIMITS OF CONSTRUCTION SHALL BE REMOVED UNLESS OTHERWISE NOTED IN PLANS.
21. ALL COMPACTED FILL SHALL BE PLACED IN 4" LIFTS FOR HAND POWERED TAMPERS AND 8" LIFTS FOR HEAVY EQUIPMENT OPERATED TAMPERS.
22. ALL EXISTING MAILBOXES INTERFERING WITH NEW CONSTRUCTION SHALL BE RELOCATED OR REPLACED BY THE CONTRACTOR IN ACCORDANCE WITH POSTAL REQUIREMENTS AND IN ACCORDANCE WITH ESCAMBIA COUNTY TECHNICAL SPECIFICATION, FDOT DESIGN STANDARDS AND UNITED POSTAL REQUIREMENTS. ALL EXISTING BRICK MAILBOXES WITHIN LIMITS OF CONSTRUCTION OR COUNTY RIGHT OF WAY SHALL BE REMOVED AND PLACED ON THE PROPERTY LINE OF THE OWNER. CONTRACTOR SHALL REPLACE EXISTING BRICK MAILBOX WITH APPROVED PLASTIC BREAK AWAY MAILBOX.
23. WHERE UNSUITABLE MATERIAL, AS DEFINED BY THE COUNTY SPECIFICATIONS SECTION 02300, 1.3(I), IS ENCOUNTERED IN THE AREAS PROPOSED FOR PAVING, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE COUNTY ENGINEER OR DESIGNEE PRIOR TO ANY EXCAVATION.
24. PIPE LENGTHS SHOWN IN THE PLANS DO NOT INCLUDE THE LENGTH OF PIPE THAT MUST BE INSTALLED WITH THE MITERED END SECTION. THEREFORE, ALL PIPES LENGTHS ASSOCIATED WITH MITERED END SECTIONS SHALL BE PAID FOR IN THE UNIT COST OF THE MITERED END SECTION.
25. IF ARCHAEOLOGICAL MATERIAL/PREHISTORIC ARTIFACTS SUCH AS POTTERY OR CERAMICS, STONE TOOLS OR METAL IMPLEMENTS, OR ANY OTHER PHYSICAL REMAINS THAT COULD BE ASSOCIATED WITH NATIVE AMERICAN CULTURES, OR EARLY COLONIAL OR AMERICAN SETTLEMENT ARE ENCOUNTERED AT ANY TIME, THE PROJECT SHOULD CEASE ALL ACTIVITIES INVOLVING SUBSURFACE DISTURBANCE IN THE IMMEDIATE VICINITY OF SUCH DISCOVERIES. THE APPLICANT/RECIPIENT, OR OTHER DESIGNEE, SHOULD CONTACT THE FLORIDA DEPARTMENT OF STATE, DIVISION OF HISTORICAL RESOURCES, THE STATE HISTORIC PRESERVATION OFFICER (SHPO) AND THE DSH/FEMA REGION IV ENVIRONMENTAL OFFICER AND FDEM STATE ENVIRONMENTAL LIAISON OFFICER FOR FURTHER GUIDANCE. PROJECT ACTIVITIES SHOULD NOT RESUME WITHOUT VERBAL AND/OR WRITTEN AUTHORIZATION FROM THE DIVISION OF HISTORICAL RESOURCES.
26. IN THE EVENT THAT UNMARKED HUMAN REMAINS ARE ENCOUNTERED DURING PERMITTED ACTIVITIES, ALL WORK MUST STOP IMMEDIATELY AND THE PROPER AUTHORITIES NOTIFIED IN ACCORDANCE WITH F.S. 872.05.
27. EXISTING DRAINAGE STRUCTURES AND PIPE WITHIN THE CONSTRUCTION LIMITS SHALL BE REMOVED UNLESS OTHERWISE NOTED.
28. FOR NARROW DRIVEWAY REPLACEMENT (≤16' WIDTH) CONTRACTOR SHALL COORDINATE WITH PROPERTY OWNER PRIOR TO CONSTRUCTION SO TO MINIMIZE INGRESS/EGRESS INCONVENIENCE. FOR ALL OTHER DRIVEWAYS (≥16' WIDTH) CONSTACTOR SHALL CONSTRUCT IN 2 PHASES TO MAINTAIN ACCESS.
29. ALL ASPHALT AND CONCRETE SHALL BE SAW CUT AT EDGES TO REMAIN. SAW CUTS SHALL BE MADE IN A NEAT WORKMAN LIKE MANNER.
30. ALL CONSTRUCTION DEBRIS SHALL BE REMOVED FROM SITE AND DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REQUIREMENTS, AT NO ADDITIONAL COST TO THE OWNER.
31. ALL SIDEWALK, RAMPS, DRIVEWAYS, AND ECAT BUS STOPS MUST MEET ADA COMPLIANCE AND SHALL BE IN ACCORDANCE WITH THE CURRENT FDOT STANDARD PLANS.
32. VERIFY ALL EXISTING CONDITIONS, DIMENSIONS, ELEVATIONS, AND INFORMATION INDICATED ON THE CONTRACT DOCUMENTS PRIOR TO COMMENCEMENT OF WORK. THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES FOUND ON THE CONTRACT DOCUMENTS OF FOUND TO EXIST BETWEEN THE FIELD CONDITIONS AND THE CONTRACT DOCUMENTS.
33. CONTRACTOR SHALL MAINTAIN THE INTEGRITY AND FUNCTIONALITY OF EXISTING DRAINAGE AT ALL TIMES.
34. GRADE THE PERIMETER OF PAVEMENT AREAS A REQUIRED TO PROVIDE POSITIVE SURFACE WATER RUNOFF.
35. PROVIDE ACCESS TO EXISTING OPERATING FACILITIES LOCATED WITHIN PROJECT LIMITS AT ALL TIMES.

## UTILITY NOTES

1. THE LOCATION(S) OF THE UTILITIES SHOWN IN THE PLANS (INCLUDING THOSE DESIGNATED Vv, Vh AND Vvh) ARE BASED ON LIMITED INVESTIGATION TECHNIQUES AND SHOULD BE CONSIDERED APPROXIMATE ONLY. THE VERIFIED LOCATIONS/ELEVATIONS APPLY ONLY AT THE POINTS SHOWN. INTERPOLATIONS BETWEEN THESE POINTS HAVE NOT BEEN VERIFIED.
2. UTILITY/AGENCY OWNERS:

| COMPANY | CONTACT | TELEPHONE NUMBERS |
|---|---|---|
| COX COMMUNICATIONS | TROY YOUNG | (850) 232-5044 |
| ECUA | JACOB KEARLEY | (850) 969-5823 |
| PENSACOLA ENERGY | DIANE MOORE | (850) 474-5319 |
| ESCAMBIA COUNTY TRAFFIC | JIM HAGON | (850) 595-3404 |
| FLORIDA POWER & LIGHT | JOHN WIMBERLY | (850) 982-2746 |
| WINDSTREAM | STEVEN CARTER | (704) 589-9728 |
| CENTURYLINK | JIMMY YOUNG | (352) 303-2430 |
| MCI | THOMAS BROYLES | (850) 475-7465 |
| QUANTA | RUSSELL RIBBLETT | (678) 836-5610 |
| AT&T | TOM MANNING | (850) 463-5176 |
| UNITI FIBER | KYLE HILL | (850) 544-1400 |
| SPRINT | STEVE THOMPSON | (678) 852-2726 |

3. ALL LOOP DETECTOR INSTALLATION SHALL BE DONE AS PER FDOT INDEX 660-001.
4. CONTRACTOR IS TO USE CAUTION WHEN WORKING IN OR AROUND AREAS OF OVERHEAD TRANSMISSION LINES AND UNDERGROUND UTILITIES.
5. UTILITIES TO REMAIN AND BE PROTECTED DURING CONSTRUCTION. NECESSARY REPAIRS SHALL BE CONSIDERED INCIDENTAL TO OTHER PAY ITEMS AND SHALL BE TO THE SATISFACTION OF UTILITY OWNERS.

## MAINTENANCE OF TRAFFIC NOTES

1. CONTRACTOR SHALL SUBMIT A MAINTENANCE OF TRAFFIC PLAN TO ESCAMBIA COUNTY BEFORE ANY WORK WILL BE STARTED. THIS MOT PLAN SHALL:
    A. BE SIGNED AND SEALED BY A REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF FLORIDA WHO HAS AN ACTIVE TEMPORARY TRAFFIC CONTROL (ADVANCED) CERTIFICATION FROM FDOT.
    B. BE APPROVED BY ESCAMBIA COUNTY PROJECT ENGINEER.
    C. MEET REQUIREMENTS IDENTIFIED IN THE ESCAMBIA COUNTY SPECIFICATIONS, MUTCD, FDOT STANDARD PLANS, FDOT STANDARD SPECIFICATIONS, AND FDOT SPECIFICATIONS FOR TRAFFIC CONTROL.
    D. INCLUDE A LANE CLOSURE ANALYSIS OF OLIVE ROAD.
    E. INCLUDE NO NIGHT WORK BETWEEN STA. 149+00.00 AND STA. 245+00.00.
2. PENDING THE LANE CLOSURE ANALYSIS, THE CONTRACTOR SHALL MAINTAIN AT LEAST ONE 10' OPEN LANE AT ALL TIMES. NO OPEN EXCAVATION SHALL REMAIN OVER NIGHT. CONTRACTOR SHALL RESTORE ROAD TO TWO LANES OF TRAFFIC AT THE END OF EACH WORK DAY.
3. ANY PROPOSED DETOURS MUST BE PRE-APPROVED BY ESCAMBIA COUNTY AT LEAST 30 DAYS PRIOR TO IMPLEMENTATION.
4. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A FDOT PERMIT FOR CONSTRUCTION OPERATIONS REQUIRED FOR WORK WITHIN FDOT RIGHT OF WAY.

## CSX RAILROAD NOTES

1. CONTRACTOR SHALL MAINTAIN ALL DITCHES AND DRAINAGE STRUCTURES FREE OF SILT OR OTHER OBSTRUCTIONS THAT MAY RESULT FROM THEIR OPERATIONS WITHIN ADJACENT TO CSXT RIGHT-OF-WAY (ROW).
2. THE CONTRACTOR SHALL NOT STORE EQUIPMENT OR MATERIAL OF ANY KIND ON CSXT ROW OR WHERE THEY MAY HAVE THE POTENTIAL TO INTERFERE WITH CSXT OPERATIONS UNLESS THE CONTRACTOR HAS RECEIVED PRIOR WRITTEN AUTHORIZATION BY A CSXT REPRESENTATIVE.
3. CSXT RAILROAD FLAGMAN IS REQUIRED ANYTIME CONSTRUCTION ACTIVITIES OCCUPY OR HAVE POTENTIAL TO IMPACT CSXT ROW OR TRACKS.
4. UNDER NO CONDITIONS SHALL WORK AFFECT THE SAFE PASSAGE OF TRAINS OR OTHER ON TRACK EQUIPMENT.
5. THE CONTRACTOR SHALL PROCURE AND MAINTAIN RAILROAD PROTECTIVE LIABILITY INSURANCE AND COVERAGE OF INSURANCE BEFORE ACCESSING CSXT ROW
6. THE CONTRACTOR SHALL REFER TO THE CSXT PUBLIC PROJECTS MANUAL, MOST RECENT EDITION, FOR CONSTRUCTION REQUIREMENTS WHILE WITHIN THE CSXT ROW.
7. THE CONTRACTOR SHALL HAVE AN EMERGENCY ACTION AND HURRICANE PREPAREDNESS PLAN WHILE WORKING WITHIN THE CSXT ROW LIMITS.
8. ESCAMBIA COUNTY OFFICIALS AND THE CONTRACTORS SHALL NOT CROSS CSXT'S PROPERTY OR TRACKS, EXCEPT ON EXISTING PUBLIC ROAD CROSSINGS, WITH VEHICLES, PEOPLE, OR EQUIPMENT OF ANY KIND WITHOUT PRIOR AUTHORIZATION FROM CSXT OR AUTHORIZED REPRESENTATIVE.
9. BACK FILLING WITHIN CSXT ROW TO BE COMPLETED PER CSXT STANDARDS, SEE CSXT DESIGN AND CONSTRUCTION STANDARDS FOR FURTHER INFORMATION.
10. THE CONTRACTOR IS NOT PERMITTED TO PERFORM ANY TEMPORARY LANE CLOSURES, LANE SHIFTS, DETOURS WITHIN THE CSXT ROW, OR ANY CROSSING CLOSURE THAT WOULD CAUSE TRAFFIC TO BE UNPROTECTED BY AN ACTIVE WARNING DEVICE, OR GATE ARM.
11. THE CONTRACTOR MUST PROVIDE TWO (2) WEEKS ADVANCED NOTIFICATION TO CSXT REPRESENTATIVE FOR DIG LOCATES FOR RAILROAD SIGNAL AND COMMUNICATION LINES.

OLIVE ROAD STREET IMPROVEMENT PROJECT

GENERAL NOTES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 17

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\GNNTRD01.dgn

11:31:00 AM

PALAFOX ST.

BEGIN GRAVITY WALL W/ GUIDERAIL, 130+55.00 35.00' (LT)

END GRAVITY WALL W/ GUIDERAIL, 131+21.67 33.00' (LT)

IBEW

PRICHARD'S PLUMBING CONTRACTORS INC.

CONST. TYPE F CURB AND GUTTER

1" = 40'

+16.45 68.96' (LT)

+16.45 52.66' (LT)

SAWCUT EXISTING ASPHALT

+20.12 41.82' (LT)

+70.00 35.00' (LT)

+80.00 33.00' (LT)

+00.69 R/W 32.90' (LT)

+58.96 45.00' (LT)

EXIST. R/W LINE

PROP. TCE

+00.69 R/W 32.94' (LT)

+65.95 33.00' (LT)

+57.96 46.00' (LT)

+75.95 30.00' (LT)

+00.69 R/W 28.98' (LT)

+93.16 30.00' (LT)

+03.83 34.76' (LT)

+17.82 34.14' (LT)

+00.69 R/W 30.01' (LT)

CONST. 5' SIDEWALK

EXIST. R/W LINE

PROP. TCE

+37.46 TCE 52.00' (LT)

+37.55 TCE 42.00' (LT)

+80.00 29.41' (LT)

CR F

S-103

75'

12'

18'

25' R

50' R

PT STA. 130+00.00

130

+41.89 28.40' (LT)

+47.27 R/W 33.30' (LT)

+66.36 22.00' (LT)

CONST. 41 LF OF 14"x23" ELLIP. PIPE

℄ CONST. OLIVE RD.

131

132

22'

CONST. 41 LF OF 18" PIPE

S-105

+98.10 22.00' (LT)

133

+31.80 33.53' (LT)

+36.58 28.31' (LT)

+65.00 27.06' (LT)

134

N 67° 57' 26" E

+79.18 11.00' (RT)

S-102

CONST. 189 LF OF 18" PIPE

11'

S-104

CR F

40' R

50' R

CONST. 8 LF OF 14"x23" Ellip. Pipe

S-101

24'

70' R

60' R

24'

10'

18'

S-100

+29.00 33.38' (RT)

BEGIN PROJECT STA. 130+16.45 ℄ CONST OLIVE ROAD

40' R

SAWCUT EXISTING ASPHALT

+00.72 R/W 31.10' (RT)

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

PROP. TCE

+00.72 R/W 30.56' (RT)

+47.20 35.00' (RT)

+59.20 29.00' (RT)

+67.87 28.46' (RT)

+00.72 R/W 29.52' (RT)

+91.39 29.00' (RT)

+82.72 28.46' (RT)

+29.58 37.00' (RT)

+98.71 R/W 29.00' (RT)

+96.38 35.00' (RT)

+16.45 60.61' (RT)

+41.77 TCE 40.00' (RT)

+34.75 R/W 41.06' (RT)

+29.18 60.61' (RT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 49 LF OF 14"x23" ELLIP. PIPE

PALAFOX ST.

NEW CHURCH*

MATCHLINE STA. 134+20.00

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

BEGIN PROJECT STA. 130+16.45 ℄ CONST OLIVE ROAD

EX. GROUND LINE/PROP. PGL

129.51

131.52

131.52

S-102

14"x23" Ellip. Pipe

FL 125.00

FL 125.50

Const. 18" PIPE

S-104

18" PIPE

Const. 18" PIPE

FL 125.80

134 132 130 128 126 124 122 120

130+00 131+00 132+00 133+00 134+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040
DATE: 5/31/2022
FIELD BOOK / PAGES:
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 15, 22, & 21 / 1S / 30W

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 18

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD01.dgn

11:31:01 AM

MATCHLINE STA. 134+20.00

MATCHLINE STA. 139+80.00

1" = 40'

+38.64
26.83' (LT)

+42.73
28.65' (LT)

+63.06
40.50' (LT)

+00.69 R/W
32.05' (LT)

+48.38
24.00' (LT)

+48.10
11.00' (LT)

PROP. TCE
+83.56
31.00' (LT)

+53.88 TCE
42.00' (LT)

+49.76
24.00' (LT)

+38.85
40.00' (LT)

+52.99 TCE
38.00' (LT)

+51.52
22.25' (LT)

CONST. TYPE F CURB AND GUTTER

EXIST. R/W LINE

CONST. 5' SIDEWALK

PROP. TCE

+00.70 R/W
26.12' (LT)

+82.63
27.05' (LT)

+81.55
37.00' (LT)

+65.56
36.41' (LT)

+64.64
26.39' (LT)

+89.36 TCE
52.00' (LT)

+89.50 TCE
38.00' (LT)

+00.68 R/W
28.17' (LT)

PROP. TCE
+92.15
51.00' (LT)

+41.75 TCE
52.00' (LT)

+24.14
51.00' (LT)

PROP. TCE
+41.82 TCE
46.00' (LT)

+00.82 R/W
31.09' (LT)

+33.80
29.50' (LT)

30'

12'

12'

18'

32'

S-107

S-109

S-106

S-108

135

136

137

138

139

C101

N 67° 57' 26" E

CONST. 30 LF OF 18" PIPE

+45.00
11.00' (LT)

℄ CONST. OLIVE RD.

+95.00
16.50' (LT)

CONST. 272 LF OF 18" PIPE

+77.30
11.00' (RT)

+97.16
15.11' (RT)

+63.89
17.83' (RT)

+24.76
13.93' (RT)

CONST. 38 LF OF 18" PIPE

+64.07
25.98' (RT)

+06.58
16.50' (RT)

16.5'

16.5'

11'

11'

10'

10'

50' R

25' R

100' R

100' R

100' R

43' R

PC STA. 137+19.17

+00.72 R/W
31.95' (RT)

PROP. TCE

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

+35.00
29.00' (RT)

+44.33 R/W
30.63' (RT)

70' R

60' R

+56.02
25.77' (RT)

+74.04
23.00' (RT)

+44.33 R/W
32.86' (RT)

+22.79
31.18' (RT)

CONST. 242 LF OF 18" PIPE

+49.89
31.60' (RT)

+80.51
12.31' (RT)

+39.12 R/W
33.26' (RT)

+86.14
37.90' (RT)

+48.88
37.90' (RT)

+06.57
28.50' (RT)

60' R

70' R

+21.35
30.35' (RT)

+38.58
32.50' (RT)

CR F

CR F

CR F

CR F

FIRST CITY GYMNASTICS

OLD DOMINION FREIGHT LINE

CURVE DATA C101
PI STA. = 141+51.21
Δ = 0° 19' 26" (RT)
D = 0° 02' 15"
T = 432.04
L = 864.07
R = 152,807.12
PC STA. = 137+19.17
PT STA. = 145+83.25

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

131.52

134.62

S-106

S-108

18" PIPE

18" PIPE

FL 128.40

FL 126.30

FL 126.70

Const. 18" PIPE

Const. 18" PIPE

138
136
134
132
130
128
126
124

135+00
136+00
137+00
138+00
139+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

REVISIONS

APPROVED BY

DATE

NUMBER

SHEET 19

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD02.dgn

11:31:02 AM

BEGIN CONSTRUCTION
STA. 141+11.57 ℄ CONST.
CSX RAILWAY CROSSING

SRM CONCRETE

EXIST. CSX R/W LINE

+90.55
29.50' (LT)

PROP. TCE
+00.81 R/W
32.21' (LT)

+06.99
44.00' (LT)

+40.00
27.66' (LT)

+41.32 TCE
46.00' (LT)

+41.59 R/W
31.06' (LT)

+60.00
21.92' (LT)

+41.88 R/W
27.65' (LT)

+41.62 TCE
42.00' (LT)

+50.00
24.00' (LT)

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

+40.00
11.00' (LT)

+30.00
18.37' (LT)

+00.75 R/W
25.16' (LT)

PROP. TCE
+56.16
40.00' (LT)

MATCH DEPTH OF EXISTING
CONCRETE DRIVEWAY

+86.15
40.00' (LT)

+00.75 R/W
32.99' (LT)

+85.95
40.00' (LT)

+31.51
11.00' (LT)

+00.73 R/W
32.88' (LT)

+00.70 R/W
29.83' (LT)

CONST. 85 LF
OF 24" PIPE

MATCHLINE STA. 139+80.00

MATCHLINE STA. 145+40.00

140 141 142 143 144 145

+90.00
16.50' (LT)

BEGIN DROP CURB
STA. 140+68.00

END DROP CURB
STA. 141+22.00

+40.00
11.00' (RT)

+10.79
11.00' (LT)

℄ CONST. OLIVE RD.

C101

CONST. 188 LF
OF 24" PIPE

CONST. 188 LF
OF 24" PIPE

CONST. 112 LF
OF 18" PIPE

CONST. 33 LF
OF 18" PIPE

CONST. 30 LF OF 24" PIPE

CONST. 9 LF OF
HANDRAIL @ BSW INLET

PROP. TCE

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

S-200 S-201 S-202 S-203 S-204 S-205

CR F

50' R

84'

24'

10'

11'

11'

8'

6'

60' R

70' R

+90.00
16.50' (RT)

+27.77
31.14' (RT)

+89.02
32.50' (RT)

+40.40 R/W
32.43' (RT)

+42.70 R/W
32.44' (RT)

+65.00
23.78' (RT)

+46.38
27.46' (RT)

+42.84 TCE
40.00' (RT)

+25.00
21.56' (RT)

+43.08 TCE
38.00' (RT)

+70.68
29.00' (RT)

+92.97
35.00' (RT)

+47.29
24.98' (RT)

+42.98 R/W
32.66' (RT)

+33.00
29.00' (RT)

EXIST. CSX R/W LINE

END CONSTRUCTION
STA. 140+78.46 ℄ CONST.
CSX RAILWAY CROSSING

EXIST. CSX R/W LINE

PANHANDLE PUMP CO.

PANHANDLE PUMP CO.

CURVE DATA C101
PI STA. = 141+51.21
Δ = 0° 19' 26" (RT)
D = 0° 02' 15"
T = 432.04
L = 864.07
R = 152,807.12
PC STA. = 137+19.17
PT STA. = 145+83.25

1" = 40'

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

END CONSTRUCTION
STA. 140+78.46

BEGIN CONSTRUCTION
STA. 141+11.57

CSX DOUBLE RAIL CROSSING

134.62

135.40

135.42

EX. GROUND LINE/PROP. PGL

S-202

Const. 24" PIPE

FL 131.30

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE

PROP. PGL

BEGIN PROPOSED PROFILE
STA. 145+25.00

EL. 135.63

135.69

(+) 0.400%

S-204

S-205

24" PIPE

Const. 24" PIPE

FL 129.30

FL 129.20

135.71

138 136 134 132 130 128 126 124

140+00 141+00 142+00 143+00 144+00 145+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
SECTION TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 20

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\21412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD03.dgn

11:31:04 AM

CEMEX PENSACOLA

OLDCASTLE COASTAL

XPRESS MART

PANHANDLE PUMP CO.

ARMSTRONG ELECTRIC

TESLA

SEARS BLVD

BRIESE LN

MATCHLINE STA. 145+40.00

MATCHLINE STA. 151+00.00

EXIST. R/W LINE

TIE TO EXISTING

SAWCUT EXISTING ASPHALT

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

PROP. TCE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

+00.35
39.09' (LT)

+00.69 R/W
32.85' (LT)

+88.25
27.42' (LT)

+42.96
11.00' (LT)

+20.20
50.04' (LT)

+22.60
39.09' (LT)

+31.72
27.67' (LT)

+00.69 R/W
32.89' (LT)

+33.52 TCE
42.00' (LT)

+29.45 R/W
35.19' (LT)

+00.69 R/W
36.93' (LT)

+91.95
41.00' (LT)

+71.19
80.83' (LT)

+88.72
71.21' (LT)

+90.47
70.25' (LT)

+96.73 R/W
50.48' (LT)

+15.00
24.00' (LT)

+30.67 R/W
30.29' (LT)

+35.00
20.00' (LT)

+47.10
36.94' (LT)

+80.73
33.19' (LT)

+00.69 R/W
34.51' (LT)

+69.28
35.52' (LT)

TIE TO EXISTING CURB AND GUTTER

CONST. 101 LF OF 24" PIPE

TIE TO EXISTING CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

CONST. TYPE F CURB & GUTTER

CONST. 54 LF OF 24" PIPE

+40.00
20.00' (LT)

+60.00
24.00' (LT)

+60.20
13.33' (LT)

+68.98
11.00' (LT)

CONST. 154 LF OF 24" PIPE

+03.27
11.00' (LT)

CONST. 28 LF OF 24" PIPE

+19.52
11.00' (LT)

+39.77
11.00' (LT)

N 68° 16' 53" E

CONST. 214 LF OF 24" PIPE

TYPE F CURB & GUTTER

CONST. OLIVE RD.

+72.03
11.00' (RT)

+03.10
11.00' (RT)

+40.02
11.00' (RT)

+33.85
11.00' (RT)

+41.00
11.00' (LT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 149 LF OF 18" PIPE

+30.68
30.00' (RT)

+44.46
30.00' (RT)

+63.63 R/W
33.15' (RT)

PROP. TCE

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

+65.88
32.51' (RT)

+07.98
32.51' (RT)

+72.41 R/W
33.11' (RT)

+00.00
21.00' (RT)

+18.02
23.77' (RT)

+39.04
27.00' (RT)

+85.00
27.00' (RT)

+95.48
27.92' (RT)

+54.01
25.77' (RT)

+72.04
23.00' (RT)

S-206 RT STA 145+83.25

S-207

S-208

S-209

S-210

S-211

S-212

S-213

CR F

CR G

146

147

148

149

150

C101

1" = 40'

LEGEND

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE

PROP. PGL

PI +75.00
EL. 136.63

(+) 0.400%

(-) 0.200%

PI +95.00
EL. 135.99

(+) 0.200%

(-) 0.200%

Const. 24" PIPE

FL 128.90

FL 128.60

FL 128.50

FL 128.30

FL 128.20

135.69

135.71

136.00

136.03

138
136
134
132
130
128
126
124

146+00
147+00
148+00
149+00
150+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W
DATE: 5/11/2022
FIELD BOOK / PAGES:

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 21

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD04.dgn

11:31:05 AM

BOUTWELL'S AIR MASTERS

1" = 40'

MATCHLINE STA. 151+00.00

MATCHLINE STA. 156+60.00

+00.69 R/W 32.06' (LT)
+29.36 24.00' (LT)
+31.58 33.50' (LT)
+57.53 33.50' (LT)
+59.36 24.00' (LT)
+00.69 R/W 32.10' (LT)
+10.64 R/W 32.00' (LT)
+09.15 R/W 24.00' (LT)
+00.69 R/W 35.64' (LT)
+21.48 R/W 32.00' (LT)
+21.15 R/W 24.00' (LT)
CONST. TYPE F CURB AND GUTTER
CONST. 5' SIDEWALK
EXIST. R/W LINE
+00.69 R/W 36.18' (LT)
+68.81 39.00' (LT)
+65.00 40.00' (LT)
+65.00 34.28' (LT)
+66.41 24.00' (LT)
+81.19 39.00' (LT)
+85.00 40.00' (LT)
+85.00 33.68' (LT)
+84.41 24.00' (LT)
+00.69 R/W 33.22' (LT)
+23.39 38.00' (LT)
+11.20 37.00' (LT)
+00.00 38.00' (LT)
+00.69 R/W 31.76' (LT)
+00.00 31.76' (LT)

30' 12' 18' 24'

S-215 S-216 S-217 S-218 S-214

CONST. 192 LF OF 24" PIPE
CONST. 186 LF OF 18" PIPE
CONST. 31 LF OF 18" PIPE
CONST. 157 LF OF 24" PIPE
CONST. 184 LF OF 24" PIPE

151 152 153 154 155 156

℄ CONST. OLIVE RD.

N 68° 16' 53" E

11' 11'

+84.41 25.94' (RT)
+37.25 24.88' (RT)
+52.13 23.00' (RT)
+33.03 11.00' (RT)
50' R
CR L
25' R

+13.22 R/W 32.85' (RT)
+07.72 29.00' (RT)
+80.96 29.00' (RT)
+01.98 25.77' (RT)
+20.00 23.00' (RT)
+71.25 23.00' (RT)
+86.13 24.88' (RT)
+12.00 R/W 44.00' (RT)
+32.97 25.94' (RT)
+43.54 25.00' (RT)
+73.84 25.00' (RT)
+96.38 R/W 27.00' (RT)
+98.75 R/W 43.00' (RT)
+20.38 R/W 27.00' (RT)
+17.34 R/W 43.00' (RT)
+38.62 R/W 32.57' (RT)
+43.32 23.00' (RT)
+54.22 TCE 38.00' (RT)

70' R 10' R 60' R 68' R

PROP. TCE
EXIST. R/W LINE
CONST. SHARED USE PATH
CONST. TYPE F CURB & GUTTER

ROTECH

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

PROP. PGL
EX. GROUND LINE
PI +76.07
EL 136.76
(+) 0.200%
(-) 0.200%
(+) 0.200%

136.00 136.03 136.39 135.97

18" PIPE
Const. 24" PIPE
Const. 24" PIPE
Const. 24" PIPE

FL 128.50
FL 128.00
FL 127.80
FL 127.60

138 136 134 132 130 128 126 124

152+00 153+00 154+00 155+00 156+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/11/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W
FIELD BOOK / PAGES:

APPROVED BY | DATE | REVISIONS | NUMBER


SHEET 22

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD05.dgn

11:31:06 AM





CURVE DATA C102
PI STA. = 159+45.98
Δ = 1° 10' 42" (RT)
D = 0° 26' 27"
T = 133.68
L = 267.34
R = 13,000.00
PC STA. = 158+12.31
PT STA. = 160+79.65

CURVE DATA C103
PI STA. = 163+15.97
Δ = 14° 42' 59" (RT)
D = 3° 07' 51"
T = 236.32
L = 470.04
R = 1,830.00
PC STA. = 160+79.65
PT STA. = 165+49.68

LEGEND
- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL




# ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 23

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD06.dgn


11:31:07 AM




CURVE DATA C103
PI STA. = 163+15.97
Δ = 14° 42' 59" (RT)
D = 3° 07' 51"
T = 236.32
L = 470.04
R = 1,830.00
PC STA. = 160+79.65
PT STA. = 165+49.68

CURVE DATA C104
PI STA. = 166+88.30
Δ = 2° 16' 08" (RT)
D = 0° 49' 07"
T = 138.61
L = 277.19
R = 7,000.00
PC STA. = 165+49.68
PT STA. = 168+26.87

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL




# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JH

PROJECT MANAGER: DENISE C BREWER

DATE: 5/31/2022

DISTRICT: 3 & 4

FIELD BOOK / PAGES:

SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY

DATE

REVISIONS

NUMBER

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

SHEET 24

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD07.dgn

11:31:08 AM

BOB TARRANT HONDISSAN AUTOMOTIVE

FLORIDA POWER AND LIGHT EASEMENT

EX. ECUA 42" TRUNK FORCE MAIN

1" = 40'

MATCHLINE STA. 167+80.00

MATCHLINE STA. 173+40.00

+10.00 TCE
30.05' (LT)

+13.10 TCE
39.67' (LT)

PROP. TCE
+31.25
37.00' (LT)

+50.00 TCE
40.00' (LT)

+50.00 TCE
30.48' (LT)

+00.38 R/W
29.97' (LT)

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

+00.27 R/W
31.04' (LT)

+00.27 R/W
30.65' (LT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 138 LF OF 30" PIPE

+25.60
31.50' (LT)

+00.27 R/W
31.27' (LT)

+61.02
30.00' (LT)

+59.37
24.00' (LT)

+77.18
30.00' (LT)

+77.37
24.00' (LT)

+00.18 R/W
31.38' (LT)

+26.28
36.05' (LT)

CONST. 176 LF OF 30" PIPE

+00.27 R/W
32.00' (LT)

S-234 S-235 S-238

30' 18' 18' 18'

168 169 170 171 172 173

CONST. 27 LF OF 30" PIPE

S-232

CONST. 126 LF OF 30" PIPE

℄ CONST. OLIVE RD.

CONST. 58 LF OF 30" PIPE

N 86° 26' 41" E

11' 11' 11' 11'

C104

S-231 S-233

+88.46
11.00' (RT)

+01.18
11.00' (RT)

CONST. 8 LF OF 18" PIPE

S-237

CONST. 29 LF OF 18" PIPE

10' 10' 10'

PT STA. 168+26.87

+29.54
32.49' (RT)

CR G CR G

S-236

24"

70' R 60' R 70' R 60' R

+49.42
29.00' (RT)

+09.02 R/W
33.43' (RT)

+70.44
25.77' (RT)

+09.52 R/W
33.02' (RT)

+30.22
34.07' (RT)

+59.05
34.07' (RT)

+01.18
23.00' (RT)

+40.21
29.00' (RT)

+19.19
25.77' (RT)

+34.17 R/W
32.40' (RT)

+34.46
34.87' (RT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

DEBORAH DR

CONST. 9 LF OF HANDRAIL @ BSW INLET

+88.46
23.00' (RT)

CONST. 17 LF OF 18" PIPE

EX. ECUA 42" TRUNK FORCE MAIN

CURVE DATA C104
PI STA. = 166+88.30
Δ = 2° 16' 08" (RT)
D = 0° 49' 07"
T = 138.61
L = 277.19
R = 7,000.00
PC STA. = 165+49.68
PT STA. = 168+26.87

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

127.56 127.56 122.82 122.82

S-232 S-234 S-235 S-238

Const. 24" PIPE

30" PIPE

Const. 30" PIPE

Const. 30" PIPE

Const. 30" PIPE

Const. 30" PIPE

18" PIPE

Const. 30" PIPE

FL 119.10 FL 119.00 FL 118.90 FL 118.70 FL 118.10 FL 119.10

126 124 122 120 118 116 114 112

168+00 169+00 170+00 171+00 172+00 173+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DISTRICT: 3 & 4
DATE: 5/11/2022
PROJECT MANAGER: DENISE C. BREWER
FIELD BOOK / PAGES:
SECTION TOWNSHIP RANGE: 18, 20, & 21 / 1S / 30W

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 25

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\21141\20 CADD_Active\000000-0-00-00\roadway\PLPRRD08.dgn

11:31:09 AM

FLORIDA POWER AND LIGHT EASEMENT

CONST. 80 LF OF 30" PIPE

PENSACOLA GOSPEL ASSEMBLY

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

1" = 40'

MATCHLINE STA. 173+40.00

MATCHLINE STA. 179+00.00

+00.27 R/W
31.12' (LT)

+04.96
32.50' (LT)

+00.27 R/W
32.23' (LT)

+16.82
28.50' (LT)

+73.17
32.50' (LT)

+00.27 R/W
32.35' (LT)

+41.21
29.00' (LT)

+00.27 R/W
32.46' (LT)

+40.39
28.00' (LT)

+00.26 R/W
34.58' (LT)

+74.20
30.00' (LT)

S-239 S-240 S-241 S-242 S-243 S-244 S-245 S-246 S-247 S-248 S-249 S-250 S-251

24' 24' 24' 12' 12' 18'

11' 11' 11' 11'

174 175 176 177 178

N 86° 26' 41" E

CONST. 21 LF OF 30" PIPE

CONST. 109 LF OF 30" PIPE

CONST. 58 LF OF 24" PIPE

CONST. 122 LF OF 30" PIPE

CONST. 77 LF OF 30" PIPE

CONST. 47 LF OF 30" PIPE

CONST. 38 LF OF 18" PIPE

CONST. 29 LF OF 18" PIPE

CONST. 71 LF OF 18" PIPE

CONST. 8 LF OF 18" PIPE

CONST. 72 LF OF 18" PIPE

+60.66
11.00' (RT)

+02.56
11.00' (RT)

+87.54
23.00' (RT)

℄ CONST. OLIVE RD.

50' R

50' R

10'

10'

10'

CR G

CR G

21' SE

25' SE

60' R

70' R

70' R

60' R

60' R

68' R

+67.91 R/W
32.32' (RT)

+21.62
29.00' (RT)

+42.64
25.77' (RT)

+60.66
23.00' (RT)

+72.50
23.00' (RT)

+06.17
40.00' (RT)

+27.10
40.00' (RT)

+30.09 R/W
35.72' (RT)

+37.30
40.00' (RT)

+57.18
40.00' (RT)

+02.56
23.00' (RT)

+95.72
23.00' (RT)

+20.57
25.77' (RT)

+41.59
29.00' (RT)

+12.08 R/W
32.28' (RT)

+95.10
29.00' (RT)

+19.28
24.69' (RT)

+40.00
21.00' (RT)

+65.00
21.00' (RT)

+75.57
21.94' (RT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 72 LF OF 18" PIPE

TIE TO EXIST SIDEWALK

CORONET DR

TIE TO EXIST SIDEWALK

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

CONST. 9 LF OF HANDRAIL @ BSW INLET

LEGEND

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

122.82

118.36

122 120 118 116 114 112 110 108

S-239 S-242 S-243 S-246 S-247 S-249 S-251

Const. 30" PIPE

Const. 30" PIPE

Const. 30" PIPE

Const. 30" PIPE

24" PIPE

Const. 30" PIPE

18" PIPE

Const. 30" PIPE

FL 116.50

FL 116.30

FL 115.80

FL 115.10

FL 115.60

FL 114.20

FL 113.80

FL 113.00

FL 112.00

FL 111.60

FL 110.90

174+00 175+00 176+00 177+00 178+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 26

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD09.dgn


11:31:10 AM




CURVE DATA C105
PI STA. = 183+35.51
Δ = 8° 09' 10" (RT)
D = 1° 26' 06"
T = 284.56
L = 568.16
R = 3,992.86
PC STA. = 180+50.96
PT STA. = 186+19.11

LEGEND
- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL




# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA
MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040
DATE: 5/11/2022
FIELD BOOK / PAGES:
DISTRICT: 3 & 4
SECTION - TOWNSHIP / RANGE: 18, 20, & 21 / 1S - 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 27

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfile
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD010.dgn

11:31:12 AM




CURVE DATA C105
PI STA. = 183+35.51
Δ = 8° 09' 10" (RT)
D = 1° 26' 06"
T = 284.56
L = 568.16
R = 3,992.86
PC STA. = 180+50.96
PT STA. = 186+19.11

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL




# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 28

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD011.dgn

11:31:13 AM

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## ROADWAY PLAN-PROFILE

1" = 40'

MATCHLINE STA. 190+20.00

MATCHLINE STA. 195+80.00

END GRAVITY WALL W/ GUIDERAIL, 191+05.00, 21.00' (LT)

END GUARDRAIL 191+10.75

+00.18 R/W 31.94' (LT)

+20.00 24.00' (LT)

+63.12 R/W 32.29' (LT)

EXIST. R/W LINE

+73.57 R/W 49.92' (LT)

+74.43 R/W 75.30' (LT)

+26.00 R/W 75.40' (LT)

+20.05 R/W 51.04' (LT)

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

CONST. 9 LF OF HANDRAIL @ BSW INLET

+00.00 22.00' (LT)

+90.00 24.00' (LT)

+20.00 22.00' (LT)

+30.00 24.00' (LT)

+91.50 34.01' (LT)

CONST. 34LF OF 18" PIPE

+90.00 19.00' (LT)

+00.00 19.00' (LT)

191 192 193 194 195

S-303 S-304 S-305 S-306 CR E

11' 11'

S 85° 24' 09" E

℄ CONST. OLIVE RD.

CONST. 30 LF OF 18" PIPE

S-302

CONST. 246 LF OF 24" PIPE

CONST. 28 LF OF 42" PIPE

CONST. 240 LF OF 24" PIPE

+54.11 30.84' (RT)

END GUARDRAIL 190+99.75

END BOARDWALK 190+90.00

+25.84 50.96' (RT)

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

10'

+18.28 29.00' (RT)

70' R

60' R

70' R

+73.81 29.00' (RT)

+33.23 27.38' (RT)

+58.86 27.38' (RT)

CONST. 126 LF OF 54" PIPE

+90.00 19.00' (RT)

+98.39 29.00' (RT)

+00.00 19.00' (RT)

70' R

+15.62 26.85' (RT)

60' R

70' R

10'

+62.39 29.00' (RT)

+45.16 26.85' (RT)

STORMWATER POND

CARPENTERS CREEK

WETLAND BOUNDARY

+64.84 108.21' (RT)

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

104 102 100 98 96 94 92 90

100.36 100.36

105.34 105.34

S-302

18" PIPE

FL 96.50

FL 94.60

Const. 24" PIPE

Const. 24" PIPE

S-306

Const. 42" PIPE TO S-305

FL 95.80

FL 94.30

FL 91.80

191+00 192+00 193+00 194+00 195+00

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

PHONE NUMBER: (850) 815-3040

REG. FLA. ENG. NO.: 86552

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/11/2022

DISTRICT: 3 & 4

SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W

FIELD BOOK / PAGES:

APPROVED BY

DATE

REVISIONS

NUMBER

SHEET 29

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD012.dgn

11:31:14 AM

MATCHLINE STA. 195+80.00

MATCHLINE STA. 201+40.00

1" = 40'

+35.11 R/W
50.15' (LT)

+33.35 R/W
30.60' (LT)

CONST. 345 LF OF 42" PIPE

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

+90.72
24.00' (LT)

+34.13 TCE
40.00' (LT)

+54.45
38.12' (LT)

+00.16 R/W
29.65' (LT)

PROP. TCE

+16.00 R/W
26.27' (LT)

+30.00 R/W
26.49' (LT)

+45.00 R/W
29.50' (LT)

+00.00 R/W
29.00' (LT)

+00.24 R/W
31.66' (LT)

+64.47
39.50' (LT)

+00.32 R/W
32.42' (LT)

PC STA. 197+97.51

196 197 198 199 200 201

S-309 S-308 S-310 S-311

℄ CONST. OLIVE RD.

S 85° 24' 09" E

+90.89
11.00' (LT)

+91.26
11.00' (RT)

+31.08
16.50' (LT)

CONST. 285 LF OF 42" PIPE

C106

16.5'

11'

+31.08
16.50' (RT)

36" R.C.P. TO REMAIN

CONST. 34 LF OF 18" PIPE

CONST. 288 LF OF 18" PIPE

+25.00
28.50' (RT)

+39.53
30.34' (RT)

+56.81
32.50' (RT)

27'

10'

12"

+74.13
39.00' (RT)

+91.08
29.00' (RT)

+27.80 R/W
34.38' (RT)

+74.29
40.65' (RT)

+60.33
32.50' (RT)

+99.89
42.50' (RT)

+32.05
42.50' (RT)

+11.47 R/W
37.26' (RT)

+73.04
32.50' (RT)

+90.32
30.34' (RT)

+05.00
28.50' (RT)

+30.17 TCE
38.00' (RT)

+29.55 TCE
45.00' (LT)

+98.02
32.50' (RT)

+15.30
30.34' (RT)

+30.00
28.50' (RT)

70' R

60' R

BEGIN GUIDERAIL
197+15.00
28.97' (RT)

END GUIDERAIL
197+55.00
29.77' (RT)

+46.32 R/W
34.58' (RT)

+33.21
40.42' (RT)

+38.03
72.86' (RT)

+45.43 TCE
45.00' (RT)

+36.83
89.81' (RT)

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

PROP. TCE

ESCAMBIA COUNTY
FUTURE POND SITE

DRAINAGE EASEMENT

WETLAND BOUNDARY

CURVE DATA C106
PI STA. = 199+83.12
Δ = 1° 46' 20" (LT)
D = 0° 28' 39"
T = 185.60
L = 371.17
R = 12,000.00
PC STA. = 197+97.51
PT STA. = 201+68.69

LEGEND

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

105.34

110.00

S-309

S-311

18" PIPE

FL 100.50

FL 98.50

FL 99.80

Const. 42" PIPE

Const. 42" PIPE

110 108 106 104 102 100 98 96

196+00 197+00 198+00 199+00 200+00 201+00

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD013.dgn

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/31/2022

DISTRICT: 3 & 4

FIELD BOOK / PAGES:

SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY

DATE

REVISIONS

NUMBER

SHEET 30

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:31:15 AM

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

SAWCUT & TIE TO EXISTING SIDEWALK
+50.00 29.50' (LT)
+60.00 27.50' (LT)
PROP. TCE
+04.58 TCE 40.00' (LT)
+03.47 R/W 30.93' (LT)
+77.20 16.50' (LT)
+82.95 27.50' (LT)
+26.23 64.25' (LT)
CODY LN
+67.66 64.25' (LT)
TIE TO EXIST. CURB
+88.45 R/W 67.33' (LT)
+01.70 TCE 55.00' (LT)
+03.00 45.50' (LT)
+10.25 R/W 47.05' (LT)
CONST. 9 LF OF HANDRAIL @ BSW INLET
PROP. TCE
CONST. 5' SIDEWALK
+22.53 TCE 55.00' (LT)
+21.07 R/W 46.83' (LT)
+09.00 45.50' (LT)
+20.68 R/W 43.00' (LT)
+19.72 R/W 33.39' (LT)
+29.13 35.50' (LT)
+55.12 27.50' (LT)
CONST. 6' SIDEWALK
PROP. R/W LINE
EXIST. R/W LINE
CONST. TYPE F CURB AND GUTTER
CONST. 117 LF OF 42" PIPE
+54.00 R/W 33.11' (LT)
+54.00 R/W 43.00' (LT)
+54.23 29.26' (LT)
+25.87 35.50' (LT)
CONST. 9 LF OF HANDRAIL @ BSW INLET
STONEBROOK DR
CONST. 12 LF OF 42" PIPE
CONST. 9 LF OF HANDRAIL @ BSW INLET
+62.09 26.82' (LT)
+55.98 31.50' (LT)
+97.93 31.50' (LT)
CONST. 235 LF OF 42" PIPE
CONST. 6 LF OF 18" PIPE
CONST. 105 LF OF 42" PIPE
CONST. 128 LF OF 42" PIPE
+92.51 16.50' (LT)
+91.56 25.16' (LT)
+00.14 22.07' (LT)
+06.41 40.50' (LT)
+22.97 27.50' (LT)
+01.38 20.99' (LT)
+25.00 27.50' (LT)
+49.09 24.25' (LT)
+55.87 20.71' (LT)
PT STA. 201+68.69
PI STA. 206+46.77
MATCHLINE STA. 201+40.00
MATCHLINE STA. 207+00.00
202 203 204 205 206
℄ CONST. OLIVE RD.
S 87° 10' 28" E
S 87° 19' 22" E
27.5'
16.5'
+99.58 16.50' (RT)
C106
+64.93 22.07' (RT)
+15.74 22.42' (RT)
+80.66 16.50' (RT)
CONST. TYPE F CURB AND GUTTER
+42.77 16.50' (RT)
+71.80 17.20' (LT)
+47.38 23.53' (RT)
+72.94 16.50' (RT)
CONST. 222 LF OF 18" PIPE
CONST. 122 LF OF 18" PIPE
+12.66 32.50' (RT)
+23.36 33.00' (RT)
+56.59 33.00' (RT)
+95.43 30.35' (RT)
+23.00 32.50' (RT)
+40.23 30.35' (RT)
+55.00 28.50' (RT)
+52.35 R/W 32.53' (RT)
+83.25 37.14' (RT)
+36.25 37.14' (RT)
CONST. SHARED USE PATH
PROP. TCE
EXIST. R/W LINE
STONEBROOK DR
1" = 40'

CURVE DATA C106
PI STA. = 199+83.12
Δ = 1° 46' 20" (LT)
D = 0° 28' 39"
T = 185.60
L = 371.17
R = 12,000.00
PC STA. = 197+97.51
PT STA. = 201+68.69

LEGEND
- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

+64.26 R/W 71.12' (RT)
+89.21 R/W 48.74' (RT)
+95.48 30.50' (RT)

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL
S-313 S-315 S-317 S-318
18" PIPE
Const. 42" PIPE
FL 105.80
FL 101.00
FL 103.00
FL 103.50
FL 104.20
110.00
115.18
114 112 110 108 106 104 102 100
202+00 203+00 204+00 205+00 206+00

ESCAMBIA COUNTY, FLORIDA
MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

APPROVED BY | DATE | REVISIONS | NUMBER

SHEET 31

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\21141\20 CADD_Active\000000-0-00-00\roadway\PLPRRD014.dgn

11:31:16 AM

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

MATCHLINE STA. 207+00.00

MATCHLINE STA. 212+60.00

HEIRLOOM DR

BRIARWOOD CONDOMINIUMS

1" = 40'

+97.31 R/W 105.41' (LT)
+95.14 R/W 86.92' (LT)
EXIST. R/W LINE
TIE TO EXIST. SIDEWALK
35' R
+00.52 R/W 49.74' (LT)
+59.53 R/W 49.59' (LT)
+94.41 35.00' (LT)
+98.18 R/W 32.19' (LT)
CONST. 40 LF OF 18" PIPE
+62.41 27.50' (LT)
CR F
35' R
CONST. 295 LF OF 42" PIPE
+53.37 16.50' (LT)
50' R
+74.65 21.26' (LT)
208
209
S-319
S-320
16.5'
8'
10'
CR G
50' R
+80.00 28.50' (RT)
+40.88 16.50' (RT)
+64.35 22.35' (RT)
+38.17 21.80' (RT)
+92.74 30.00' (RT)
+72.83 30.00' (RT)
+02.20 30.00' (RT)
+28.78 30.00' (RT)
+66.83 R/W 97.19' (LT)
TIE TO EXIST. SIDEWALK
36' R
+59.89 35.00' (LT)
+03.17 R/W 49.73' (LT)
+53.06 R/W 48.11' (LT)
+90.81 27.50' (LT)
+98.72 16.50' (LT)
+51.57 TCE 35.00' (LT)
CONST. 66 LF OF 42" PIPE
S-322
210
℄ CONST. OLIVE RD.
+60.58 16.50' (RT)
S 87° 19' 22" E
211
+50.79 R/W 28.05' (LT)
+52.63 27.50' (LT)
+57.63 26.50' (LT)
CONST. 9 LF OF HANDRAIL @ BSW INLET
CONST. TYPE F CURB AND GUTTER
CONST. 5' SIDEWALK
EXIST. R/W LINE
PROP. TCE
+00.26 R/W 26.71' (LT)
CONST. 61 LF OF 42" PIPE
S-323
+40.00 28.50' (RT)
+72.00 32.50' (RT)
CONST. 40 LF OF 18" PIPE
S-324
S-325
+37.40 35.50' (LT)
PROP R/W LINE +25.00 R/W 38.22' (LT)
+25.00 TCE 35.00' (LT)
+25.00 R/W 28.22' (LT)
+51.47 40.00' (LT)
CONST. 181 LF OF 42" PIPE
+00.26 R/W 28.02' (LT)
CR D
50' R
+09.07 16.50' (LT)
212
+21.87 26.50' (LT)
+24.78 16.50' (RT)
+25.77 21.50' (LT)
CONST. 142 LF OF 18" PIPE
CONST. 192 LF OF 18" PIPE
S-321
60' R
70' R
+25.54 30.50' (RT)
+57.28 30.50' (RT)
+13.57 29.44' (RT)
+03.00 28.50' (RT)
+69.52 29.42' (RT)
+16.71 R/W 49.16' (RT)
+36.70 R/W 48.65' (RT)
+40.88 28.50' (RT)
+62.19 R/W 76.34' (RT)
25' R
+65.47 R/W 45.39' (RT)
+41.16 R/W 68.57' (RT)
+54.77 30.35' (RT)
+33.00 32.50' (RT)
EXIST. R/W LINE
CONST. SHARED USE PATH
CONST. TYPE F CURB AND GUTTER
+88.00 28.50' (RT)
+65.00 28.50' (RT)
+50.23 30.35' (RT)
+20.00 32.50' (RT)
+13.60 R/W 39.10' (RT)
+12.95 R/W 44.09' (RT)
+02.77 30.35' (RT)

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

115.18

118.98

118.98

S-319
S-322
S-323
S-325

18" PIPE
FL 109.70
FL 104.60
FL 106.00
FL 107.10
FL 112.30
FL 107.40

Const. 42" PIPE
Const. 42" PIPE
Const. 42" PIPE
Const. 42" PIPE

118
116
114
112
110
108
106
104

208+00
209+00
210+00
211+00
212+00

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD015.dgn

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040


DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 15, 22, & 21 / 1S / 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 32

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:31:17 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 33

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD016.dgn

11:31:18 AM

PREMIUM CARPET AND RUG CARE

PROP. TCE
CONST. 16 LF OF 36" PIPE
CONST. 9 LF OF HANDRAIL @ BSW INLET
+36.86 27.50' (LT)
+40.86 29.50' (LT)
+57.86 39.50' (LT)
+14.33 TCE 40.00' (LT)
+13.96 TCE 35.00' (LT)
CONST. 58 LF OF 36" PIPE
+02.31 R/W 31.79' (LT)
+72.73 R/W 31.72' (LT)
+65.00 26.50' (LT)
+50.00 29.50' (LT)
+38.52 39.50' (LT)
+75.00 26.50' (LT)
+82.00 29.50' (LT)
+93.97 39.50' (LT)
+55.36 39.50' (LT)
CONST. 91 LF OF 36" PIPE
CONST. 9 LF OF HANDRAIL @ BSW INLET
CONST. TYPE F CURB AND GUTTER
PROP. TCE
CONST. 5' SIDEWALK
EXIST. R/W LINE
+22.83 R/W 32.34' (LT)
+70.00 29.50' (LT)
+00.00 25.50' (LT)
+90.00 25.50' (LT)
CONST. 236 LF OF 36" PIPE
+72.66 R/W 32.53' (LT)
+57.49 39.50' (LT)
+20.00 29.50' (LT)
+80.00 TCE 40.00' (LT)
+80.00 TCE 32.56' (LT)
CONST. 17 LF OF 36" PIPE

1" = 40'

MATCHLINE STA. 218+20.00

MATCHLINE STA. 223+80.00

S-336 S-337 S-338 S-339 S-340 S-341 S-342 S-343

24' 12' 12' 12' 30'

16.5' 16.5'

+41.86 22.50' (LT)
CONST. 9 LF OF HANDRAIL @ BSW INLET
CONST. 123 LF OF 36" PIPE
CONST. 41 LF OF 18" PIPE
CONST. 17 LF OF 36" PIPE
℄ CONST. OLIVE RD.
CONST. 9 LF OF HANDRAIL @ BSW INLET
+48.83 16.50' (RT)
+98.50 16.50' (RT)
S 87° 10' 17" E
+17.57 28.96' (RT)
CONST. 40 LF OF 18" PIPE
+25.00 28.50' (RT)

219 220 221 222 223

8' 12' 12' 8' 12' 8' 30' R 24' R 12' 12' 8' 7' R

CR F CR F

IRA DR

60' R 68' R 68' R 60' R 60' R

+34.13 R/W 33.48' (RT)
+28.81 30.50' (RT)
SAWCUT EXISTING ASPHALT
PROP. TCE
+58.53 40.50' (RT)
+00.25 40.50' (RT)
+30.81 30.50' (RT)
+39.30 29.97' (RT)
+46.78 29.50' (RT)
EXIST. R/W LINE
CONST. SHARED USE PATH
CONST. TYPE F CURB AND GUTTER
+98.68 39.50' (RT)
+04.68 29.50' (RT)
+19.31 27.91' (RT)
+32.23 26.50' (RT)
+64.92 TCE 40.00' (RT)
+64.04 30.00' (RT)
+86.09 R/W 29.04' (RT)
+85.02 TCE 40.00' (RT)
+83.23 30.00' (RT)
+27.27 39.50' (RT)
+46.23 R/W 29.74' (RT)
+08.91 29.50' (RT)
+69.92 39.50' (RT)
PROP. TCE

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

BEGIN PROPOSED PROFILE
STA. 219+51.92

PI +51.92
EL. 121.57

PI +07.56
EL. 122.14

EX. GROUND LINE/PROP. PGL
PROP. PGL
EX. GROUND LINE

(+) 0.223%
(+) 0.223%
(-) 0.205%

121.20
121.20
121.79
121.65

122 120 118 116 114 112 110 108

S-336 S-337 S-338 S-340 S-341 S-343

18" PIPE
FL 116.20
18" PIPE
FL 116.30

Const. 36" PIPE
Const. 36" PIPE
Const. 36" PIPE
Const. 36" PIPE
Const. 36" PIPE
Const. 36" PIPE
Const. 36" PIPE

FL 110.70
FL 110.90
FL 111.00
FL 111.10
FL 111.20
FL 111.40

219+00 220+00 221+00 222+00 223+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 34

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD017.dgn

11:31:20 AM

GENESIS LAND & TITLE

FLYNNBUILT

ASENT DESIGNS

CALL A GRAPHIC ARTIST

1" = 40'

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 131 LF OF 36" PIPE

+58.22
39.50' (LT)

+75.68 R/W
33.30' (LT)

EXIST. R/W LINE

CONST. 9 LF OF HANDRAIL @ BSW INLET

+61.26
39.50' (LT)

+71.65 R/W
32.67' (LT)

+94.37
39.50' (LT)

CONST. 103 LF
OF 36" PIPE

CONST. 9 LF OF HANDRAIL @ BSW INLET

+70.29
39.50' (LT)

+09.80
39.50' (LT)

+71.94
39.50' (LT)

+64.94 R/W
31.07' (LT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

PROP. TCE

S-344 S-345 S-346 S-347 S-348 S-349 S-350 S-351 S-352 S-353 S-354

30' 18' 12' 12' 18' 18' 12' 18' 18'

MATCHLINE STA. 223+80.00

MATCHLINE STA. 229+40.00

16.5' 16.5'

224 225 226 227 228 229

CONST. 152 LF OF 18" PIPE

CONST. 17 LF
OF 36" PIPE

CONST. 38 LF
OF 36" PIPE

S 87° 10' 17" E

CONST. 44 LF OF 36" PIPE

CONST. 40 LF
OF 18" PIPE

CONST. 179 LF
OF 18" PIPE

CONST. 176 LF OF 36" PIPE

CONST. 17 LF OF 36" PIPE

+10.00
28.50' (RT)

+24.77
30.35' (RT)

+40.39
16.50' (RT)

CR G

+99.84
16.50' (RT)

℄ CONST. OLIVE RD.

10' 10' 10' 10'

60' R 70' R 70' R 60' R 60' R 70' R 70' R

39' R 32' R

+42.00
32.50' (RT)

+81.23
42.50' (RT)

+00.81 R/W
33.39' (RT)

+84.36
32.50' (RT)

+01.93
32.50' (RT)

PROP. TCE

+19.16
30.35' (RT)

+54.63
35.00' (RT)

+56.33 R/W
33.59' (RT)

+55.93
44.83' (RT)

+55.84
49.29' (RT)

+82.46 R/W
33.62' (RT)

+82.01 TCE
38.00' (RT)

+78.13
35.00' (RT)

+76.77
44.83' (RT)

TIE TO EXIST. CURB & GUTTER ON BOTH SIDES

+55.68 TCE
40.00' (RT)

+15.17
30.35' (RT)

+32.40
32.50' (RT)

SAWCUT EXISTING
ASPHALT

PROP. TCE

EXIST. R/W LINE

+94.85 TCE
38.00' (RT)

+94.08 TCE
45.00' (RT)

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

+81.10
42.50' (RT)

PROP. TCE

GO BARE DOWN THERE

DIVERSE BARBER SHOP

EXIST. R/W LINE

HILLBURN RD

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

122 120 118 116 114 112 110 108

121.79

121.65

120.04

119.93

S-344 S-346 S-347 S-348 S-349 S-351 S-353 S-354

PI +78.82
EL. 121.38

(-) 0.205% (-) 0.370%

PROP. PGL
EX. GROUND LINE

Const.
36" PIPE

Const. 36" PIPE

Const.
36" PIPE

Const. 36" PIPE

Const.
36" PIPE

Const.
36" PIPE

18" PIPE

Const. 36" PIPE

Const. 36" PIPE

FL 111.50

FL 111.60

FL 111.70

FL 111.80

FL 111.90

FL 112.00

FL 113.80

FL 112.20

FL 112.30

224+00 225+00 226+00 227+00 228+00 229+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DISTRICT: 3 & 4

DATE: 5/11/2022

FIELD BOOK / PAGES:

SECTION / TOWNSHIP / RANGE: 15, 22, & 21 / 1S / 30W

APPROVED BY

DATE

REVISIONS

NUMBER

SHEET 35

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD018.dgn

11:31:21 AM

EXECUTIVE LANDSCAPING INC.

PARKER POOLS

ERNESTINE RD

1" = 40'

MATCHLINE STA. 229+40.00

MATCHLINE STA. 235+00.00

CONST. 110 LF OF 36" PIPE

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

PROP. TCE

EXIST. R/W LINE

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

CONST. 7 LF OF 18" PIPE

+80.78 TCE
40.00' (LT)

+80.23 TCE
35.00' (LT)

+51.62
39.50' (LT)

+79.88 R/W
31.71' (LT)

+87.72
29.50' (LT)

+72.39
29.50' (LT)

+68.40
27.50' (LT)

+52.00
27.50' (LT)

+42.00
29.50' (LT)

+92.40
39.50' (LT)

+67.89
16.50' (LT)

+27.57
27.50' (LT)

+25.29 R/W
32.15' (LT)

+23.57
29.50' (LT)

+08.51
39.50' (LT)

+30.00
27.50' (LT)

+40.00
29.50' (LT)

+77.26 R/W
55.33' (LT)

+71.06 TCE
40.00' (LT)

+62.00
29.50' (LT)

+58.69 R/W
32.34' (LT)

+93.14
32.00' (LT)

+27.15
32.00' (LT)

+43.46 R/W
57.92' (LT)

+49.85 TCE
40.00' (LT)

+45.75
29.50' (LT)

+62.31 R/W
32.48' (LT)

+87.90
25.12' (LT)

+31.95
25.80' (LT)

+60.99
16.50' (LT)

+59.84
16.50' (LT)

+58.58
11.95' (LT)

+44.21
12.04' (RT)

+69.40
20.50' (LT)

+27.12
16.50' (RT)

+85.23
42.50' (RT)

+49.75 R/W
34.03' (RT)

+58.98
39.51' (RT)

+43.00
32.50' (RT)

+60.23
30.35' (RT)

+75.00
28.50' (RT)

+39.00
28.50' (RT)

+49.48
29.42' (RT)

+61.72
30.50' (RT)

+69.00
40.50' (RT)

+64.71 R/W
34.12' (RT)

+44.70
42.50' (RT)

+47.23
42.50' (RT)

+67.60 R/W
34.15' (RT)

S-354 S-355 S-356 S-357 S-358 S-359 S-360 S-361 S-362 S-363 S-364 S-365 S-366 S-367

CR F

CONST. 68 LF OF 36" PIPE

CONST. 88 LF OF 18" PIPE

CONST. 104 LF OF 18" PIPE

CONST. 23 LF OF 36" PIPE

CONST. 33 LF OF 36" PIPE

CONST. 91 LF OF 18" PIPE

CONST. 159 LF OF 36" PIPE

CONST. 41 LF OF 18" PIPE

CONST. 21 LF OF 36" PIPE

CONST. 60 LF OF 30" PIPE

CONST. 78 LF OF 30" PIPE

CONST. 158 LF OF 18" PIPE

℄ CONST. OLIVE RD.

S 87° 12' 43" E

PROP. TCE

SAWCUT EXISTING ASPHALT

A CUT ABOVE SALON & SPA

230 231 232 233 234

PI STA 229+87.71

16.5' 16.5' 10'

12' 30' 30' 18' 18' 18' 12' 8' 18'

50' R 70' R 60' R 60' R 70' R

LEGEND

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

PROP. PGL

EX. GROUND LINE

PI +70.84
EL. 120.30

PI +10.84
EL. 119.78

120.04

119.84

119.93

119.86

(-) 0.370%

(+) 0.200%

(+) 0.200%

(-) 0.200%

Const. 36" PIPE

Const. 36" PIPE

Const. 36" PIPE

Const. 36" PIPE

Const. 36" PIPE

18" PIPE

18" PIPE

18" PIPE

Const. 30" PIPE

Const. 30" PIPE

FL 112.30

FL 112.40

FL 112.60

FL 112.70

FL 112.80

FL 112.90

FL 113.10

FL 113.60

FL 113.90

FL 114.70

FL 114.80

FL 114.90

122 120 118 116 114 112 110 108

230+00 231+00 232+00 233+00 234+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 36

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD019.dgn

11:31:22 AM

TONY'S ORIENTAL MASSAGE

BLUE SKY CONVENIENCE STORE

WHITMIRE DR

GRANDVIEW RETIREMENT CENTER

1" = 40'

MATCHLINE STA. 235+00.00

MATCHLINE STA. 240+60.00

EXIST. R/W LINE

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 9 LF OF HANDRAIL @ BSW INLET

EXIST. R/W LINE

PROP. TCE

CONST. 68 LF OF 18" PIPE

+80.00 39.50' (LT)

+15.58 R/W 32.70' (LT)

+40.45 39.50' (LT)

+08.98 R/W 54.82' (LT)

+05.40 R/W 32.88' (LT)

+02.21 TCE 40.00' (LT)

+89.63 R/W 32.85' (LT)

+25.49 37.96' (LT)

+73.89 R/W 32.90' (LT)

+74.57 TCE 40.00' (LT)

+82.27 37.96' (LT)

+89.15 31.66' (LT)

CONST. 108 LF OF 18" PIPE

CONST. 9 LF OF HANDRAIL @ BSW INLET

+30.88 16.50' (LT)

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

PROP. TCE

+94.03 TCE 40.00' (LT)

+93.56 TCE 35.00' (LT)

CONST. 56 LF OF 18" PIPE

+34.58 39.50' (LT)

CONST. 9 LF OF HANDRAIL @ BSW INLET

S-369 S-370 S-371 S-372 S-373 S-368 S-400 S-401 S-402 S-403 S-404 S-405

CR F CR G

25' R 50' R 65' R 35' R 50' R 60' R 60' R 63' R 68' R 68' R 70' R 58' R 50' R 40' R

30' 18' 24' 24' 18' 24' 8' 8'

16.5' 16.5' 16.5' 16.5'

CONST. 18 LF OF 18" PIPE

CONST. 60 LF OF 18" PIPE

CONST. 138 LF OF 18" PIPE

CONST. 21 LF OF 18" PIPE

CONST. 41 LF OF 18" PIPE

S 87° 12' 43" E

℄ CONST. OLIVE RD.

+82.49 16.50' (LT)

+09.39 24.36' (LT)

+00.00 TCE 40.00' (LT)

+00.00 TCE 35.00' (LT)

+72.73 16.50' (RT)

+66.89 27.63' (RT)

+67.80 R/W 33.56' (RT)

+92.49 16.50' (RT)

+15.81 42.00' (RT)

+67.17 TCE 40.00' (RT)

+58.38 42.00' (RT)

+09.73 27.90' (RT)

+28.34 30.50' (RT)

+25.09 40.50' (RT)

+85.64 30.50' (RT)

+96.20 31.44' (RT)

+17.18 42.50' (RT)

+44.13 29.17' (RT)

+58.49 26.50' (RT)

+05.00 30.50' (RT)

+15.91 31.50' (RT)

+26.82 32.50' (RT)

EXIST. R/W LINE

+57.38 42.50' (RT)

+33.42 42.43' (RT)

+45.36 32.36' (RT)

+58.35 30.31' (RT)

+72.73 28.50' (RT)

+01.48 R/W 33.62' (RT)

PROP. TCE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

EXIST. R/W LINE

LEGEND

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

BOARDWALK GENERATOR SERVICE INC.

U.S. LAWNS OF PENSACOLA

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

119.84 119.77 119.86 119.56

122 120 118 116 114 112 110 108

S-369 S-370 S-371 S-373 S-400 S-402 S-403

(-)0.200% (+) 0.200% (+) 0.200% (-) 0.200%

P1 +20.84 EL. 119.80

P1 #83+10 EL. 120.33

PROP. PGL

EX. GROUND LINE

Const. 18" PIPE

Const. 18" PIPE

Const. 18" PIPE

Const. 30" PIPE

FL 115.10

FL 115.00

FL 114.00

FL 115.30

FL 115.40

Const. 18" PIPE

18" PIPE

Const. 18" PIPE

Const. 18" PIPE

FL 115.40

FL 115.30

FL 115.10

236+00 237+00 238+00 239+00 240+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C BREWER

DATE: 5/II/2022

FIELD BOOK / PAGES:

DISTRICT: 3 & 4

SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W

APPROVED BY

DATE

REVISIONS

NUMBER

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SHEET 37

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD020.dgn

11:31:23 AM

MINISTRY VILLAGE AT OLIVE INC.

GRANDVIEW RETIREMENT CENTER

HEALTH & HOPE CLINIC

1" = 40'

MATCHLINE STA. 240+60.00

MATCHLINE STA. 246+20.00

CONST. TYPE F CURB AND GUTTER

CONST. 5' SIDEWALK

EXIST. R/W LINE

PROP. TCE

SAWCUT AND TIE TO EXISTING CONCRETE SIDEWALK

EXIST. SIDE DRAIN TO REMAIN

+49.90 39.50' (LT)

+75.77 R/W 33.02' (LT)

+04.80 39.50' (LT)

+07.77 TCE 40.00' (LT)

+10.00 29.50' (LT)

+60.91 40.14' (LT)

+62.03 32.49' (LT)

+12.03 16.50' (LT)

CONST. 10 LF OF 24" PIPE

CONST. 19 LF OF 24" PIPE

S-405 S-406 S-407 S-408 S-409 S-410 S-411 S-412 S-413 S-414 S-415 S-416 S-417

241 242 243 244 245 246

16.5'

CONST. 114 LF OF 18" PIPE

CONST. 129 LF OF 18" PIPE

CONST. 190 LF OF 18" PIPE

℄ CONST. OLIVE RD.

S 87° 12' 43" E

CONST. 99 LF OF 18" PIPE

CONST. 8 LF OF 18" PIPE

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 27 LF OF 24" PIPE

+93.67 16.50' (RT)

+13.11 20.44' (RT)

+78.24 23.98' (RT)

+04.54 16.50' (RT)

+97.13 16.50' (RT)

+30.34 22.17' (RT)

+97.20 25.93' (RT)

+16.76 16.50' (RT)

+89.03 16.50' (RT)

+03.30 26.80' (RT)

CR F CR G

50' R 100' R 25' R 35' R 1.5' R

+16.45 TCE 40.00' (RT)

+84.25 R/W 33.27' (RT)

+90.00 26.50' (RT)

+04.88 28.38' (RT)

+21.75 30.50' (RT)

+74.91 40.50' (RT)

+80.92 30.50' (RT)

+88.28 30.11' (RT)

+16.44 TCE 42.00' (RT)

+66.84 32.78' (RT)

+31.63 32.78' (RT)

+24.53 R/W 33.57' (RT)

+04.54 28.50' (RT)

+22.69 31.31' (RT)

+43.27 34.50' (RT)

+52.83 36.00' (RT)

+91.02 36.00' (RT)

+67.03 41.00' (RT)

+96.59 37.12' (RT)

+07.50 25.30' (RT)

+79.03 34.50' (RT)

PROP. TCE

CONST. 35 LF OF 24" PIPE

CONST. 39 LF OF 24" PIPE

CONST. 113 LF OF 24" PIPE

CONST. 30 LF OF 18" PIPE

CONST. 8 LF OF 14"x23" ELLIP. PIPE

CONST. 9 LF OF HANDRAIL @ BSW INLET

CONST. 159 LF OF 18" PIPE

EXIST. R/W LINE

CONST. SHARED USE PATH

CONST. TYPE F CURB AND GUTTER

CONST. 9 LF OF HANDRAIL @ BSW INLET

LEGEND

4 IN. CONCRETE SIDEWALK

6 IN. CONCRETE SIDEWALK

2 IN MILLING AND RESURFACING DESIGN

DETECTABLE WARNING

GOODWILL GULF COAST

GOODWILL GULF COAST

AT&T +13.98 39.75' (RT)

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

END PROPOSED PROFILE
STA. 243+55.46

EL. 119.18

PROP. PGL

EX. GROUND LINE

EX. GROUND LINE/PROP. PGL

(-) 0.200%

119.77

119.56

117.44

117.44

Const. 18" PIPE

Const. 18" PIPE

Const. 18" PIPE

24" PIPE

FL 115.00

FL 114.40

FL 114.20

FL 113.50

FL 113.00

122 120 118 116 114 112 110 108

241+00 242+00 243+00 244+00 245+00 246+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DISTRICT: 3 & 4

SECTION - TOWNSHIP / RANGE: 35,36 & 2 1S 30W

DATE: 5/17/2022

FIELD BOOK / PAGES:

APPROVED BY

DATE

REVISIONS

NUMBER

SHEET 38

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD021.dgn

11:31:24 AM

OLIVE COUNSELING CENTER

MATCHLINE STA. 246+20.00

MATCHLINE STA. 251+80.00

1" = 40'

+42.85 R/W
46.16' (LT)

EXIST. R/W LINE

EXIST. DBI AND 36"
C.P.P. TO REMAIN

+50.95 R/W
45.81' (LT)

+00.75 R/W
45.89' (LT)

+00.68 R/W
41.94' (LT)

+55.74 R/W
42.05' (LT)

+55.74 R/W
42.23' (LT)

CURB INLET AND 18"
C.M.P. TO REMAIN

32.4'

31.8'

247

248

℄ CONST. OLIVE RD.

249

PI STA. 249+42.16

250

251

32'

45'

C107

PC STA. 251+63.56

S 87° 12' 43" E

S 87° 09' 05" E

CURB INLETS AND DBL
20" C.M.P. TO REMAIN

+39.03
31.84' (RT)

+38.97
39.82' (RT)

PROP. TCE

SAWCUT AND TIE TO
EXISTING CONCRETE
SIDEWALK

+52.88 TCE
42.03' (RT)

+04.84
41.50' (RT)

+92.22
47.10' (RT)

+88.49
63.38' (RT)

+13.21
41.78' (RT)

+01.24
67.13' (RT)

+78.53 R/W
41.97' (RT)

+01.18
31.94' (RT)

+50.95
44.69' (RT)

EXIST. R/W LINE

DBI AND 18"
C.M.P. TO REMAIN

MANHOLE AND 18"
C.M.P. TO REMAIN

MANHOLE, CURB INLET, AND
18" C.M.P. (3) TO REMAIN

+68.38
45.12' (RT)

WETLAND BOUNDARY

+03.76
95.47' (RT)

+72.47
105.28' (RT)

+93.20
122.15' (RT)

AT&T

SIMPLY SELF STORAGE

CURVE DATA C107
PI STA. = 254+05.66
Δ = 12° 03' 38" (RT)
D = 2° 30' 00"
T = 242.11
L = 482.43
R = 2,291.83
PC STA. = 251+63.56
PT STA. = 256+45.98

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

117.44

117.44

116.02

116.02

122
120
118
116
114
112
110
108

247+00

248+00

249+00

250+00

251+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
CHECKED BY: JH
DESIGNED BY: AW
DISTRICT: 3 & 4
PROJECT MANAGER: DENISE C. BREWER
SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W
DATE: 5/11/2022
FIELD BOOK / PAGES:

APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 39

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD022.dgn

11:31:25 AM

PASSMORE HALL / OLIVE BAPIST CHURCH

MATCHLINE STA. 251+80.00

EXIST. R/W LINE

CURB INLET AND 18" C.M.P. TO REMAIN

CURB INLET AND 18" C.M.P. TO REMAIN

+61.57 R/W
41.74' (LT)

+56.47 R/W
41.16' (LT)

+61.61 R/W
49.30' (LT)

+39.09 R/W
42.69' (LT)

+57.46 R/W
65.41' (LT)

DAVIS HWY (S.R. 295)

+70.65
63.11' (LT)

1" = 40'

℄ CONST. OLIVE RD.

C107

C108

252 253 254 255 256 257

31'

33'

45'

+06.95
32.17' (RT)

+27.38
32.12' (RT)

+99.83
43.97' (RT)

MANHOLE, CURB INLET, AND 18" C.M.P. (3) TO REMAIN

CR G

+05.84
40.17' (RT)

+06.54
43.97' (RT)

+24.27
51.97' (RT)

+23.78 R/W
53.96' (RT)

+13.65
51.97' (RT)

+01.33 R/W
54.47' (RT)

SAWCUT EXISTING CONCRETE SIDEWALK AND TIE INTO

CONST. 6' SIDEWALK

CONST. TYPE F CURB AND GUTTER

CURB INLET AND 18" C.M.P. TO REMAIN

EXIST. R/W LINE

+37.34 R/W
55.06' (RT)

+47.86 R/W
55.66' (RT)

+48.24 R/W
57.60' (RT)

+35.30
93.37' (RT)

PRC STA. 256+45.98

END PROJECT
STA. 256+70.91
℄ CONST OLIVE ROAD

MATCHLINE STA. 257+40.00

DAVIS HWY (S.R. 295)

CURVE DATA C107
PI STA. = 254+05.66
Δ = 12° 03' 38" (RT)
D = 2° 30' 00"
T = 242.11
L = 482.43
R = 2,291.83
PC STA. = 251+63.56
PT STA. = 256+45.98

CURVE DATA C108
PI STA. = 258+99.37
Δ = 12° 37' 06" (LT)
D = 2° 30' 00"
T = 253.39
L = 504.73
R = 2,291.83
PC STA. = 256+45.98
PT STA. = 261+50.72

WALGREENS

LEGEND

- 2 IN MILLING AND RESURFACING DESIGN
- DETECTABLE WARNING
- 4 IN. CONCRETE SIDEWALK
- 6 IN. CONCRETE SIDEWALK
- FULL DEPTH ROADWAY CONSTRUCTION

SCALE: 1" = 40' HORIZONTAL
1" = 4' VERTICAL

EX. GROUND LINE/PROP. PGL

END PROJECT
STA. 256+70.91
℄ CONST OLIVE ROAD

117.05

122 120 118 116 114 112 110 108

116.02

252+00 253+00 254+00 255+00 256+00 257+00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

ROADWAY PLAN-PROFILE

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 80552
PHONE NUMBER: (850) 815-3040


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | DISTRICT: 3 & 4 |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W |


APPROVED BY | DATE | REVISIONS | NUMBER

SHEET 40

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\PLPRRD023.dgn

11:31:26 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION/TOWNSHIP/RANGE: 18, 20, & 21 \| 1S \| 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|


SHEET 41

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:26 AM


11:31:27 AM




142+20.00




138+00.00




135+55.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION/ TOWNSHIP/ RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |

SHEET 42

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:27 AM

11:31:27 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 43

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:27 AM


11:31:27 AM




147+50.00




145+60.00




145+33.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK/ PAGES: | | SECTION/ TOWNSHIP/ RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|


SHEET 44

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:27 AM

11:31:27 AM




149+35.00




149+06.81

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 45

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:27 AM

11:31:28 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040


DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JJL
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 46

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:28 AM


11:31:28 AM




154+50.00




152+90.00




152+84.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY | PHONE NUMBER: (850) 815-3040 |
| DESIGNED BY: AW | DISTRICT: 3 & 4 | | REG. FLA. ENG. NO.: 68328 |
| PROJECT MANAGER: DENISE C. BREWER | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | |
| DATE: 5/11/2022 | FIELD BOOK / PAGES: | | |

APPROVED BY | DATE | REVISIONS | NUMBER


SHEET 47

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:28 AM


11:31:28 AM




157+15.00




156+37.00




156+27.00



awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:28 AM

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |

SHEET 48


11:31:28 AM




158+35.00




158+10.00




157+37.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 \| 1S \| 30W | PHONE NUMBER: (850) 815-3040 |


REVISIONS | DATE | APPROVED BY:

NUMBER:


SHEET 49

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:28 AM


11:31:28 AM




161+34.00




160+00.00




158+45.00

148 146 144 142 140 138 136 134 132 130 128 126 124 122 120 118

146 144 142 140 138 136 134 132

150 148 146 144 142 140 138 136 134 132 130 128 126 124 122 120 118

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 1S 30W | PHONE NUMBER: (850) 815-3040 |


NUMBER | REVISIONS | DATE | APPROVED BY:

SHEET 50


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:28 AM


11:31:29 AM




166+08.00




164+59.00




164+20.00

140 138 136 134 132 130 128 126 124 122 120 118 116 142 140 138 136 134 132 130 128 126 124 122 120 118 116 142 140 138 136 134 132 130 128 126 124 122 120 118

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: JASON T. RIPLEY
PHONE NUMBER: (850) 815-3040
REG. FLA. ENG. NO.: 68328


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JJL | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | FIELD BOOK / PAGES: |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 51

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:29 AM


11:31:29 AM




168+91.00




168+70.00




167+19.31

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JJL |
|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 52

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:29 AM

11:31:29 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | REG. FLA. ENG. NO.: 68328 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 53

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:29 AM


11:31:29 AM




174+62.00




174+20.00




173+80.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: HH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68528 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 54

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:29 AM


11:31:30 AM




175+68.45




174+94.12




174+85.00



# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | REG. FLA. ENG. NO.: 68328 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 55

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM

11:31:30 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 56

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM

11:31:30 AM




178+40.00




178+00.00



# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | REG. FLA. ENG. NO.: 68328 | |

| NUMBER | DESCRIPTION | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 57

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM

11:31:30 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| DRAWN BY: PD | DESIGNED BY: JAW | ENGINEER OF RECORD: JASON T. RIPLEY | REG. FLA. ENG. NO.: 68328 | PHONE NUMBER: (850) 815-3040 |
|---|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | CHECKED BY: JTR | DISTRICT: 3 & 4 | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 / 1S / 30W |
| | | FIELD BOOK / PAGES: | | |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |

SHEET 58

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM

11:31:30 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

APPROVED BY:

DATE:


REVISIONS:

NUMBER:

SHEET 59

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM

11:31:30 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | REG. FLA. ENG. NO.: 68328 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 60

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:30 AM


11:31:31 AM




187+05.00




185+85.00




185+35.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

NUMBER | REVISIONS | DATE | APPROVED BY:


SHEET 61

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:31 AM


11:31:31 AM




192+00.00




189+57.00




188+00.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK/ PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 / 1S, 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 62

awelfile
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:31 AM


11:31:31 AM

S-309

STA. 198+00.00 (19.34 LT)
CONST. INLET TYPE J-1 (6' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 106.72 (EOP)
FL 98.50 (BK)
FL 100.50 (RT)
FL 98.50 (AH)

S-308

STA. 198+00.00 (18.65 RT)
CONST. INLET TYPE P-1
INDEX NO. 425-020, 425-010
INLET EL. 106.74 (EOP)
FL 102.50 (LT)
FL 102.50 (AH)





198+00.00

S-305

STA. 194+50.00 (16.50 LT)
CONST. INLET TYPE J-2 (7' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 103.89 (EOP)
FL 96.00 (RT)
FL 97.00 (BK)
FL 96.00 (AH)

S-306


STA. 194+50.00 (16.50 RT)
CONST. INLET TYPE J-1 (6' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 103.89 (EOP)
FL 91.80 (RT)
FL 94.30 (BK)
FL 95.80 (LT)




194+50.00

S-304

STA. 194+12.49 (21.79 LT)
CONST. DBI TYPE C (MOD)
12" SLOT DEPTH
INDEX NO. 425-060, 425-052
SLOT EL. 102.50
FL 100.60 (AH)




194+12.50

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040


DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JJL
DATE: 5/11/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION, TOWNSHIP, RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

APPROVED BY | DATE | REVISIONS | NUMBER

SHEET 63

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:31 AM

11:31:31 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|

SHEET 64

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:31 AM

11:31:31 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |


| NUMBER | BEGINNING | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 65

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:31 AM

11:31:32 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040


DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JJL
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|

SHEET 66

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:32 AM


11:31:32 AM




210+05.00




209+95.00




207+05.00

128 126 124 122 120 118 116 114 112 110 108 106 104 102 100 98 130 128 126 124 122 120 118 116 114 112 126 124 122 120 118 116 114 112 110 108 106 104 102 100 98 96

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 \| 1S \| 30W | PHONE NUMBER: (850) 815-3040 |


APPROVED BY: | DATE: | REVISIONS: | NUMBER:

SHEET 67

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:32 AM

11:31:32 AM




132 130 128 126 124 122 120 118 116 114 112 110 108 106 104 102 100 98 96 94 92 90

211+40.00

130 128 126 124 122 120 118 116 114 112 110 108 106 104 102 100

210+75.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY · FLORIDA

## ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 1S 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|

SHEET 68

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:32 AM

11:31:32 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 69

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:32 AM

11:31:32 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY

PHONE NUMBER: (850) 815-3040

REG. FLA. ENG. NO.: 68328

SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JR

PROJECT MANAGER: DENISE C. BREWER

DISTRICT: 3 & 4

DATE: 5/11/2022

FIELD BOOK / PAGES:

APPROVED BY:

DATE


REVISIONS


NUMBER

SHEET 70

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:32 AM

11:31:33 AM






# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 71

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:33 AM

11:31:33 AM

S-334


STA. 218+10.00 (22.00 LT)
CONST. INLET TYPE J-2 (5' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 120.67 (EOP)
FL 110.40 (BK)
FL 110.40 (AH)




218+10.00

S-333

STA. 217+58.00 (27.29 LT)
CONST. DBI TYPE C (MOD)
J-BOTTOM (3.5'x5.0')
12" SLOT DEPTH
INDEX NO. 425-060, 425-052, 425-010
SLOT EL. 119.40
FL 109.30 (BK)
FL 109.80 (AH)




217+58.00

134 132 130 128 126 124 122 120 118 116 114 112 110 108 106 104 102

140 120 100 80 60 40 20 0 20 40 60 80 100 120

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:33 AM

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 72

11:31:33 AM




218+90.00

218+30.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|

SHEET 73

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:33 AM

11:31:33 AM




awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:33 AM

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | REG. FLA. ENG. NO.: 68328 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 74

11:31:33 AM




221+30.00




220+37.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | REG. FLA. ENG. NO.: 68328 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 75

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:33 AM

11:31:33 AM

S-344

STA. 223+90.00 (27.29 LT)
CONST. DBI TYPE C (MOD)
J-BOTTOM (3.5'x4')
12" SLOT DEPTH
INDEX NO. 425-060, 425-052, 425+010
SLOT EL. 120.20
FL 111.50 (BK)
FL 111.50 (AH)





223+90.00

S-343

STA. 223+70.00 (22.00 LT)
CONST. INLET TYPE J-2 (5' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 121.31 (EOP)
FL 111.40 (BK)
FL 116.30 (RT)
FL 111.40 (AH)

S-342

STA. 223+70.00 (22.00 RT)
CONST. INLET TYPE P-3
INDEX NO. 425-020, 425-010
INLET EL. 121.31 (EOP)
FL 116.40 (LT)
FL 116.40 (AH)




223+70.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 76

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:33 AM

11:31:34 AM

S-347

STA. 225+45.00 (27.29 LT)
CONST. DBI TYPE C (MOD)
J-BOTTOM (3.5'x4.0')
12" SLOT DEPTH
INDEX NO. 425-060, 425-052, 425-010
SLOT EL. 119.90
FL 111.70 (BK)
FL 111.70 (AH)





225+45.00

S-346

STA. 225+25.00 (22.00 LT)
CONST. INLET TYPE J-2 (5' DIA.)
INDEX NO. 425-020, 425-010
INLET EL. 120.99 (EOP)
FL 111.60 (BK)
FL 111.60 (AH)

S-345

STA. 225+25.00 (22.00 RT)
CONST. INLET TYPE P-3
INDEX NO. 425-020, 425-010
INLET EL. 120.99 (EOP)
FL 116.70 (BK)




225+25.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

11:31:34 AM

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | BEGINNING | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 77

11:31:34 AM




226+90.00

226+50.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 78

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:34 AM

11:31:34 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JJL | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 79

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:34 AM

11:31:34 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 80

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:34 AM

11:31:34 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY

PHONE NUMBER: (850) 815-3040

REG. FLA. ENG. NO.: 68328

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JR | ENGINEER OF RECORD: JASON T. RIPLEY |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK/ PAGES: | | SECTION/ TOWNSHIP/ RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |

SHEET 81


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:34 AM

11:31:35 AM




232+12.00




231+87.00




231+50.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 82

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:35 AM


11:31:35 AM




233+76.00




233+60.00




233+50.00

OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION/ TOWNSHIP/ RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |


REVISIONS | DATE | APPROVED BY:

NUMBER:

SHEET 83

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:35 AM

11:31:35 AM






# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |


SHEET 84

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:35 AM


11:31:35 AM




236+10.00




235+40.00




235+20.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |


SHEET 85

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:35 AM


11:31:35 AM




238+72.00




236+72.00




236+62.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502


| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK/ PAGES: | SECTION, TOWNSHIP, RANGE: 18, 20, & 21 / 1S, 30W | | REG. FLA. ENG. NO.: 68328 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |


SHEET 86

awelfile
Q:\ORL\21141\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:35 AM


11:31:35 AM




240+50.00




240+05.00




238+95.00

128 126 124 122 120 118 116 130 128 126 124 122 120 118 116 114 112 110 108 106 136 134 132 130 128 126 124 122 120 118 116 114 112 110 108

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 87


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:35 AM


11:31:36 AM




241+80.00




241+52.00




240+63.00

140 120 100 80 60 40 20 0 20 40 60 80 100 120

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FL 32502


| | | | |
|---|---|---|---|
| DRAWN BY: DD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 1S 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |


SHEET 88

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:36 AM


11:31:36 AM




245+06.00




243+90.00




243+12.00

# OLIVE ROAD STREET IMPROVEMENT PROJECT

DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FL

| | | | |
|---|---|---|---|
| DRAWN BY: DD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 1S 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY: |
|---|---|---|---|
| | | | |

SHEET 89

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn
11:31:36 AM

11:31:36 AM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## DRAINAGE STRUCTURES

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JJL | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 90

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRXSRD01.dgn

11:31:36 AM

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\PLPRDR01.dgn 11:31:38 AM




| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 91

# ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | JASON T. RIPLEY |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | |


# OLIVE ROAD STREET IMPROVEMENT PROJECT

STORMWATER POND

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




SECTION A-A
NTS




SECTION B-B
NTS

# OLIVE ROAD STREET IMPROVEMENT PROJECT

POND TYPICAL SECTION

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/31/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 92


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

SEALED UNDER RULE 61G15-23.004, F.A.C.


11:31:39 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\TYPSPD01.dgn

11:31:39 AM





POND 1 OUTFALL STRUCTURE DETAIL
S-381 (STA. 195+80.82 OFFSET 488.98' RT)
S-382 (STA. 196+06.79 OFFSET 486.80' RT)
DBI TYPE D (MOD.)
NTS




ORIFICE DETAIL

SECTION A-A




SECTION B-B

# OLIVE ROAD STREET IMPROVEMENT PROJECT

POND DRAINAGE DETAILS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 |
| FIELD BOOK: / PAGES: | | SECTION / TOWNSHIP / RANGE: 18,20 & 21 1S 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 93

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\DRDTRD01.dgn

11:31:40 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




END GRAVITY WALL (LT)
STA. 131+21.67

BEGIN GRAVITY WALL (LT)
STA. 130+55.00

131+00.00

BEGIN PROJECT
BEGIN CONSTRUCTION
BEGIN MILLING AND
RESURFACING
STA. 130+16.45

130+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
DATE: 5/11/2022
SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W
FIELD BOOK / PAGES:

REVISIONS | DATE | APPROVED BY

NUMBER


SHEET 94

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:40 AM

11:31:41 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




132+00.00




131+59.13




131+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 95


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:41 AM

11:31:41 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




132+54.96




132+50.00




132+47.21

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH |
|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 96

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:41 AM

11:31:41 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




133+29.58




133+18.26




133+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 5 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 97

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:41 AM

11:31:41 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




134+00.00




133+96.13




133+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 98

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:41 AM

11:31:42 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




135+00.00




134+63.14




134+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 99


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:42 AM

11:31:42 AM




136+00.00




135+83.45




135+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

REVISIONS | DATE | APPROVED BY

NUMBER


SHEET 100

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:42 AM

11:31:50 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




137+00.00




136+50.00




136+38.85

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
PHONE NUMBER: (850) 815-3040
REG. FLA. ENG. NO.: 86552

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/11/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 101

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:50 AM

11:31:51 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




138+00.00




137+73.25




137+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 102

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:51 AM

11:31:51 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




139+17.81




139+00.00




138+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | 86552 | (850) 815-3040 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | SECTION, TOWNSHIP / RANGE: 35, 2S, & 2 1S, 30W | FIELD BOOK / PAGES: | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 103

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:51 AM

11:31:51 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 104


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:51 AM

11:31:51 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

150
148
146
144
142
140
138
136
134
132
130
128
126
124




BEGIN CONSTRUCTION
END CSX RAILROAD
EXCEPTION
STA. 141+11.57

END CONSTRUCTION
BEGIN CSX RAILROAD
EXCEPTION
STA. 140+78.46

141+00.00

152
150
148
146
144
142
140
138
136
134
132
130




END CROSS SLOPE TRANSITION
STA. 140+78.46 (0.00) (LT/RT)

BEGIN CROSS SLOPE TRANSITION
STA. 140+20.00 (-0.03) (LT/RT)

140+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 105

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:51 AM

11:31:52 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




141+92.98




END CROSS SLOPE TRANSITION
STA. 141+70.00 (-0.03) (LT/RT)

BEGIN CROSS SLOPE TRANSITION
STA. 141+11.57 (0.00) (LT/RT)

141+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 106

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:52 AM

11:31:52 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




143+00.00




142+50.00




142+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/17/2022 | DENISE C BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 107

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:52 AM

11:31:52 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




144+00.00




143+86.07




143+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD:
ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | |
|---|---|---|---|
| PD | AW | JH | |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 19, 20, & 21 / 1S / 30W | | |

REVISIONS | DATE | APPROVED BY | NUMBER


SHEET 108

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:52 AM

11:31:52 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




145+50.00




145+00.00




144+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | 86552 | (850) 815-3040 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W | | |
| FIELD BOOK / PAGES: | | | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 109

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:52 AM

11:31:53 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




147+00.00




146+50.00




146+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |

| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 | (850) 815-3040 |

FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 110


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:53 AM

11:31:53 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




148+00.00




147+91.95




147+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | |

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 111

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:53 AM

11:31:53 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




149+50.00




149+00.00




148+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: |
| 5/11/2022 | DENISE C. BREWER | 5 & 4 | 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: | | PHONE NUMBER: |
| | 18, 20, & 21 - 1S - 30W | | (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |


SHEET 112

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:53 AM

11:31:53 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




151+00.00




150+50.00




150+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
PHONE NUMBER: (850) 815-3040
REG. FLA. ENG. NO.: 86552

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION - TOWNSHIP - RANGE: 15,20, & 21 1S 30W
FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 113


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:53 AM

11:31:54 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




152+00.00




151+50.00




151+44.36

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 16, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 114

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:54 AM

11:31:54 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




153+12.18




153+00.00




152+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
DATE: 5/11/2022
SECTION, TOWNSHIP / RANGE: 35, 2S, & 2 1S, 30W
FIELD BOOK / PAGES:

REVISIONS | DATE | APPROVED BY

NUMBER


SHEET 115

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:54 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




154+00.00




153+50.00




153+15.15

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 15,20,& 21 1S 30W | REG. FLA. ENG. NO.: 86552 | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 116

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:54 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




155+00.00




154+75.41




154+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 117

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:54 AM

11:31:55 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




156+00.00




155+50.00




155+07.93

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER


SHEET 118

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:55 AM

11:31:55 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




157+00.00




156+50.00




156+11.21

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | |
| FIELD BOOK / PAGES: | | | |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 119


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:55 AM

11:31:55 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |





158+50.00

MAGNOLIA PLACE




BEGIN SUPER-ELEVATION
STA. 157+61.97 (-0.03) (LT)

158+00.00




157+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

# ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/17/2022 | DENISE C BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 19, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 120

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:55 AM

11:31:56 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




160+00.00




159+50.00




159+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | |
|---|---|---|---|
| PD | AW | JH | |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 15,20, & 21 1S 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 121


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:55 AM


11:31:56 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

END SUPER-ELEVATION TRANSITION
STA. 160+79.65 (0.046) (LT)
STA. 160+79.65 (-0.046) (RT)




160+50.00




BEGIN SUPER-ELEVATION TRANSITION
STA. 160+12.77 (-0.03) (RT)

160+37.20

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 122

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:56 AM

11:31:56 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




162+00.00




161+50.00




161+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION - TOWNSHIP - RANGE: 15,20 & 21 1S 30W

REVISIONS


| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 123

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:56 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




163+48.31




163+00.00




162+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 19, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 124


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:31:57 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




164+50.00




164+00.00




163+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/17/2022 | DENISE C BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 125

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:57 AM

11:31:57 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




165+00.00




164+81.18

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 126


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:57 AM

11:31:57 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |


140
138
136
134
132
130
128
126
124




166+00.00

146
144
142
140
138
136
134
132
130
128
126
124

END SUPER-ELEVATION TRANSITION
STA. 165+51.22 (-0.03) (RT)




BEGIN SUPER-ELEVATION TRANSITION
STA. 165+20.42 (0.046) (LT)
STA. 165+20.42 (-0.046) (RT)

165+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
DATE: 5/31/2022
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 127

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:57 AM


11:31:57 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |





167+00.00

END SUPER-ELEVATION TRANSITION
STA. 166+66.72 (-0.03) (LT)




166+50.00




166+30.94

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | DISTRICT: 3 & 4 |
|---|---|---|---|
| DATE: 5/31/2022 | PROJECT MANAGER: DENISE C. BREWER | SECTION / TOWNSHIP / RANGE: 15, 20, & 21 / 1S / 30W | |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 128

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:57 AM

11:31:58 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




168+31.25




168+00.00




167+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | PHONE NUMBER: |
| | 18, 20, & 21 / 1S / 30W | | (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 129

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:58 AM

11:31:58 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




169+50.00




169+00.00




168+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 130


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:58 AM

11:31:58 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




170+50.00




170+25.34




170+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 15,20,& 21 1S 30W | REG. FLA. ENG. NO.: 86552 | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 131

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:58 AM

11:31:58 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




171+68.38




171+50.00




171+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FL 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION - TOWNSHIP / RANGE: 15,20, & 21 1S 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

SHEET 132

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:58 AM

11:31:59 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




172+34.48




172+26.29




172+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD:
ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH |
|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 133

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:31:59 AM

11:31:59 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: |
|---|---|---|
| PD | AW | JH |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK: / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 134

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:59 AM

11:31:59 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




174+50.00




174+04.89




174+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 135

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:31:59 AM

11:31:59 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




175+50.00




175+16.81




175+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | |

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 136


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:31:59 AM

11:32:00 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




176+41.22




176+00.00




175+73.17

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 137

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:00 AM

11:32:00 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




177+40.42




177+00.00




176+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | PROJECT MANAGER: | SECTION / TOWNSHIP / RANGE: |
|---|---|---|---|
| PD | AW | DENISE C. BREWER | 16, 20, & 21 1S 30W |
| DATE: | CHECKED BY: | DISTRICT: | |
| 5/11/2022 | JH | 3 & 4 | |
| FIELD BOOK / PAGES: | | | |

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 138

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:00 AM

11:32:00 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




178+50.00




178+00.00




177+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 139


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:00 AM

11:32:00 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




179+50.00




179+00.00




178+74.24

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 140

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:00 AM

11:32:01 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




181+00.00




180+50.00




BEGIN SUPER-ELEVATION TRANSITION
STA. 180+00.00 (-0.03) (LT)

180+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 141

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:01 AM


11:32:01 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

END SUPER-ELEVATION TRANSITION
STA. 182+00.00 (0.03) (LT)




182+00.00




181+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/11/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 142

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:01 AM

11:32:01 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




183+00.00




182+50.00




182+04.99

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | |
| | 16, 20, & 21 / 1S, 30W | | |

NUMBER | REVISIONS | DATE | APPROVED BY


SHEET 143

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:01 AM

11:32:01 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DRAWN BY: PD

DESIGNED BY: AW

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DISTRICT: 3 & 4

DATE: 5/11/2022

SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W

FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 144

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:01 AM

11:32:02 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |





184+50.00




WINODEE ROAD

184+18.18




WINODEE ROAD

184+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 145

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:02 AM

11:32:02 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




185+00.00

BEGIN SUPER-ELEVATION TRANSITION
STA. 184+95.00 (0.03) (LT)

184+95.21

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 146


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:02 AM

11:32:02 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




186+00.00




185+50.00




185+47.77

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 147


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:02 AM

11:32:02 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 148

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:02 AM


11:32:03 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




187+00.00

END SUPER-ELEVATION TRANSITION
STA. 186+95.00 (-0.03) (LT)




186+65.91

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/17/2022 | DENISE C BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 19, 20, & 21 / 1S / 30W | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 149

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:03 AM

11:32:03 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




188+00.00




187+68.98




187+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/11/2022

DISTRICT: 3 & 4

FIELD BOOK / PAGES:

SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 150


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:03 AM

11:32:03 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |


CARPENTERS CREEK




WETLAND BOUNDARY

CARPENTERS CREEK


BEGIN BOARDWALK (RT) 189+00.00
STA. 189+00.00




BEGIN GUARDRAIL (LT)
STA. 188+42.00

BEGIN GUARDRAIL (RT)
STA. 188+49.75

188+50.00




188+26.97

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
DATE: 5/17/2022
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 151


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:03 AM

11:32:03 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

CARPENTERS CREEK




CARPENTERS CREEK

190+00.00

CARPENTERS CREEK




CARPENTERS CREEK

189+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 152

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:03 AM

11:32:04 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |

118
116
114
112
110
108
106
104
102
100
98
96





CARPENTERS CREEK

END GUARDRAIL (LT)
191+10.75

191+00.00

116
114
112
110
108
106
104
102
100
98
96
94




CARPENTERS CREEK

END GUARDRAIL (RT)
190+99.75

END BOARDWALK (RT)
STA. 190+90.00

190+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
DATE: 5/11/2022
FIELD BOOK / PAGES:
SECTION - TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W

REVISIONS | NUMBER | DATE | APPROVED BY

SHEET 153


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:04 AM


11:32:04 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




POND 1

192+50.00




POND 1

192+00.00




POND 1

WETLAND BOUNDARY

191+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |

| DATE: | PROJECT MANAGER: | SECTION, TOWNSHIP / RANGE: |
|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 35, 26, & 21 / 1S, 30W |

FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 154


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:04 AM

11:32:04 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | PROJECT MANAGER: | CHECKED BY: | DISTRICT: | ENGINEER OF RECORD: | PHONE NUMBER: |
|---|---|---|---|---|---|---|
| PD | AW | DENISE C. BREWER | JH | 3 & 4 | ALEXANDER J. WELFLE | (850) 815-3040 |
| DATE: 5/11/2022 | FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | | REG. FLA. ENG. NO.: 86552 | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 155

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:04 AM


11:32:04 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |





POND 1

195+00.00




POND 1

194+50.00




POND 1

194+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/17/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: | | |
| | 16, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 156


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:04 AM

11:32:05 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 5 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 157


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:05 AM

11:32:05 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




197+50.00




POND 1

197+00.00




POND 1

196+73.84

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DISTRICT: 3 & 4

DATE: 5/11/2022

SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W

FIELD BOOK / PAGES:

REVISIONS

NUMBER | DATE | APPROVED BY


SHEET 158

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:05 AM

11:32:05 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




198+50.00




198+00.00




197+74.26

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |

| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 | (850) 815-3040 |

FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 159


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:05 AM

11:32:05 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




199+00.00




198+99.80




198+54.45

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 5 & 4 | FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 160


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:05 AM

11:32:06 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




200+00.00




199+50.00




199+32.05

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | |
| | 16, 20, & 21 / 1S, 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 161

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:06 AM

11:32:06 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




201+00.00




200+64.47




200+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | SECTION - TOWNSHIP - RANGE: 15,20 & 21 1S 30W |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 162


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:06 AM

11:32:06 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE | |
|---|---|---|---|
| DRAWN BY: PD | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| DATE: 5/11/2022 | FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 163

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:06 AM

11:32:06 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




204+00.00




203+50.00




203+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | DISTRICT: 3 & 4 |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | SECTION, TOWNSHIP / RANGE: 35,26 & 21 / 1S, 30W | |
| FIELD BOOK / PAGES: | | | |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 164

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:06 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




205+50.00




205+00.00




204+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 5 & 4 | REG. P.E. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |


SHEET 165

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:07 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




207+00.00




206+50.00




206+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | |
| FIELD BOOK / PAGES: | | | |

NUMBER | REVISIONS | DATE | APPROVED BY

SHEET 166


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:07 AM

11:32:07 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




208+50.00




208+00.00




207+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | |
| | 18, 20, & 21 / 1S / 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 167

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:07 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |










SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 168


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:32:08 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




211+50.00




211+00.00




210+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FL 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 15,20, & 21 1S 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 169


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:08 AM

11:32:08 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




213+00.00




212+50.00




212+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH |
|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 170

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:08 AM

11:32:08 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




214+50.00




214+00.00




213+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |

| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
|---|---|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 | (850) 815-3040 |

FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 171


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:08 AM

11:32:08 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




215+85.01




215+50.00




215+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 172

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:08 AM

11:32:09 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




217+00.00




216+50.00




216+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: | PHONE NUMBER: |
| 5/17/2022 | DENISE C BREWER | 3 & 4 | 86552 | (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | | |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 173

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:09 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




217+80.62




217+50.00




217+38.21

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

NUMBER | REVISIONS | DATE | APPROVED BY


SHEET 174

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:09 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




218+50.00




218+00.00




217+95.04

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 175

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:09 AM

11:32:09 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




219+38.52




219+00.00




218+57.86

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | DATE | REVISIONS | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 176


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:09 AM

11:32:10 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




219+93.97




219+58.49




219+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 177

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:10 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




220+50.00




220+00.24




220+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 178

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:10 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




221+00.00




220+98.71




220+55.36

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 179


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:10 AM

11:32:10 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




222+27.27




222+00.00




221+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | SECTION - TOWNSHIP / RANGE: 15,20, & 21 1S 30W | |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 180


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:10 AM

11:32:11 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




222+69.92




222+57.48




222+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | SECTION - TOWNSHIP - RANGE: 15,20 & 21 1S 30W |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 181

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:11 AM

11:32:11 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




224+00.00




223+50.00




223+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 182

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:11 AM

11:32:11 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




224+81.23




224+58.22




224+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 183


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:11 AM

11:32:11 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |





225+61.26




Exist. R/W

225+50.00




225+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA


MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FL 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH |
|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 15,20, & 21 1S 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 184


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:11 AM

11:32:12 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




226+50.00




226+00.00




225+94.37

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | |
| | 35, 26, & 21 / 1S, 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 185

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:12 AM

11:32:12 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




227+09.79




227+00.00




226+70.29

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |

| DATE: | PROJECT MANAGER: | SECTION, TOWNSHIP / RANGE: |
|---|---|---|
| 5/11/2022 | DENISE C. BREWER | 35, 26, & 21 / 1S, 30W |

FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 186

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:12 AM

11:32:12 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




228+00.00




227+71.94




227+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 187


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:12 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




229+00.00




228+81.09




228+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: | PROJECT MANAGER: | DISTRICT: | REG. FLA. ENG. NO.: / PHONE NUMBER: |
| 5/11/2022 | DENISE C. BREWER | 3 & 4 | 86552 / (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: | | |
| | 35, 26, & 21 / 1S, 30W | | |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 188

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:13 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




230+00.00




229+51.62




229+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|
| DRAWN BY: PD | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 |
| DATE: 5/11/2022 | FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W |

REG. FLA. ENG. NO.: 86552 | PHONE NUMBER: (850) 815-3040

REVISIONS | DATE | APPROVED BY

NUMBER


SHEET 189

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:13 AM

11:32:13 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




230+89.63




230+50.00




230+44.69

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 190


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:13 AM

11:32:13 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




231+50.00




231+47.22




231+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 191

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:13 AM

11:32:13 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




232+08.51




232+00.00




231+85.24

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 10, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 192

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:13 AM

11:32:14 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




233+00.00




232+58.98




232+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: |
|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 193

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:14 AM

11:32:14 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




234+50.00




234+00.00




233+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | |

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 194

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:14 AM

11:32:14 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




235+50.00




235+00.00




234+68.98

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 195

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:14 AM

11:32:14 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




236+00.00




235+80.20




235+57.38

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 196


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:14 AM

11:32:15 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




236+50.00




236+40.44




236+33.42

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | ENGINEER OF RECORD: | PHONE NUMBER: |
|---|---|---|---|---|
| PD | AW | JH | ALEXANDER J. WELFLE | (850) 815-3040 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 | |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 197


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:15 AM

11:32:15 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




238+00.00




237+50.00




237+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 16, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 198

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:15 AM

11:32:15 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




239+25.09




239+00.00




238+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP - RANGE: 18, 20, & 21 - 1S - 30W | | |

REVISIONS

| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |


SHEET 199

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:15 AM

11:32:15 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




240+17.16




240+00.00




239+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |


SHEET 200

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:15 AM

11:32:23 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




241+00.00




240+50.00




240+34.59

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 26, & 21 / 1S, 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 201

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:23 AM

11:32:24 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




241+74.89




241+50.00




241+49.90

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W | | PHONE NUMBER: (850) 815-3040 |

REVISIONS | DATE | APPROVED BY

NUMBER

SHEET 202


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:24 AM

11:32:24 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |




242+50.00




242+04.81




242+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | |
|---|---|---|---|
| PD | AW | JH | |
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 15,20 & 21 1S 30W | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 203


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:24 AM

11:32:24 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




244+00.00




243+50.00




243+00.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 / PHONE NUMBER: (850) 815-3040 |
| FIELD BOOK / PAGES: | SECTION - TOWNSHIP / RANGE: 35, 26, & 21 - 1S - 30W | | |

REVISIONS | DATE | APPROVED BY | NUMBER

SHEET 204


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn


11:32:24 AM

11:32:25 AM


| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |




245+50.00




245+00.00




244+50.00

SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | |
|---|---|---|---|
| DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | SECTION - TOWNSHIP - RANGE: 15,20 & 21 1S 30W |
| FIELD BOOK / PAGES: | | | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 205


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn

11:32:25 AM

11:32:25 AM

| Regular Exc. | | Embankment | |
|---|---|---|---|
| A | V | A | V |
| | | | |







SCALE: 1" = 20' HORIZONTAL
1" = 10' VERTICAL

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## CROSS SECTIONS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION, TOWNSHIP / RANGE: 35, 20, & 21 / 1S, 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 206

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\roadway\RDXSRD01.dgn
11:32:25 AM

11:32:25 AM

SITE DESCRIPTION

OLIVE ROAD (WEST)
ESCAMBIA COUNTY, FLORIDA

ESCAMBIA COUNTY
3363 PARK PLACE
PENSACOLA, FL 32505
(850) 595-3440

SITE LOCATION:
THE PROJECT IS BOUNDED BY;
OLD PALAFOX ROAD ON THE WEST SIDE
DAVIS HIGHWAY (S.R. 295) ON THE EAST SIDE

ESCAMBIA COUNTY, FLORIDA
ESCAMBIA COUNTY SECTION 18,20, & 21 / TOWNSHIP 01 SOUTH, RANGE 30 WEST

DESCRIPTION:
SOIL DISTURBING ACTIVITIES WILL INCLUDE:
CLEARING AND GRUBBING, CONCRETE REMOVAL, EXISTING DRAINAGE STRUCTURE REMOVAL, EARTHWORK, GRADING, AND LANDSCAPING.

SOILS:
SEE SOIL BORING REPORT AND SOILS SURVEY FOR SOILS DATA

SITE MAPS:
*SEE ATTACHED CONSTRUCTION PLANS WITH CONSTRUCTION ACTIVITIES WITH PROPOSED SIDEWALK, MULTI-USE PATH, ROADWAY WIDENING, DRAINAGE PLANS FOR POST DEVELOPMENT GRADES, AREAS OF SOILS, DISTURBANCE, LOCATION OF SURFACE WATERS, WETLANDS, PROTECTED AREAS, MAJOR STRUCTURAL AND NONSTRUCTURAL CONTROLS AND STORM WATER DISCHARGE POINTS.

SITE AREA:
TOTAL SITE AREA: 20.29 ACRES (AREA WITHIN R/W)
TOTAL AREA TO BE DISTURBED = 19.06 ACRES
TOTAL POND AREA: 2.44 ACRES

NAME OF RECEIVING WATERS: CARPENTER CREEK

CONTROLS

THIS PLAN UTILIZES BEST MANAGEMENT PRACTICES TO CONTROL EROSION AND SEDIMENTATION CAUSED BY STORMWATER RUNOFF. EROSION AND SEDIMENTATION CONTROLS ON THE ROADWAYPLAN HAVE BEEN PREPARED TO INSTRUCT THE CONTRACTOR ON PLACEMENT OF THESE CONTROLS. IT IS THE CONTRACTORS RESPONSIBILITY TO INSTALL AND MAINTAIN THE CONTROLS PER PLAN AS WELL AS ENSURING THE PLAN IS PROVIDING THE PROPER PROTECTION AS REQUIRED BY FEDERAL, STATE AND LOCAL LAWS. REFER TO "CONTRACTORS RESPONSIBILITY" FOR A VERBAL DESCRIPTION OF THE CONTROLS THAT MAY BE IMPLEMENTED.

STORMWATER MANAGEMENT

STORMWATER TREATMENT, CONVEYANCE, AND ATTENUATION WILL BE PROVIDED.

GENERAL

THE CONTRACTOR SHALL AT A MINIMUM IMPLEMENT THE CONTRACTOR'S REQUIREMENTS OUTLINED HEREON AND THOSE MEASURES SHOWN IN THE PLAN. IN ADDITION THE CONTRACTOR SHALL UNDERTAKE ADDITIONAL MEASURES REQUIRED TO BE IN COMPLIANCE WITH APPLICABLE PERMIT CONDITIONS AND STATE WATER QUALITY STANDARDS. DEPENDING ON THE NATURE OF MATERIALS AND METHODS OF CONSTRUCTION THE CONTRACTOR MAY BE REQUIRED TO IMPLEMENT SEDIMENTATION CONTROL MEASURES NOT SPECIFICALLY LISTED OR SHOWN HEREON AT NO COST TO THE OWNER.

SEQUENCE OF MAJOR ACTIVITIES:

THE ORDER OF ACTIVITIES WILL BE AS FOLLOWS:

1.INSTALL EROSION AND SEDIMENTATION CONTROLS ACCORDING TO THE CONTRACT DOCUMENTS. ONLY CLEAR AND GRUB ENOUGH TO INSTALL EROSION AND SEDIMENTATION CONTROLS.

2.CONSTRUCT ROAD AND DRAINAGE IMPROVEMENTS.

3.INSTALL ADDITIONAL EROSION AND SEDIMENTATION CONTROLS AS MAY BE WARRANTED TO CONTROL ADVERSE ENVIRONMENTAL IMPACTS AND TO MEET APPLICABLE PERMIT REQUIREMENTS.

4.MAINTAIN EROSION AND SEDIMENTATION CONTROLS AND REPAIR ERODED AREAS THROUGHOUT CONSTRUCTION UNTIL THE ROADWAYIS STABILIZED AND ACCEPTED BY THE OWNER.

PERMITS:

1.CONTRACTOR SHALL OBTAIN A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT FOR CONSTRUCTION ACTIVITIES AND SHALL ABIDE BY NPDES PERMIT CONDITIONS. CONTRACTOR MAY UTILIZE THE STORM WATER POLLUTION PREVENTION PLAN (SWPPP) INCLUDED IN THESE PLANS OR PROVIDE HIS OWN SWPPP FOR NPDES PERMITTING.

2.OWNER WILL OBTAIN AN ENVIRONMENTAL RESOURCE PERMIT (ERP) FROM THE NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT (NWFWMD) OR A STORMWATER MANAGEMENT PERMIT FROM THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FDEP) FOR THE PROJECT. CONTRACTOR SHALL ABIDE BY THE CONDITIONS OF THE ERP OR STORMWATER MANAGEMENT PERMIT.

3.COST FOR OBTAINING AN NPDES PERMITS AND FOR ABIDING BY ALL PERMIT CONDITIONS SHALL BE BORNE BY THE CONTRACTOR.

4.CONTRACTOR SHALL PROVIDE A COPY OF HIS NPDES PERMIT NOI TO THE ESCAMBIA COUNTY ENGINEER.

TIMING OF CONTROLS/MEASURES

AS INDICATED IN THE SEQUENCE OF MAJOR ACTIVITIES, THE SILT FENCES AND HAY BALES, WILL BE CONSTRUCTED PRIOR TO CLEARING OR GRADING OF ANY OTHER PORTIONS OF THE SITE. STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICAL IN UPSTREAM AREAS OF THE ROADWAY WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED. ONCE CONSTRUCTION ACTIVITY CEASES PERMANENTLY IN AN AREA, THAT AREA WILL BE STABILIZED PERMANENTLY IN ACCORDANCE WITH THE PLANS. AFTER THE ENTIRE SITE IS STABILIZED, THE ACCUMULATED SEDIMENT WILL BE REMOVED FROM ANY SEDIMENT TRAPS.

CONTROLS

IT IS THE CONTRACTORS RESPONSIBILITY TO IMPLEMENT THE EROSION AND SEDIMENTATION CONTROLS AS SHOWN ON THE ROADWAY PLAN. IT IS ALSO THE CONTRACTORS RESPONSIBILITY TO ENSURE THESE CONTROLS ARE PROPERLY INSTALLED, MAINTAINED AND FUNCTIONING PROPERLY TO PREVENT TURBID OR POLLUTED WATER FROM LEAVING THE PROJECT SITE. THE CONTRACTOR WILL ADJUST THE EROSION AND SEDIMENTATION CONTROLS SHOWN ON THE ROADWAY PLAN AND ADD ADDITIONAL CONTROL MEASURES, AS REQUIRED,TO ENSURE THE SITE MEETS ALL FEDERAL, STATE AND LOCAL EROSION AND SEDIMENTATION CONTROL REQUIREMENTS AT NO ADDITIONAL COST TO THE OWNER. THE FOLLOWING BEST MANAGEMENT PRACTICES WILL BE IMPLEMENTED BY THE CONTRACTOR AS REQUIRED BY THE EROSION AND SEDIMENTATION CONTROL PLAN AND AS REQUIRED TO MEET THE EROSION AND SEDIMENTATION REQUIREMENTS IMPOSED ON THE PROJECT SITE BY THE REGULATORY AGENCIES.

EROSION AND SEDIMENT CONTROLS STABILIZATION PRACTICES

1.HAY BALE BARRIER: HAY BALE BARRIERS CAN BE USED BELOW DISTURBED AREAS SUBJECT TO SHEET AND RILL EROSION WITH THE FOLLOWING LIMITATIONS:

1.A.WHERE THE MAXIMUM SLOPE BEHIND THE BARRIER IS 33 PERCENT.

1.B.IN MINOR SWALES OR DITCH LINES WHERE THE MAXIMUM CONTRIBUTING DRAINAGE AREA IS NO GREATER THAN 2 ACRES.

1.C.WHERE EFFECTIVENESS IS REQUIRED FOR LESS THAN 3 MONTHS.

1.D.EVERY EFFORT SHOULD BE MADE TO LIMIT THE USE OF STRAW BALE BARRIERS CONSTRUCTED IN LIVE STREAMS OR IN SWALES WHERE THERE IS THE POSSIBILITY OF A WASHOUT. IF NECESSARY, MEASURES SHALL BE TAKEN TO PROPERLY ANCHOR BALES TO INSURE AGAINST WASHOUT.

2.FILTER FABRIC BARRIER: FILTER FABRIC BARRIERS CAN BE USED BELOW DISTURBED AREAS SUBJECT TO SHEET AND RILL EROSION WITH THE FOLLOWING LIMITATIONS:

2.A.WHERE THE MAXIMUM SLOPE BEHIND THE BARRIER IS 33 PERCENT.

2.B.IN MINOR SWALES OR DITCH LINES WHERE THE MAXIMUM CONTRIBUTING DRAINAGE AREA IS NO GREATER THAN 2 ACRES.

3.BRUSH BARRIER WITH FILTER FABRIC: BRUSH BARRIER MAY BE USED BELOW DISTURBED AREAS SUBJECT TO SHEET AND RILL EROSION WHERE ENOUGH RESIDUE MATERIAL IS AVAILABLE ON SITE. USE OF BRUSH BARRIER MUST RECEIVE SEPARATE APPROVAL FROM THE OWNER.

4.LEVEL SPREADER: A LEVEL SPREADER MAY BE USED WHERE SEDIMENT-FREE STORM RUNOFF IS INTERCEPTED AND DIVERTED AWAY FROM THE GRADED AREAS ONTO UNDISTURBED STABILIZED AREAS. THIS PRACTICE APPLIES ONLY IN THOSE SITUATIONS WHERE THE SPREADER CAN BE CONSTRUCTED ON UNDISTURBED SOIL AND THE AREA BELOW THE LEVEL LIP IS STABILIZED. THE WATER SHOULD NOT BE ALLOWED TO RECONCENTRATE AFTER RELEASE.

5.STOCKPILING MATERIAL: NO EXCAVATED MATERIAL SHALL BE STOCKPILED IN SUCH A MANNER AS TO DIRECT RUNOFF DIRECTLY OFF THE PROJECT ROADWAYINTO ANY ADJACENT WATER BODY OR STORM WATER COLLECTION FACILITY.

6.EXPOSED AREA LIMITATION: THE SURFACE AREA OF OPEN, RAW ERODIBLE SOIL EXPOSED BY CLEARING AND GRUBBING OPERATIONS OR EXCAVATION AND FILLING OPERATIONS SHALL NOT EXCEED 20 ACRES. THIS REQUIREMENT MAY BE WAIVED FOR LARGE PROJECTS WITH AN EROSION CONTROL PLAN WHICH DEMONSTRATES THAT OPENING OF ADDITIONAL AREAS WILL NOT SIGNIFICANTLY AFFECT OFF-ROADWAYDEPOSIT OF SEDIMENTS.

7.DROP INLET PROTECTION: PROVIDE SEDIMENT CONTROL MEASURES AS APPROPRIATE DURING CONSTRUCTION INCLUDING BUT NOT LIMITED TO STRAW BALE DROP INLET SEDIMENT FILTERS AND/OR PRE-MANUFACTURED INLET INSERTS (ULTRA-TECH ULTRA-GRATEGUARD GRATE COVER, ULTRA-TECH ULTRA-DRAINGUARD CATCH BASIN INSERT, OR EQUIVALENT) AT ALL EXISTING OR INSTALLED DROP INLET BOXES WHERE THE TOP OF BOX IS NOT AT LEAST 10" ABOVE THE NEAREST ADJACENT UNFINISHED GRADE.

8.CURB INLET PROTECTION: PROVIDE SEDIMENT CONTROL MEASURES AS APPROPRIATE DURING CONSTRUCTION INCLUDING BUT NOT LIMITED TO STRAW BALE CURB INLET SEDIMENT FILTERS AND/OR PRE-MANUFACTURED INLET INSERTS (ULTRA-TECH ULTRA-CURBGUARD, ULTRA-TECH ULTRA-GUTTERGUARD, OR EQUIVALENT) AT ALL EXISTING OR INSTALLED CURB INLETS.

9.TEMPORARY SEEDING: AREAS OPENED BY CONSTRUCTION OPERATIONS AND THAT ARE NOT ANTICIPATED TO BE RE-EXCAVATED OR DRESSED AND RECEIVE FINAL GRASSING TREATMENT WITHIN 20 DAYS SHALL BE SEEDED WITH A QUICK GROWING GRASS OR SIMILAR SPECIES WHICH WILL PROVIDE AN EARLY COVER DURING THE SEASON IN WHICH IT IS PLANTED AND WILL NOT LATER COMPETE WITH THE PERMANENT GRASSING.

10.TEMPORARY SEEDING AND MULCHING: SLOPES STEEPER THAN 6:1 THAT FALL WITHIN THE CATEGORY ESTABLISHED IN PARAGRAPH 9 ABOVE SHALL ADDITIONALLY RECEIVE MULCHING OF APPROXIMATELY 2 INCHES LOOSE MEASURE OF MULCH MATERIAL CUT INTO THE SOIL OF THE SEEDED AREA ADEQUATE TO PREVENT MOVEMENT OF SEED AND MULCH.

11.TEMPORARY GRASSING: THE SEEDED OR SEEDED AND MULCHED AREA(S) SHALL BE ROLLED AND WATERED OR HYDROMULCHED OR OTHER SUITABLE METHODS IF REQUIRED TO ASSURE OPTIMUM GROWING CONDITIONS FOR THE ESTABLISHMENT OF A GOOD GRASS COVER. TEMPORARY GRASSING SHALL BE THE SAME MIX & AMOUNT REQUIRED FOR PERMANENT GRASSING IN THE CONTRACT SPECIFICATIONS.

12.TEMPORARY REGRASSING: IF, AFTER 30 DAYS FROM SEEDING, THE TEMPORARY GRASSED AREAS HAVE NOT ATTAINED A MINIMUM OF 75 PERCENT GOOD GRASS COVER, THE AREA WILL BE REWORKED AND ADDITIONAL SEED APPLIED SUFFICIENT TO ESTABLISH THE DESIRED VEGETATIVE COVER.

13.MAINTENANCE: ALL FEATURES OF THE PROJECT DESIGNED AND CONSTRUCTED TO PREVENT EROSION AND SEDIMENT SHALL BE MAINTAINED DURING THE LIFE OF THE CONSTRUCTION SO AS TO FUNCTION AS THEY WERE ORIGINALLY DESIGNED AND CONSTRUCTED.

14.PERMANENT EROSION CONTROL: THE EROSION CONTROL FACILITIES OF THE PROJECT SHOULD BE DESIGNED TO MINIMIZE THE IMPACT ON THE OFFSITE FACILITIES.

15.PERMANENT SEEDING: ALL AREAS WHICH HAVE BEEN DISTURBED BY CONSTRUCTION WILL, AS A MINIMUM, BE SEEDED. THE SEEDING MIX MUST PROVIDE BOTH LONG-TERM VEGETATION AND RAPID GROWTH SEASONAL VEGETATION. SLOPES STEEPER THAN 4:1 SHALL BE SODDED.

16.REFER TO OTHER NOTES AND/OR DETAILS FOR MORE RESTRICTIVE GRASSING/SODDING REQUIREMENTS.

STRUCTURAL PRACTICES

1.THE FOLLOWING MEASURES MAY BE USED EARLY IN THE PROJECT AS APPROPRIATE.

2.TEMPORARY DIVERSION DIKE: TEMPORARY DIVERSION DIKES MAY BE USED TO DIVERT RUNOFF THROUGH A SEDIMENT-TRAPPING FACILITY.

3.TEMPORARY SEDIMENT TRAP: A SEDIMENT TRAP SHALL BE INSTALLED IN A DRAINAGE WAY AT A STORM DRAIN INLET OR AT OTHER POINTS OF DISCHARGE FROM A DISTURBED AREA. THE FOLLOWING SEDIMENT TRAPS MAY BE CONSTRUCTED EITHER INDEPENDENTLY OR IN CONJUNCTION WITH A TEMPORARY DIVERSION DIKE:

3.A.BLOCK & GRAVEL SEDIMENT FILTER - THIS PROTECTION IS APPLICABLE WHERE HEAVY FLOWS AND/OR WHERE AN OVERFLOW CAPACITY IS NECESSARY TO PREVENT EXCESSIVE PONDING AROUND THE STRUCTURE.

3.B.GRAVEL SEDIMENT TRAP - THIS PROTECTION IS APPLICABLE WHERE HEAVY CONCENTRATED FLOWS ARE EXPECTED, BUT NOT WHERE PONDING AROUND THE STRUCTURE MIGHT CAUSE EXCESSIVE INCONVENIENCE OR DAMAGE TO ADJACENT STRUCTURES & UNPROTECTED AREAS.

3.C.DROP INLET SEDIMENT TRAP - THIS PROTECTION IS APPLICABLE WHERE THE INLET DRAINS A RELATIVELY FLAT AREA (S < 5%) AND WHERE SHEET OR OVERLAND FLOWS (Q < 0.5 CFS) ARE TYPICAL. THIS METHOD SHALL NOT APPLY TO INLETS RECEIVING CONCENTRATED FLOWS SUCH AS IN STREET OR HIGHWAY MEDIANS.

4.OUTLET PROTECTION: REQUIRED AT THE OUTLETS OF ALL PIPES AND PAVED CHANNEL SECTIONS WHERE THE FLOW COULD CAUSE EROSION & SEDIMENT PROBLEM TO THE RECEIVING WATER BODY. SILT FENCE & HAY BALES ARE TO BE INSTALLED IMMEDIATELY DOWNSTREAM OF THE DISCHARGE STRUCTURE AS SHOWN ON THE OUTLET PROTECTION DETAIL.

5.SEDIMENT BASIN: WILL BE CONSTRUCTED AT THE COMMON DRAINAGE LOCATIONS THAT SERVE AN AREA WITH 10 OR MORE DISTURBED ACRES AT ONE TIME, THE PROPOSED STORM WATER PONDS (OR TEMPORARY PONDS) WILL BE CONSTRUCTED FOR USE AS SEDIMENT BASINS. THESE SEDIMENT BASINS MUST PROVIDE A MINIMUM OF 3,600 CUBIC FEET OF STORAGE PER ACRE DRAINED UNTIL FINAL STABILIZATION OF THE SITE.

5.A.THE 3,600 CUBIC FEET OF STORAGE AREA PER ACRE DRAINED DOES NOT APPLY TO FLOWS FROM OFFSITE AREAS AND FLOWS FROM ONSITE AREAS THAT ARE EITHER UNDISTURBED OR HAVE UNDERGONE FINAL STABILIZATION WHERE SUCH FLOWS ARE DIVERTED AROUND BOTH THE DISTURBED AREA AND THE SEDIMENT BASIN. ANY TEMPORARY SEDIMENT BASINS CONSTRUCTED MUST BE BACKFILLED AND COMPACTED IN ACCORDANCE WITH THE SPECIFICATIONS FOR STRUCTURAL FILL. ALL SEDIMENT COLLECTED IN PERMANENT OR TEMPORARY SEDIMENT TRAPS MUST BE REMOVED UPON FINAL STABILIZATION.

OLIVE ROAD STREET IMPROVEMENT PROJECT

STORMWATER POLLUTION

ESCAMBIA COUNTY, FLORIDA
MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040
DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
SECTION, TOWNSHIP, RANGE: 18,20, & 21 / 1S / 30W
DATE: 5/31/2022
FIELD BOOK / PAGES:

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 207

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\SWPPRD01.dgn

11:32:26 AM

OTHER CONTROLS

WASTE DISPOSAL

LAND CLEARING/EXCAVATION MATERIALS

EXCESS SOIL AND OTHER LAND CLEARING MATERIALS SHALL BE DISPOSED OF IN LAWFULLY PERMITTED OFF SITE FACILITIES. THE OWNER MAY PROVIDE ONSITE UPLAND LOCATION(S) FOR TEMPORARY OR PERMANENT DISPOSAL OF SOIL OR LAND CLEARING DEBRIS.

WASTE MATERIALS

CONTRACTOR SHALL BE RESPONSIBLE FOR STORING AND ULTIMATE DISPOSAL OF ALL WASTE MATERIALS IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS, RULES, CODES, AND REGULATIONS. ALL WASTE MATERIALS EXCEPT LAND CLEARING DEBRIS SHALL BE COLLECTED AND STORED IN A SECURELY LIDDED METAL CONTAINER. THE CONTAINER WILL MEET ALL LOCAL AND STATE SOLID WASTE MANAGEMENT REGULATIONS. THE CONTAINER WILL BE EMPTIED AS NEEDED AND THE TRASH WILL BE HAULED TO A STATE APPROVED LANDFILL. ALL PERSONNEL WILL BE INSTRUCTED REGARDING THE CORRECT PROCEDURE FOR WASTE DISPOSAL. NOTICES STATING THESE PRACTICES WILL BE POSTED AT THE CONSTRUCTION SITE BY THE CONSTRUCTION SUPERINTENDENT. THE INDIVIDUAL WHO MANAGES THE DAY-TO-DAY SITE OPERATIONS WILL BE RESPONSIBLE FOR SEEING THAT THESE PROCEDURES ARE FOLLOWED.

HAZARDOUS WASTE

ANY AND ALL HAZARDOUS WASTE MATERIALS WILL BE DISPOSED OF IN THE MANNER SPECIFIED BY LOCAL OR STATE REGULATION OR BY THE MANUFACTURER. SITE PERSONNEL WILL BE INSTRUCTED IN THESE PRACTICES AND THE SITE SUPERINTENDENT. THE INDIVIDUAL WHO MANAGES DAY-TO-DAY SITE OPERATIONS WILL BE RESPONSIBLE FOR SEEING THAT THESE PRACTICES ARE FOLLOWED.
SANITARY WASTE ALL SANITARY WASTE WILL BE COLLECTED FROM THE PORTABLE UNITS AS NEEDED TO PREVENT POSSIBLE SPILLAGE. THE WASTE WILL BE COLLECTED AND DEPOSED OF IN ACCORDANCE WITH STATE AND LOCAL WASTE DISPOSAL REGULATIONS FOR SANITARY SEWER OR SEPTIC SYSTEMS.

INVENT. FOR POLLUTION PREVENTION PLAN

THE MATERIALS OR SUBSTANCES LISTED BELOW ARE EXPECTED TO BE PRESENT ONSITE DURING CONSTRUCTION:

| | | |
|---|---|---|
| ☒ CONCRETE | ☒ FERTILIZERS | ☒ WOOD |
| ☒ ASPHALT | ☒ PETROLEUM BASED PROD. | ☐ MASONARY BLOCKS |
| ☒ TAR | ☐ CLEANING SOLVENTS | ☐ ROOFING MATERIALS |
| ☐ DETERGENTS | ☒ PAINTS | ☐ METAL STUDS |
| ☐ TRANSFORMERS | ☒ LIGHTING EQUIPMENT | ☐ _____ |

SPILL PREVENTION

MATERIAL MANAGEMENT PRACTICES

THE FOLLOWING ARE THE MATERIAL MANAGEMENT PRACTICES THAT WILL BE USED TO REDUCE THE RISK OF SPILLS OR OTHER ACCIDENTAL EXPOSURE OF MATERIALS AND SUBSTANCES TO STORM WATER RUNOFF.

GOOD HOUSEKEEPING

THE FOLLOWING GOOD HOUSEKEEPING PRACTICES WILL BE FOLLOWED ONSITE DURING THE CONSTRUCTION PROJECT.

*AN EFFORT WILL BE MADE TO STORE ONLY ENOUGH PRODUCT REQUIRED TO DO THE JOB.

*ALL MATERIALS STORED ONSITE WILL BE STORED IN A NEAT, ORDERLY MANNER IN THEIR APPROPRIATE CONTAINERS AND, IF POSSIBLE, UNDER A ROOF OR OTHER ENCLOSURE.

*PRODUCTS WILL BE KEPT IN THEIR ORIGINAL CONTAINERS WITH THE ORIGINAL MANUFACTURER'S LABEL.

*SUBSTANCES WILL NOT BE MIXED WITH ONE ANOTHER UNLESS RECOMMENDED BY THE MANUFACTURER.

* WHENEVER POSSIBLE, ALL OF A PRODUCT WILL BE USED UP BEFORE DISPOSING OF THE CONTAINER.

*MANUFACTURER'S RECOMMENDATIONS FOR PROPER USE AND DISPOSAL WILL BE FOLLOWED.

*THE SITE SUPERINTENDENT WILL INSPECT DAILY TO ENSURE MATERIALS ONSITE RECEIVE PROPER USE AND DISPOSAL.

HAZARDOUS PRODUCTS

THESE PRACTICES ARE USED TO REDUCE THE RISKS ASSOCIATED WITH HAZARDOUS MATERIALS.

*PRODUCTS WILL BE KEPT IN ORIGINAL CONTAINERS UNLESS THEY ARE NOT RESEALABLE.

*ORIGINAL LABELS AND MATERIAL SAFETY DATA SHEETS WILL BE RETAINED; THEY CONTAIN IMPORTANT PRODUCT INFORMATION.

*IF SURPLUS PRODUCT MUST BE DISPOSED OF, MANUFACTURER'S OR LOCAL AND STATE RECOMMENDED METHODS FOR PROPER DISPOSAL WILL BE FOLLOWED.

PRODUCT SPECIFIC PRACTICES
THE FOLLOWING PRODUCT SPECIFIC PRACTICES WILL BE FOLLOWED ONSITE:

PETROLEUM PRODUCTS

ALL ONSITE VEHICLES WILL BE MONITORED FOR LEAKS AND RECEIVE REGULAR PREVENTIVE MAINTENANCE TO REDUCE THE CHANCE OF LEAKAGE. PETROLEUM BASED PRODUCTS WILL BE STORED IN TIGHTLY SEALED CONTAINERS WHICH ARE CLEARLY LABELED.

FERTILIZERS

FERTILIZERS USED WILL BE APPLIED ONLY IN THE MINIMUM AMOUNTS RECOMMENDED. ONCE APPLIED, FERTILIZER WILL BE WORKED INTO THE SOIL TO LIMIT EXPOSURE TO STORM WATER. STORAGE WILL BE IN A COVERED AREA. THE CONTENTS OF ANY PARTIALLY USED BAGS OF FERTILIZER WILL BE TRANSFERRED TO A SEALABLE PLASTIC BIN TO AVOID SPILLS.

PAINTS

USE MANUFACTURES SPECIFICATIONS AND RECOMMENDATIONS FOR STORAGE AND DISPOSAL OF PAINT PRODUCTS.

CONCRETE TRUCKS

SHALL NOT BE CLEANED OR DISCHARGE SPOILED OR UNUSED CONCRETE ONSITE UNLESS OTHERWISE COORDINATED WITH THE OWNER

FUELING/LUBRICATION/MAINTENANCE OF VEHICLES AND EQUIPMENT

FUEL SHALL NOT BE STORED ONSITE. ALL FUEL, LUBRICANTS, AND RELATED SUBSTANCES SHALL BE PROVIDED VIA FUEL/LUBRICATION TRUCK. ONLY REQUIRED FUELING AND NORMAL MINOR LUBRICATION AND MAINTENANCE WILL OCCUR ONSITE.

SPILL CONTROL PRACTICES

IN ADDITION TO THE GOOD HOUSEKEEPING AND MATERIAL MANAGEMENT PRACTICES DISCUSSED IN THE PREVIOUS SECTIONS OF THIS PLAN, THE FOLLOWING PRACTICES WILL BE FOLLOWED FOR SPILL PREVENTION AND CLEANUP:

MANUFACTURERS' RECOMMENDED METHODS FOR SPILL CLEANUP WILL BE CLEARLY POSTED ON SITE AND SITE PERSONNEL WILL BE MADE AWARE OF THE PROCEDURES AND THE LOCATION OF THE INFORMATION AND CLEANUP SUPPLIES.

MATERIALS AND EQUIPMENT NECESSARY FOR SPILL CLEANUP WILL BE KEPT IN THE MATERIAL STORAGE AREA ONSITE. EQUIPMENT AND MATERIALS WILL INCLUDE BUT NOT BE LIMITED TO BROOMS, DUST PANS, MOPS, RAGS, GLOVES, GOGGLES, LIQUID ABSORBENT i.e. KITTY LITTER OR EQUAL), SAND, SAWDUST, AND PLASTIC AND METAL TRASH CONTAINERS SPECIFICALLY FOR THIS PURPOSE.

ALL SPILLS WILL BE CLEANED UP IMMEDIATELY AFTER DISCOVERY.

THE SPILL AREA WILL BE KEPT WELL VENTILATED AND PERSONNEL WILL WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT INJURY FROM CONTACT WITH A HAZARDOUS SUBSTANCE.

SPILL OF TOXIC OR HAZARDOUS MATERIAL WILL BE REPORTED TO THE APPROPRIATE STATE OR LOCAL GOVERNMENT AGENCY, REGARDLESS OF THE SIZE OF THE SPILL.

THE SPILL PREVENTION PLAN WILL BE ADJUSTED TO INCLUDE MEASURES TO PREVENT THIS TYPE OF SPILL FROM REOCCURRING AND HOW TO CLEAN UP THE SPILL IF THERE IS ANOTHER ONE. A DESCRIPTION OF THE SPILL, WHAT CAUSED IT, AND THE CLEANUP MEASURES WILL ALSO BE INCLUDED.

THE SITE SUPERINTENDENT RESPONSIBLE FOR THE DAY-TO-DAY SITE OPERATIONS WILL BE THE SPILL PREVENTION AND CLEANUP COORDINATOR. HE/SHE WILL DESIGNATE AT LEAST ONE OTHER SITE PERSONNEL WHO WILL RECEIVE SPILL PREVENTION AND CLEANUP TRAINING. THESE INDIVIDUALS WILL EACH BECOME RESPONSIBLE FOR A PARTICULAR PHASE OF PREVENTION AND CLEANUP. THE NAMES OF RESPONSIBLE SPILL PERSONNEL WILL BE POSTED IN THE MATERIAL STORAGE AREA AND IF APPLICABLE, IN THE OFFICE TRAILER ONSITE.

SEDIMENTATION AND EROSION CONTROL NOTES FOR DEMOLITION

1. REFER TO GENERAL CONSTRUCTION NOTES.
2. DEMOLITION INCLUDES COMPLETE WRECKING OF STRUCTURES AND THE REMOVAL AND DISPOSAL OF PAVEMENT, STRUCTURES, PIPING, MECHANICAL AND ELECTRICAL EQUIPMENT, CONCRETE, STEEL, AND ALL OTHER MISCELLANEOUS MATERIALS AND DEBRIS AS REQUIRED TO PREPARE THE SITE FOR NEW CONSTRUCTION.
3. ALL SEDIMENTATION / EROSION CONTROLS MUST BE CONSTRUCTED / IN PLACE PRIOR TO DEMOLITION.
4. THE USE OF EXPLOSIVES WILL NOT BE PERMITTED.
5. THE OWNER HAS FIRST RIGHT OF REFUSAL FOR ALL ITEMS OF SALVAGEABLE VALUE. ALL MATERIALS AND ITEMS NOT SALVAGED AND DELIVERED TO THE OWNER SHALL BE REMOVED OFF SITE FOR DISPOSAL IN FULL ACCORDANCE WITH ALL FEDERAL, STATE, AND COUNTY LAWS, CODES, REGULATIONS, AND ORDINANCES.
6. BURNING OF DEMOLITION DEBRIS ON THE PROJECT SITE WILL BE PERMITTED (SEE GENERAL NOTES FOR ADDITIONAL INFORMATION).
7. CONTRACTOR SHALL USE WATER SPRINKLING, TEMPORARY ENCLOSURES, AND OTHER SUITABLE METHODS TO LIMIT THE AMOUNT OF DUST AND DIRT RISING AND SCATTERING IN THE AIR TO THE LOWEST PRACTICAL LEVEL.
8. CONTRACTOR SHALL CLEAN ADJACENT STRUCTURES AND IMPROVEMENTS OF DUST, DIRT, AND DEBRIS CAUSED BY DEMOLITION OPERATIONS.
9. CONTRACTOR SHALL TAKE MEASURES AS MAY BE NECESSARY TO ENSURE THAT DUST, DIRT, OR DEBRIS IS NOT DEPOSITED ON STREET(S) BY HIS DEMOLITION OPERATIONS OR BY TRUCKING OPERATIONS. CONTRACTOR SHALL IMMEDIATELY CLEAN ANY SUCH DUST, DIRT, OR DEBRIS FROM THE ROADWAY(S).
10. CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL EXISTING UTILITY SERVICE LINES AND IF DEEMED NECESSARY, REROUTING, UNHOOKING, CAPPING OR BULK HEADING, AND REMOVING AND ABANDONING ALL UTILITIES AS NECESSARY TO COMPLETE THE WORK. CONTRACTOR SHALL COORDINATE ANY UTILITY DEMOLITION OPERATIONS WITH THE APPLICABLE UTILITY OWNER AND LEAVE ALL ABANDONED UTILITY CONNECTIONS AS SPECIFIED BY THE APPLICABLE UTILITY OWNER.

SEDIMENTATION AND EROSION CONTROL NOTES FOR CONSTRUCTION DURATION

1. CONTRACTOR SHALL CONDUCT SITE OPERATIONS IN A MANNER THAT DOES NOT CAUSE OR ALLOW OFFSITE TRANSPORT OF SEDIMENT.
2. CONTRACTOR SHALL PROVIDE SEDIMENT CONTROL MEASURES AS APPROPRIATE DURING CONSTRUCTION INCLUDING BUT NOT LIMITED TO STAKED HAYBALE DITCH PROTECTION (OR EQUIVALENT).
3. WHERE STRAW BALE BARRIERS ARE USED, CONTRACTOR SHALL TIGHTLY ABUT AND CHINK BETWEEN BALES WITH LOOSE STRAW AND SHALL EMBED BALES 4" INTO THE SOIL TO ENSURE THAT STORM RUNOFF DOES NOT BYPASS THE STRAW BALE BARRIER.
4. WHERE PRE-MANUFACTURED PRODUCTS ARE USED, CONTRACTOR SHALL REMOVE AND REPLACE THE COVERS/INSERTS WHEN THEY BECOME CLOGGED.
5. CONTRACTOR SHALL INSPECT THE SEDIMENT CONTROL MEASURES AT LEAST ONCE A WEEK AND AFTER EVERY RAINFALL EVENT OF ¼" OR MORE.
6. CONTRACTOR SHALL IMMEDIATELY REPAIR OR REPLACE ANY SEDIMENT CONTROL MEASURE THAT IS RENDERED DAMAGED OR INEFFECTIVE BY NORMAL USE OR EXTREME RAINFALL EVENTS.
7. IF WIND EROSION BECOMES SIGNIFICANT DURING CONSTRUCTION, THE CONTRACTOR SHALL STABILIZE THE AFFECTED AREA USING SPRINKLING, IRRIGATION, OR OTHER ACCEPTABLE METHODS.
8. CONTRACTOR SHALL SOD ALL DISTURBED AREAS AS SOON AS PRACTICAL FOLLOWING GRADING OPERATIONS.
9. CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS FOR DEWATERING IF DEWATERING IS PERFORMED.
10. CONTRACTOR SHALL CONTAIN ALL DEWATERING DISCHARGE AND INFILTRATE BACK INTO AN ONSITE INFILTRATION SYSTEM, OR OBTAIN PERMIT FOR DISCHARGE OFFSITE.

CONSTRUCTION SEQUENCE NOTES

1. CONTRACTOR SHALL PROVIDE CONSTRUCTION NOTIFICATION PRIOR TO INITIATING CONSTRUCTION IN ACCORDANCE WITH ALL PERMIT CONDITIONS AND COUNT STANDARDS.
2. CONCEPTUAL PHASING PLAN AS SHOWN IN THIS PLAN SET IS PROVIDED SOLELY AS A GUIDE AND CONTRACTOR IS RESPONSIBLE FOR THE DEVELOPMENT AND IMPLEMENTATION OF CONSTRUCTION PHASING BASED ON SCHEDULE, WEATHER CONDITIONS, ETC.
3. CONTRACTOR SHALL PLACE ALL PERIMETER SEDIMENT CONTROL PRIOR TO CLEARING AND GRUBBING, AS SHOWN ON SHEET CD-101, AND SHALL MAINTAIN SEDIMENT CONTROLS DURING DEMOLITION.
4. INSTALL TEMPORARY EROSION CONTROL AND DIVERSION MEASURES FOR STORMWATER MANAGEMENT PRIOR TO DEMOLITION OF THE EXISTING DITCH.
5. PRIOR TO POND BOTTOM STABILIZATION ALL ACCUMALATED SEDIMENT FROM CONSTRUCTION MUST BE REMOVED. CONTRACTOR TO REMOVE THE TOP LAYER OF THE POND BOTTOMS TO A DEPTH OF 2 TO 3 INCHES AND SCARIFY OR DEEP-RAKE THE EXCAVATED BOTTOM. REPLACE EXCAVATED BOTTOM MATERIAL WITH SUITABLY PERMEABLE MATERIAL AND RESTORE THE POND BOTTOMS TO DESIGN GRADE.
6. REMOVE PERIMETER SEDIMENT CONTROL ONLY AFTER SITE IS FULLY STABILIZED.

OLIVE ROAD STREET IMPROVEMENT PROJECT

STORMWATER POLLUTION

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: JASON T. RIPLEY
REG. FLA. ENG. NO.: 68328
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C BREWER
DISTRICT: 3 & 4
SECTION - TOWNSHIP/ RANGE: 16, 20, & 21 / 1S / 30W
DATE: 5/17/2022
FIELD BOOK / PAGES:


REVISIONS | DATE | APPROVED BY

NUMBER


SHEET 208

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\SWPPRD01.dgn




POINT A SHOULD BE HIGHER THAN POINT B




NOTES FOR SYNTHETIC BALES OR BALE TYPE BARRIERS

1. BALES SHALL BE TRENCHED 3" TO 4" AND ANCHORED WITH 2-1" x 2" (OR 1" DIA.) x 4' WOOD STAKES. STAKES OR OTHER MATERIAL OR SHAPE PROVIDING EQUIVALENT STRENGTH MAYBE USED IF APPROVED BY THE ENGINEER. STAKES OTHER THAN WOOD SHALL BE REMOVED UPON COMPLETION OF THE PROJECT.


2. ADJACENT BALES SHALL BE BUTTED FIRMLY TOGETHER.

3. WHERE USED IN CONJUNCTION WITH SILT FENCE, BALES SHALL BE PLACED ON THE UPSTREAM SIDE OF THE FENCE.

4. SANDBAGS OR ROCK BAGS SHALL BE CONSIDERED EQUIVALENT.

## STAKED HAYBALE DITCH LINING

SCALE: NTS




NOTES FOR STAKED SILT FENCE

1. SET THE POSTS AND EXCAVATE A 4"x4" TRENCH UP SLOPE ALONG THE LINE OF POSTS. POSTS SHALL BE SPACED A MAX. OF 10' APART @ THE BARRIER LOCATION & DRIVEN INTO THE GROUND A MIN. OF 12". WHEN EXTRA STRENGTH FABRIC IS USED WITHOUT THE WIRE SUPPORT FENCE, POST SPACING SHALL NOT EXCEED 6'.

2. WHEN STANDARD STRENGTH FILTER FABRIC IS USED, A WIRE MESH SUPPORT FENCE SHALL BE FASTENED TO THE UP SLOPE SIDE OF THE POSTS USING HEAVY DUTY WIRE STAPLES @ LEAST 1" LONG, TIE WIRES OR HOG RINGS. THE WIRE MESH SHALL 20 GA. MIN OR TYPE A FENCE FABRIC AND EXTEND INTO THE TRENCH A MIN. OF 2" & SHALL NOT EXTEND MORE THAN 36" ABOVE THE ORIGINAL GROUND SURFACE.

3. ATTACH THE FILTER FABRIC TO THE WIRE MESH FENCE & EXTEND IT INTO THE TRENCH A MIN. OF 8".

4. BACKFILL AND COMPACT THE EXCAVATED SOIL.

5. WHEN ATTACHING TWO SILT FENCES TOGETHER, PLACE THE END POST OF THE SECOND FENCE INSIDE THE END POST OF THE FIRST FENCE. ROTATE BOTH POSTS TOGETHER @ LEAST 180 DEGREES ON A CLOCKWISE DIRECTION TO CREATE A TIGHT SEAL WITH THE FILTER FABRIC & DRIVE BOTH POSTS INTO THE GROUND.

## SINGLE ROW AND DOUBLE ROW STAKED SILT FENCE

SCALE: NTS

OLIVE ROAD STREET IMPROVEMENT PROJECT

STORMWATER POLLUTION

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: JASON T. RIPLEY

DATE: 5/17/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 68328 | PHONE NUMBER: (850) 815-3040

FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 16,20 & 21 / 1S / 30W

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|


SHEET 209


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

11:32:27 AM

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\drainage\SWPPRD01.dgn

12:42:32 PM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | DESIGNED BY: | CHECKED BY: | DISTRICT: |
|---|---|---|---|
| PD | AW | JH | 3 & 4 |
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | |
| FIELD BOOK / PAGES: | | | |

REVISIONS


| NUMBER | DATE | APPROVED BY |
|---|---|---|
| | | |

SHEET 210

SEALED UNDER RULE 61G15-23.004, F.A.C.
THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW01.dgn

12:42:33 PM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040


DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/31/2022
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:

APPROVED BY
DATE
REVISIONS
NUMBER


SHEET 211

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW02.dgn




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/11/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 212


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW03.dgn

12:42:35 PM




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

## UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/31/2022
DISTRICT: 3 & 4
SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 213

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW04.dgn

12:42:35 PM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/11/2022

DISTRICT: 3 & 4

SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W

FIELD BOOK / PAGES:

APPROVED BY

DATE

REVISIONS


NUMBER

SHEET 214


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW05.dgn

12:42:37 PM




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE

REG. FLA. ENG. NO.: 86552

PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW

DRAWN BY: PD

CHECKED BY: JH

PROJECT MANAGER: DENISE C. BREWER

DATE: 5/31/2022

DISTRICT: 3 & 4

SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W

FIELD BOOK / PAGES:

APPROVED BY

DATE

REVISIONS

NUMBER

SHEET 215

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW06.dgn

12:42:38 PM

EXIST. R/W LINE
UNITI 144ct OFOC
COX CATV & OFOC
COX BFOC
ECUA 6" FM(PVC)
ECUA 8" WM
EXIST. R/W LINE
PROP. TCE
1" = 40'
MATCH LINE STA. 195+80.00
MATCH LINE STA. 201+40.00
PT STA. 201+97.51
196
197
198
199
200
201
S-309
S-308
S-310
S-311
P'COLA ENERGY 6" GM
PROP. TCE
EXIST. R/W LINE
ECUA 6" FM(PVC)
PROP. TCE

WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

P'COLA ENERGY 2" GM
PROP. CONDUIT
COX BFOC
CODY LN
P'COLA ENERGY 2" GM
ECUA 8" WM
COX CATV
EXIST. R/W LINE
PROP. TCE
COX CATV & OFOC
UNITI 144ct OFOC
ECUA 8" WM(PVC)
PROP. R/W LINE
EXIST. R/W LINE
STONEBROOK DR
ECUA 3" WM
1" = 40'
COX CATV
MATCH LINE STA. 201+40.00
MATCH LINE STA. 207+00.00
PT STA. 201+68.69
PI STA. 206+46.77
202
203
204
205
206
S-312
S-313
S-314
S-315
S-316
S-317
S-318
PROP. CONDUIT
S 87° 10' 28" E
COX CATV
ECUA 2" WM(PVC)
P'COLA ENERGY 2" GM
PROP. TCE
EXIST. R/W LINE
P'COLA ENERGY 6" GM
ECUA 6" FM(PVC)
COX CATV
ECUA 8" WM
STONEBROOK DR
EXIST. R/W LINE

WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL

100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

| | | | |
|---|---|---|---|
| DRAWN BY: PD | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE | |
| DESIGNED BY: AW | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 | PHONE NUMBER: (850) 815-3040 |
| PROJECT MANAGER: DENISE C. BREWER | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | |
| DATE: 5/31/2022 | FIELD BOOK / PAGES: | | |


APPROVED BY | DATE | REVISIONS | NUMBER

SHEET 216

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW07.dgn

12:42:39 PM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
CHECKED BY: JH
DESIGNED BY: AW
DISTRICT: 3 & 4
PROJECT MANAGER: DENISE C. BREWER
SECTION / TOWNSHIP / RANGE: 18, 20 & 21 / 1S / 30W
DATE: 5/11/2022
FIELD BOOK / PAGES:

REVISIONS


| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|

SHEET 217


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW08.dgn

12:42:40 PM




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DESIGNED BY: AW
DRAWN BY: PD
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DATE: 5/31/2022
DISTRICT: 3 & 4
FIELD BOOK / PAGES:
SECTION / TOWNSHIP / RANGE: 16, 20, & 21 / 1S / 30W


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 218


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW09.dgn

12:42:41 PM




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION




WARNING: GAS MAIN IN AREAS OF CONSTRUCTION

# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502
ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040


| DRAWN BY: PD | DESIGNED BY: AW | CHECKED BY: JH | ENGINEER OF RECORD: ALEXANDER J. WELFLE |
|---|---|---|---|
| DATE: 5/11/2022 | PROJECT MANAGER: DENISE C. BREWER | DISTRICT: 3 & 4 | REG. FLA. ENG. NO.: 86552 |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W | | PHONE NUMBER: (850) 815-3040 |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 219

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
O:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW010.dgn




# OLIVE ROAD STREET IMPROVEMENT PROJECT

UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

DRAWN BY: PD
DESIGNED BY: AW
CHECKED BY: JH
PROJECT MANAGER: DENISE C. BREWER
DISTRICT: 3 & 4
DATE: 5/11/2022
SECTION / TOWNSHIP / RANGE: 18, 20, & 21 / 1S / 30W
FIELD BOOK / PAGES:


APPROVED BY
DATE
REVISIONS
NUMBER

SHEET 220

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW011.dgn

12:42:43 PM




# OLIVE ROAD STREET IMPROVEMENT PROJECT

## UTILITY ADJUSTMENTS

ESCAMBIA COUNTY, FLORIDA

MOFFATT & NICHOL
100 N SPRING STREET, SUITE 2, PENSACOLA, FLORIDA 32502

ENGINEER OF RECORD: ALEXANDER J. WELFLE
REG. FLA. ENG. NO.: 86552
PHONE NUMBER: (850) 815-3040

| DRAWN BY: | CHECKED BY: | |
|---|---|---|
| PD | JH | |
| DESIGNED BY: | DISTRICT: | |
| AW | 3 & 4 | |
| DATE: | PROJECT MANAGER: | |
| 5/11/2022 | DENISE C. BREWER | |
| FIELD BOOK / PAGES: | SECTION / TOWNSHIP / RANGE: | |
| | 18, 20 & 21 / 1S / 30W | |

| NUMBER | REVISIONS | DATE | APPROVED BY |
|---|---|---|---|
| | | | |

SHEET 221

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

awelfle
Q:\ORL\211412\20 CADD_Active\000000-0-00-00\utils\UTADUW012.dgn