

GENERAL IRRIGATION NOTES:

1. VERIFY ALL CONDITIONS AND DIMENSIONS SHOWN ON THE PLANS AT THE SITE PRIOR TO COMMENCEMENT OF WORK UNDER THIS CONTRACT.
2. ALL IRRIGATION INSTALLATION SHALL CONFORM TO LOCAL BUILDING AND PLUMBING CODES.
3. ADJUST SPRINKLER'S ARC AND RADIUS TO ENSURE 100% COVERAGE.
4. BURY ALL MAINS AT A MINIMUM DEPTH OF 24 INCHES BELOW GRADE.
5. BURY ALL LATERALS AT A MINIMUM DEPTH OF 18 INCHES BELOW GRADE.
6. VALVES, CONTROLLER AND OTHER ELECTRICAL COMPONENTS SHALL BE GROUNDED AS PER MANUFACTURER SPECIFICATIONS
7. COORDINATE THE LOCATION OF THE CONTROLLER WITH THE OWNER'S REPRESENTATIVE. ELECTRIC SERVICE (110 VOLT AC) SHALL BE PROVIDED BY THE GENERAL CONTRACTOR
8. IRRIGATION WELL AND PUMP SHALL BE INSTALLED AS PER NWFMD STANDARDS CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL REQUIRED PERMITTING
9. PROVIDE COMPLETE TYPEWRITTEN INSTRUCTIONS FOR IRRIGATION OPERATION AND MAINTENANCE.
10. ALL POP UP SPRINKLER HEADS ALONG ROADS OR DRIVES WITHOUT CURBS SHALL BE POSITIONED 1' FROM THE BACK OF CURB.
11. EXPOSURE TO FREEZING CONDITIONS WILL RESULT IN THE IMPROPER FUNCTIONING OF THE BACKFLOW PREVENTION DEVICE. THE IRRIGATION RPA BACKFLOW PREVENTION DEVICE SHALL BE PROTECTED WITH A INSULATED "LOCK BOX" ENCLOSURE OR APPROVED EQUAL. INSTALL AS PER MANUFACTURER'S RECOMMENDATION. COLOR SHALL BE DARK GREEN.



Irrigation well should be on County property or ROW .

GENERAL NOTES CONTINUED

- UPON AWARD OF THIS CONTRACT, THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AND SPECIFICATIONS DEPICTING EXISTING APPURTENANCES TO REMAIN AND PROPOSED IRRIGATION NEEDED TO ENSURE 100% COVERAGE OF PLANTED AREAS WITHIN THE PROJECT LIMITS. ZONES SHALL BE RESPECTIVE TO THE PROPOSED PLANT MATERIAL TO BE INSTALLED.
- ALL PROPOSED TREES SHALL BE ZONED ON BUBBLERS AS PER DETAIL SHOWN ON THIS SHEET.
 - ALL IRRIGATION PIPE TO BE PVC CLASS 200 SDR 21 OR BETTER
 - THE CONTRACTOR SHALL ZONE TURF, SHRUBS, GROUNDCOVER AND TREES INDIVIDUALLY.
 - VALVES SHOWN ON PLANS MAY BE RELOCATED TO ACCOMMODATE FIELD CONDITIONS
 - IRRIGATION SCHEDULE IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. DESIGNER IS NOT RESPONSIBLE FOR THE ACCURACY OF MATERIALS REPRESENTED. CONTRACTOR SHALL PERFORM THEIR OWN TAKE OFF BASED ON PLAN DOCUMENTS.
 - ELEMENT LOCATION ON DRAWINGS ARE SCHEMATIC SHOWING DESIGN INTENT. ENSURE 100% IRRIGATION COVERAGE AND LOCATE ALL PIPE IN BEDS.
 - PLAN DOCUMENT DOES NOT SHOW PIPE JUMPS WHERE MAINLINE AND LATERAL PIPING CROSS. IT SHALL BE UNDERSTOOD THAT THIS PIPING SHALL BE SEPARATE
 - EACH VALVE SHALL BE IN A SEPARATE VALVE BOX. VALVES SHOWN GRAPHICALLY IN A SIMILAR LOCATION SHALL BE GROUPED TOGETHER NO CLOSER THAN 2' AND NO FARTHER THAN 4'.

IRRIGATION LEGEND			
SYMBOL	QUANTITY	MODEL NUMBER SPECIFICATION (RAINBIRD OF APPROVED EQUAL)	COMMENTS
	38	Rain Bird 1803-1400 Flood	ALL MEDIUM AND LARGE TREES TO HAVE 2 TREE BUBBLES EACH TYP
	25	Rain Bird 1812-SAM-PRS-U 15 Strip Series	
	100	Rain Bird 1812-SAM-PRS-U U8 Series	
	25	Rain Bird 5012-PC, FC-SAM-R	ADJUST SPRAY RADIUS AS NEEDED TO AVOID OVERSPRAY
	7	Rain Bird PESB-PRS-D VALVE	INSTALL VALVE IN RAINBIRD VB SERIES BOX. INSTALL 3" #57 CRUSHED STONE IN BOTTOM OF BOX. TOP COVER OF VALVE BOX TO READ "VALVE BOX" VALVE SIZE TO MATCH PIPE SIZE
	700 L.F.	2" MAIN IRRIGATION LINE WITH TRACER WIRE AND VALVE WIRE	MIN WORKING PRESSURE 100 PSI PROVIDE 24" COVER OVER PIPE MIN
NOT SHOWN	AS NEEDED PER PLAN	3/4" LATERAL IRRIGATION LINE	VALVE SIZE TO MATCH PIPE SIZE
	180 L.F.	4" PVC SLEEVE PIPE	PROVIDE 36" COVER OVER PIPE WHERE SUBJECTED TO VEHICULAR TRAFFIC PROVIDE 24" COVER OVER PIPE WHERE NOT SUBJECTED TO VEHICULAR TRAFFIC
	3	2" VALMATIC AIR RELEASE VALVE	INSTALL AT HIGH POINTS IN LINE VALVE SIZE TO MATCH PIPE SIZE WITH RAINBIRD VB SERIES BOX
	5	2" HOMEWERKS OR LEGEND ISOLATION BALL VALVE	WITH RAINBIRD VB SERIES BOX
	1	Rain Bird ESP-LXD COMMERCIAL IRRIGATION CONTROLLER	
		OUTDOOR-RATED, PLASTIC LOCKING WALL/POST-MOUNTABLE CASE.	
	1	2" IRRIGATION METER TO BE INSTALLED BY ECUA. PRICE TO BE INCLUDED IN CONTRACTOR'S BID.	

- NOTE- APPROVED EQUALS TO ABOVE SPECIFIED MATERIALS WILL BE CONSIDERED.
- ADJUST NOZZLES AS NEEDED TO PREVENT OVERSPRAY
 - INSTALL Hunter ICD 100 Decoder AT EACH ZONE VALVE AT DESCRETION OF OWNER AND LANDSCAPE ARCHITECT.
 - CONTRACTOR SHALL VERIFY ALL QUANTITIES LISTED



ESCAMBA COUNTY, FLORIDA

SEAL

EXCELLENCE IN ENGINEERING SERVICE

MUNICIPAL

ENGINEERING SERVICES INC.

10000 N. W. 11th Ave., Suite 100
Davie, Florida 33317
P: (850) 939-5732
F: (850) 939-5733
WWW.MUNICIPAL-ENGINEERING.COM

DESIGNED BY:

PROJECT MANAGER:

DRAWN BY:

DATE:

FIELD BOOK: PAGES:

CHECKED BY:

DISTRICT:

SECTION/TOWNSHIP/RANGE:

REG. FLA. ENG. NO.

DATE:

SIGNATURE:

170001-004

170001-004

2019.013/L-4903

IR1.02

PROJECT NUMBER

SURVEY NUMBER

SHEET

170001-004

2019.013/L-4903

IR1.02

LANDSCAPE ARCHITECTURE

URBAN DESIGN

4539 OAK ORCHARD CIRCLE
PACE, FL 32571
(850) 698-0056 (OFFICE)

PROJECT NUMBER

SURVEY NUMBER

SHEET

170001-004

2019.013/L-4903

IR1.02

REGISTERED LANDSCAPE ARCHITECT

MICHAEL C. WOLF

LA6667118

STATE OF FLORIDA

GALVEZ LANDING BOAT RAMP SITEWORK & ROADWAY IMPROVEMENTS

PRELIM IRRIGATION DETAILS